

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	165	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	67	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	180	PM <sub>2.5</sub>	7
4	Ajmer	Moderate	113	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	87	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	64	PM <sub>10</sub>	1
7	Ambala	Satisfactory	80	PM <sub>10</sub>	1
8	Amritsar	Moderate	182	PM <sub>2.5</sub>	1
9	Anantapur	Satisfactory	64	PM <sub>10</sub>	1
10	Araria	Poor	223	PM <sub>2.5</sub>	1
11	Ariyalur	Satisfactory	60	NO <sub>2</sub>	1
12	Arrah	Poor	240	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	151	PM <sub>2.5</sub>	1
14	Aurangabad (Bihar)	Moderate	171	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Moderate	123	PM <sub>10</sub>	1
16	Baddi	Moderate	175	PM <sub>2.5</sub>	1
17	Bagalkot	Good	50	PM <sub>10</sub>	1
18	Bahadurgarh	Moderate	152	PM <sub>2.5</sub>	1
19	Ballabgarh	Poor	241	PM <sub>2.5</sub>	1
20	Bareilly	Satisfactory	81	PM <sub>10</sub>	2
21	Baripada	Moderate	178	O <sub>3</sub>	1
22	Begusarai	Very Poor	329	PM <sub>2.5</sub>	1
23	Belgaum	Moderate	161	PM <sub>10</sub>	1
24	Bengaluru	Satisfactory	77	PM <sub>10</sub>	10

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Poor	279	PM <sub>2.5</sub>	1
26	Bhagalpur	Poor	225	PM <sub>2.5</sub>	2
27	Bharatpur	Poor	215	PM <sub>2.5</sub>	1
28	Bhilai	Satisfactory	82	PM <sub>10</sub>	1
29	Bhiwadi	Moderate	194	PM <sub>10</sub>	1
30	Bhiwani	Moderate	120	PM <sub>10</sub>	1
31	Bhopal	Moderate	120	PM <sub>10</sub> , O <sub>3</sub>	3
32	Bihar Sharif	Moderate	129	PM <sub>10</sub>	1
33	Bilaspur	Satisfactory	75	со	1
34	Bileipada	Moderate	167	PM <sub>10</sub>	1
35	Brajrajnagar	Satisfactory	87	PM <sub>10</sub>	1
36	Bulandshahr	Poor	203	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	38	PM <sub>10</sub>	1
38	Chandigarh	Moderate	136	PM <sub>2.5</sub>	3
39	Chandrapur	Moderate	132	PM <sub>10</sub>	1
40	Charkhi Dadri	Moderate	185	PM <sub>2.5</sub>	1
41	Chennai	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	8
42	Chhapra	Poor	237	PM <sub>10</sub>	1
43	Chikkaballapur	Satisfactory	84	PM <sub>10</sub>	1
44	Chikkamagaluru	Satisfactory	52	PM <sub>10</sub>	1
45	Chittoor	Satisfactory	75	O <sub>3</sub>	1
46	Damoh	Good	49	PM <sub>10</sub>	1
47	Delhi	Poor	225	PM <sub>2.5</sub>	38
48	Dharuhera	Poor	223	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Moderate	125	PM <sub>10</sub>	1
50	Faridabad	Poor	243	PM <sub>2.5</sub>	3
51	Firozabad	Satisfactory	86	PM <sub>10</sub>	2
52	Gadag	Satisfactory	78	03	1
53	Gandhinagar	Moderate	175	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Gangtok	Moderate	101	PM <sub>2.5</sub>	1
55	Gaya	Moderate	151	PM <sub>10</sub> , PM <sub>2.5</sub>	3
56	Ghaziabad	Poor	204	PM <sub>2.5</sub> , PM <sub>10</sub>	4
57	Gorakhpur	Moderate	111	PM <sub>10</sub>	1
58	Greater Noida	Moderate	190	PM <sub>10</sub>	2
59	Gummidipoondi	Satisfactory	87	PM <sub>10</sub>	1
60	Gurugram	Poor	228	PM <sub>2.5</sub>	4

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Moderate	138	PM <sub>10</sub>	4
62	Gwalior	Moderate	186	PM <sub>2.5</sub>	3
63	Hajipur	Poor	234	PM <sub>2.5</sub>	1
64	Haldia	Satisfactory	95	PM <sub>10</sub>	1
65	Hapur	Satisfactory	81	03	1
66	Hassan	Satisfactory	77	PM <sub>10</sub>	1
67	Haveri	Moderate	126	PM <sub>2.5</sub>	1
68	Hisar	Moderate	189	PM <sub>10</sub>	1
69	Hosur	Moderate	187	PM <sub>2.5</sub>	1
70	Howrah	Moderate	131	PM <sub>10</sub> , PM <sub>2.5</sub>	3
71	Hubballi	Moderate	114	PM <sub>10</sub>	1
72	Hyderabad	Moderate	101	PM <sub>2.5</sub> , CO	13

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Moderate	110	PM <sub>10</sub> , SO <sub>2</sub>	2
74	Indore	Moderate	114	PM <sub>10</sub>	1
75	Jabalpur	Moderate	148	PM <sub>10</sub>	1
76	Jaipur	Moderate	180	PM <sub>2.5</sub>	3
77	Jalandhar	Moderate	145	PM <sub>2.5</sub>	1
78	Jhansi	Satisfactory	93	PM <sub>10</sub>	1
79	Jind	Moderate	120	PM <sub>2.5</sub>	1
80	Jodhpur	Moderate	163	PM <sub>2.5</sub>	2
81	Jorapokhar	Moderate	172	PM <sub>10</sub>	1
82	Kadapa	Satisfactory	65	O <sub>3</sub>	1
83	Kaithal	Moderate	118	PM <sub>10</sub>	1
84	Kalaburgi	Moderate	133	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	166	PM <sub>10</sub>	1
86	Kannur	Satisfactory	70	PM <sub>10</sub>	1
87	Kanpur	Moderate	136	PM <sub>2.5</sub>	3
88	Karnal	Satisfactory	83	PM <sub>10</sub>	1
89	Kashipur	Moderate	103	PM <sub>10</sub>	1
90	Katihar	Very Poor	320	PM <sub>10</sub>	1
91	Katni	Moderate	185	PM <sub>10</sub>	1
92	Keonjhar	Moderate	132	PM <sub>2.5</sub>	1
93	Khanna	Satisfactory	92	PM <sub>10</sub>	1
94	Khurja	Moderate	101	PM <sub>2.5</sub>	1
95	Kishanganj	Poor	225	PM <sub>10</sub>	1
96	Kochi	Moderate	141	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Satisfactory	82	PM <sub>2.5</sub>	1
98	Kolkata	Moderate	111	PM <sub>2.5</sub>	7
99	Kollam	Satisfactory	66	PM <sub>10</sub>	1
100	Koppal	Satisfactory	98	PM <sub>10</sub>	1
101	Korba	Satisfactory	76	PM <sub>10</sub>	2
102	Kota	Moderate	174	PM <sub>2.5</sub>	3
103	Kozhikode	Satisfactory	75	PM <sub>2.5</sub>	1
104	Kurukshetra	Moderate	114	PM <sub>2.5</sub>	1
105	Lucknow	Moderate	134	PM <sub>2.5</sub> , PM <sub>10</sub>	6
106	Ludhiana	Moderate	168	PM <sub>2.5</sub>	1
107	Madikeri	Good	37	SO <sub>2</sub>	1
108	Maihar	Good	49	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Poor	271	PM <sub>10</sub>	1
110	Mandikhera	Satisfactory	91	PM <sub>10</sub>	1
111	Manesar	Moderate	178	PM <sub>2.5</sub>	1
112	Mangalore	Moderate	121	PM <sub>10</sub>	1
113	Manguraha	Moderate	185	O <sub>3</sub>	1
114	Meerut	Poor	224	PM <sub>10</sub> , PM <sub>2.5</sub>	3
115	Moradabad	Moderate	156	PM <sub>2.5</sub>	6
116	Mumbai	Moderate	197	PM <sub>2.5</sub> , NO <sub>2</sub>	19
117	Munger	Poor	230	PM <sub>10</sub>	1
118	Muzaffarnagar	Moderate	151	PM <sub>2.5</sub>	1
119	Muzaffarpur	Poor	253	PM <sub>2.5</sub>	3
120	Mysuru	Satisfactory	51	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagaon	Moderate	116	PM <sub>2.5</sub>	1
122	Nagpur	Moderate	111	PM <sub>10</sub>	1
123	Nalbari	Moderate	106	PM <sub>10</sub>	1
124	Nandesari	Good	30	PM <sub>2.5</sub>	1
125	Narnaul	Moderate	164	PM <sub>10</sub>	1
126	Nashik	Satisfactory	83	PM <sub>2.5</sub>	1
127	Navi Mumbai	Poor	264	PM <sub>2.5</sub> , PM <sub>10</sub>	3
128	Nayagarh	Poor	253	PM <sub>10</sub>	1
129	Noida	Poor	220	O <sub>3</sub> , PM <sub>2.5</sub>	4
130	Ooty	Satisfactory	67	PM <sub>2.5</sub>	1
131	Pali	Satisfactory	92	PM <sub>10</sub>	1
132	Palwal	Satisfactory	86	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Satisfactory	64	PM <sub>2.5</sub>	1
134	Panipat	Moderate	119	PM <sub>10</sub>	1
135	Patiala	Moderate	119	PM <sub>10</sub>	1
136	Patna	Poor	252	PM <sub>10</sub> , PM <sub>2.5</sub>	6
137	Pithampur	Moderate	194	PM <sub>10</sub>	1
138	Prayagraj	Moderate	102	PM <sub>10</sub>	3
139	Puducherry	Good	32	03	1
140	Pune	Moderate	168	PM <sub>2.5</sub>	2
141	Purnia	Poor	223	PM <sub>2.5</sub>	1
142	Raichur	Moderate	131	PM <sub>10</sub>	1
143	Raipur	Moderate	101	NO <sub>2</sub> , PM <sub>10</sub>	4
144	Rairangpur	Moderate	187	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rajamahendravaram	Satisfactory	78	PM <sub>10</sub>	1
146	Rajgir	Moderate	160	PM <sub>2.5</sub>	1
147	Ramanagara	Satisfactory	81	PM <sub>10</sub>	1
148	Ramanathapuram	Good	37	PM <sub>10</sub>	1
149	Ratlam	Moderate	125	PM <sub>2.5</sub>	1
150	Rishikesh	Satisfactory	62	PM <sub>10</sub>	1
151	Rohtak	Moderate	104	PM <sub>2.5</sub>	1
152	Rourkela	Moderate	148	PM <sub>10</sub>	3
153	Rupnagar	Moderate	109	PM <sub>10</sub>	1
154	Sagar	Satisfactory	62	O <sub>3</sub> , CO	2
155	Saharsa	Poor	276	PM <sub>2.5</sub>	1
156	Samastipur	Poor	279	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sasaram	Moderate	116	PM <sub>10</sub>	1
158	Satna	Moderate	115	PM <sub>2.5</sub>	1
159	Shillong	Satisfactory	82	PM <sub>2.5</sub>	1
160	Shivamogga	Good	49	PM <sub>10</sub>	1
161	Siliguri	Satisfactory	91	PM <sub>10</sub>	1
162	Singrauli	Moderate	182	PM <sub>2.5</sub>	1
163	Sirsa	Moderate	132	PM <sub>10</sub>	1
164	Sivasagar	Good	48	PM <sub>2.5</sub>	1
165	Siwan	Poor	219	PM <sub>2.5</sub>	1
166	Solapur	Moderate	138	PM <sub>10</sub>	1
167	Sonipat	Moderate	160	PM <sub>10</sub>	1
168	Suakati	Moderate	110	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Surat	Poor	222	PM <sub>2.5</sub>	1
170	Tensa	Moderate	114	PM <sub>10</sub>	1
171	Thiruvananthapuram	Satisfactory	76	PM <sub>10</sub> , PM <sub>2.5</sub>	2
172	Thoothukudi	Good	38	03	1
173	Thrissur	Moderate	151	PM <sub>2.5</sub>	1
174	Tirupati	Satisfactory	68	NO <sub>2</sub>	2
175	Udaipur	Moderate	110	PM <sub>10</sub>	1
176	Udupi	Moderate	106	со	1
177	Ujjain	Moderate	151	PM <sub>10</sub>	1
178	Varanasi	Satisfactory	64	PM <sub>10</sub>	4
179	Vatva	Poor	240	PM <sub>2.5</sub>	1
180	Vijayapura	Good	46	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Moderate	128	PM <sub>10</sub>	1
182	Vrindavan	Moderate	124	PM <sub>10</sub>	1
183	Yadgir	Satisfactory	98	PM <sub>10</sub>	1

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar,

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.