



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	204	PM ₁₀ , PM _{2.5}	2
2	Agra	Good	41	NO ₂ , CO	6
3	Ahmedabad	Moderate	108	PM ₁₀ , NO ₂	7
4	Aizawl	Satisfactory	80	PM ₁₀	1
5	Ajmer	Satisfactory	83	PM _{2.5}	1
6	Alwar	Satisfactory	69	PM ₁₀	1
7	Amaravati	Moderate	125	PM _{2.5}	1
8	Ambala	Moderate	139	PM _{2.5}	1
9	Amritsar	Moderate	107	PM _{2.5}	1
10	Anantapur	Moderate	112	O ₃	1
11	Araria	Moderate	162	PM _{2.5}	1
12	Ariyalur	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	144	PM ₁₀	1
14	Asansol	Moderate	121	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	141	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	78	PM ₁₀	1
17	Baddi	Moderate	188	PM _{2.5}	1
18	Bagalkot	Good	49	PM ₁₀	1
19	Bahadurgarh	Satisfactory	84	PM _{2.5}	1
20	Ballabgarh	Moderate	105	CO	1
21	Bareilly	Satisfactory	77	PM ₁₀	2
22	Baripada	Moderate	177	O ₃	1
23	Begusarai	Very Poor	310	PM _{2.5}	1
24	Belgaum	Poor	203	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	95	PM _{2.5} , PM ₁₀	10
26	Bettiah	Poor	246	PM _{2.5}	1
27	Bhagalpur	Poor	252	PM _{2.5}	2
28	Bharatpur	Moderate	140	PM _{2.5}	1
29	Bhilai	Satisfactory	63	O ₃	2
30	Bhiwadi	Moderate	149	PM ₁₀	1
31	Bhiwani	Satisfactory	99	PM ₁₀	1
32	Bhopal	Moderate	133	PM ₁₀ , PM _{2.5}	2
33	Bidar	Satisfactory	90	PM ₁₀	1
34	Bihar Sharif	Satisfactory	87	PM ₁₀	1
35	Bilaspur	Satisfactory	88	CO	1
36	Bileipada	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Good	46	PM ₁₀	1
38	Bulandshahr	Moderate	130	PM ₁₀	1
39	Byrnihat	Very Poor	394	PM _{2.5}	1
40	Chamarajanagar	Good	43	PM ₁₀	1
41	Chandigarh	Moderate	118	PM _{2.5}	3
42	Chandrapur	Satisfactory	87	PM ₁₀	2
43	Charkhi Dadri	Moderate	114	PM ₁₀	1
44	Chengalpattu	Satisfactory	90	PM ₁₀	1
45	Chennai	Satisfactory	81	PM ₁₀ , PM _{2.5}	8
46	Chhapra	Poor	260	PM _{2.5}	1
47	Chikkaballapur	Moderate	140	PM ₁₀	1
48	Chikkamagaluru	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	68	PM ₁₀	1
50	Coimbatore	Moderate	182	PM _{2.5}	1
51	Damoh	Good	27	CO	1
52	Dehradun	Satisfactory	97	PM ₁₀	1
53	Delhi	Moderate	194	PM ₁₀ , PM _{2.5}	39
54	Dewas	Satisfactory	96	PM ₁₀	1
55	Dharuhera	Moderate	138	PM ₁₀	1
56	Durgapur	Satisfactory	75	PM _{2.5}	1
57	Eloor	Satisfactory	72	PM ₁₀	1
58	Faridabad	Moderate	183	PM _{2.5} , CO	4
59	Fatehabad	Moderate	154	PM ₁₀	1
60	Firozabad	Satisfactory	86	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	81	PM ₁₀	1
62	Gandhinagar	Satisfactory	84	PM _{2.5} , PM ₁₀	3
63	Gaya	Moderate	145	PM _{2.5}	3
64	Ghaziabad	Moderate	137	PM ₁₀	4
65	Gorakhpur	Satisfactory	87	PM ₁₀	1
66	Greater Noida	Moderate	138	PM ₁₀	2
67	Gummidipoondi	Moderate	119	PM _{2.5}	1
68	Gurugram	Moderate	149	PM _{2.5} , O ₃	4
69	Guwahati	Poor	273	PM _{2.5}	4
70	Gwalior	Moderate	136	O ₃ , PM _{2.5}	3
71	Hajipur	Moderate	198	PM _{2.5}	1
72	Haldia	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hapur	Satisfactory	54	O ₃	1
74	Hassan	Satisfactory	96	PM ₁₀	1
75	Haveri	Moderate	113	PM _{2.5}	1
76	Hisar	Moderate	149	PM ₁₀	1
77	Hosur	Moderate	122	CO	1
78	Howrah	Moderate	145	PM _{2.5}	3
79	Hubballi	Moderate	114	PM _{2.5}	2
80	Hyderabad	Moderate	112	PM _{2.5} , PM ₁₀	13
81	Imphal	Poor	205	PM _{2.5}	1
82	Indore	Satisfactory	88	PM ₁₀	1
83	Jabalpur	Moderate	128	PM ₁₀	1
84	Jaipur	Moderate	151	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jalandhar	Satisfactory	90	PM ₁₀	1
86	Jhansi	Satisfactory	78	PM ₁₀	1
87	Jind	Satisfactory	77	PM _{2.5}	1
88	Jodhpur	Poor	210	PM _{2.5}	1
89	Jorapokhar	Moderate	129	PM ₁₀	1
90	Kadapa	Moderate	158	PM _{2.5}	1
91	Kaithal	Moderate	111	PM ₁₀	1
92	Kalaburgi	Moderate	196	PM _{2.5}	1
93	Kalyan	Moderate	146	PM ₁₀	1
94	Kanchipuram	Satisfactory	54	PM ₁₀	1
95	Kannur	Satisfactory	94	PM _{2.5}	1
96	Kanpur	Satisfactory	76	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Karnal	Satisfactory	69	PM _{2.5}	1
98	Keonjhar	Moderate	106	PM _{2.5}	1
99	Khanna	Satisfactory	77	PM ₁₀	1
100	Khurja	Satisfactory	85	PM _{2.5}	1
101	Kishanganj	Moderate	165	PM _{2.5}	1
102	Kochi	Moderate	136	PM _{2.5}	1
103	Kohima	Moderate	105	PM _{2.5}	1
104	Kolar	Moderate	166	SO ₂	1
105	Kolkata	Moderate	110	PM _{2.5}	7
106	Kollam	Moderate	124	PM ₁₀	1
107	Koppal	Moderate	119	PM ₁₀	1
108	Korba	Satisfactory	66	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kota	Moderate	108	PM ₁₀	1
110	Kozhikode	Satisfactory	75	PM _{2.5}	1
111	Kurukshetra	Satisfactory	85	PM _{2.5}	1
112	Lucknow	Moderate	130	PM _{2.5}	6
113	Ludhiana	Moderate	128	PM _{2.5}	1
114	Madikeri	Satisfactory	58	PM _{2.5}	1
115	Maihar	Good	28	PM ₁₀	1
116	Mandi Gobindgarh	Moderate	119	PM ₁₀	1
117	Mandideep	Satisfactory	92	PM ₁₀	1
118	Mandikhera	Satisfactory	52	PM ₁₀	1
119	Manesar	Moderate	105	PM ₁₀	1
120	Mangalore	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manguraha	Moderate	179	PM _{2.5}	1
122	Meerut	Moderate	149	PM _{2.5}	3
123	Moradabad	Satisfactory	91	CO	6
124	Motihari	Moderate	119	PM ₁₀	1
125	Mumbai	Moderate	180	PM _{2.5} , PM ₁₀	19
126	Munger	Poor	203	PM _{2.5}	1
127	Muzaffarnagar	Poor	215	PM _{2.5}	1
128	Muzaffarpur	Moderate	189	PM _{2.5}	3
129	Mysuru	Satisfactory	55	PM ₁₀	1
130	Nagpur	Satisfactory	84	PM ₁₀	1
131	Naharlagun	Satisfactory	58	PM _{2.5}	1
132	Nalbari	Very Poor	330	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nandesari	Good	12	PM _{2.5}	1
134	Nashik	Satisfactory	80	PM _{2.5}	1
135	Navi Mumbai	Moderate	164	PM _{2.5}	3
136	Nayagarh	Moderate	102	PM ₁₀	1
137	Noida	Moderate	124	PM _{2.5}	4
138	Palwal	Good	48	PM _{2.5}	1
139	Panchkula	Moderate	119	PM _{2.5}	1
140	Panipat	Satisfactory	96	PM ₁₀	1
141	Patiala	Satisfactory	91	PM ₁₀	1
142	Patna	Poor	209	PM _{2.5}	6
143	Pithampur	Moderate	105	PM ₁₀	1
144	Prayagraj	Satisfactory	68	SO ₂	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Satisfactory	58	PM _{2.5}	1
146	Pune	Poor	201	PM _{2.5} , PM ₁₀	5
147	Purnia	Poor	251	PM _{2.5}	1
148	Raichur	Moderate	136	PM ₁₀	1
149	Raipur	Satisfactory	89	NO ₂ , PM ₁₀	4
150	Rairangpur	Moderate	140	PM _{2.5}	1
151	Rajamahendravaram	Moderate	152	PM _{2.5}	1
152	Rajgir	Poor	234	PM _{2.5}	1
153	Ramanagara	Satisfactory	95	PM _{2.5}	1
154	Ramanathapuram	Good	30	PM ₁₀	1
155	Ratlam	Satisfactory	70	PM ₁₀	1
156	Rohtak	Satisfactory	90	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rourkela	Moderate	115	PM ₁₀	3
158	Rupnagar	Moderate	105	PM ₁₀	1
159	Sagar	Satisfactory	83	PM ₁₀	1
160	Saharsa	Poor	205	PM _{2.5}	1
161	Salem	Satisfactory	95	SO ₂	1
162	Samastipur	Poor	224	PM _{2.5}	1
163	Sasaram	Moderate	110	PM _{2.5}	1
164	Satna	Satisfactory	72	PM ₁₀	1
165	Shillong	Satisfactory	63	PM _{2.5}	1
166	Shivamogga	Satisfactory	84	O ₃	1
167	Siliguri	Moderate	122	PM ₁₀	1
168	Singrauli	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sirsa	Satisfactory	100	O ₃	1
170	Siwan	Poor	265	PM _{2.5}	1
171	Solapur	Moderate	123	PM ₁₀	1
172	Sonipat	Moderate	119	PM ₁₀	1
173	Srinagar	Satisfactory	53	PM ₁₀	1
174	Suakati	Moderate	127	PM ₁₀	1
175	Talcher	Moderate	168	PM ₁₀	1
176	Tensa	Satisfactory	72	PM ₁₀	1
177	Thane	Moderate	145	PM ₁₀	1
178	Thiruvananthapuram	Moderate	108	PM _{2.5}	2
179	Thoothukudi	Good	46	O ₃	1
180	Thrissur	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Tirupati	Satisfactory	74	NO ₂ , PM _{2.5}	2
182	Tirupur	Satisfactory	71	PM ₁₀	1
183	Udaipur	Moderate	101	PM ₁₀	1
184	Udupi	Moderate	107	CO	1
185	Ujjain	Satisfactory	98	PM ₁₀	1
186	Vapi	Poor	215	PM _{2.5}	1
187	Varanasi	Good	42	PM ₁₀ , SO ₂	3
188	Vatva	Satisfactory	83	PM ₁₀	1
189	Vijayapura	Good	46	PM ₁₀	1
190	Visakhapatnam	Moderate	185	PM ₁₀	1
191	Vrindavan	Moderate	114	PM ₁₀	1
192	Yadgir	Moderate	159	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 02, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Yamunanagar	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Buxar, Chhal, Darbhanga, Davanagere, Dharwad, Dindigul, Ernakulam, Gangtok, Katihar, Katni, Kunjemura, Milupara, Narnaul, Ooty, Pali, Silchar, Sivasagar, Surat, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.