

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Good	45	PM ₁₀ , O ₃ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	76	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	17	SO ₂	1
5	Ajmer	Satisfactory	83	PM ₁₀	1
6	Alwar	Satisfactory	75	PM ₁₀	1
7	Amaravati	Good	41	03	1
8	Ambala	Satisfactory	64	PM ₁₀	1
9	Amritsar	Satisfactory	78	PM ₁₀	1
10	Ankleshwar	Satisfactory	93	PM _{2.5}	1
11	Asansol	Good	34	03	1
12	Aurangabad	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Coou	William impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	40	PM ₁₀	1
14	Baghpat	Satisfactory	63	PM ₁₀	1
15	Bahadurgarh	Satisfactory	65	PM _{2.5}	1
16	Ballabgarh	Poor	241	O ₃	1
17	Bathinda	Good	44	PM ₁₀	1
18	Bengaluru	Good	48	PM ₁₀ , CO, PM _{2.5}	8
19	Bhiwadi	Moderate	111	PM _{2.5}	1
20	Bhopal	Good	49	PM ₁₀	1
21	Bidar	Moderate	111	SO ₂	1
22	Bulandshahr	Good	48	O ₃	1
23	Chamarajanagar	Good	41	PM ₁₀	1
24	Chandigarh	Satisfactory	64	O ₃ , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	61	PM ₁₀	1
26	Charkhi Dadri	Satisfactory	73	PM _{2.5}	1
27	Chennai	Satisfactory	62	O ₃ , CO, PM ₁₀	7
28	Chikkaballapur	Good	30	NO ₂	1
29	Chikkamagaluru	Good	29	PM ₁₀	1
30	Damoh	Good	20	PM _{2.5}	1
31	Davanagere	Good	19	O ₃	1
32	Delhi	Moderate	109	PM _{2.5} , PM ₁₀	33
33	Dewas	Satisfactory	60	PM ₁₀	1
34	Dharuhera	Good	50	PM _{2.5}	1
35	Durgapur	Moderate	105	PM _{2.5}	1
36	Eloor	Satisfactory	78	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	24	со	1
38	Faridabad	Satisfactory	92	PM _{2.5} , PM ₁₀	3
39	Fatehabad	Satisfactory	64	03	1
40	Firozabad	Good	46	NH ₃	1
41	Gadag	Good	21	SO ₂	1
42	Gandhinagar	Satisfactory	81	PM _{2.5} , PM ₁₀	2
43	Gaya	Satisfactory	68	O ₃	2
44	Ghaziabad	Moderate	103	PM ₁₀ , PM _{2.5}	4
45	Gorakhpur	Good	22	со	1
46	Greater Noida	Moderate	103	PM ₁₀	1
47	Gurugram	Satisfactory	94	PM ₁₀ , PM _{2.5}	3
48	Guwahati	Good	50	SO ₂	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Satisfactory	52	PM ₁₀ , O ₃	2
50	Hajipur	Satisfactory	57	PM ₁₀	1
51	Haldia	Satisfactory	51	PM ₁₀	1
52	Hapur	Satisfactory	63	со	1
53	Hassan	Good	49	PM ₁₀	1
54	Hisar	Satisfactory	69	PM ₁₀	1
55	Howrah	Good	44	PM ₁₀	2
56	Hubballi	Satisfactory	72	PM ₁₀	1
57	Hyderabad	Satisfactory	54	NO ₂ , PM ₁₀ , PM _{2.5}	5
58	Indore	Satisfactory	66	PM ₁₀	1
59	Jabalpur	Satisfactory	76	PM ₁₀	1
60	Jaipur	Satisfactory	70	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Satisfactory	62	O ₃	1
62	Jind	Satisfactory	54	PM _{2.5}	1
63	Jodhpur	Moderate	135	PM _{2.5}	1
64	Kaithal	Satisfactory	58	PM ₁₀	1
65	Kalaburgi	Satisfactory	64	PM ₁₀	1
66	Kalyan	Good	41	со	1
67	Kannur	Good	38	PM ₁₀	1
68	Kanpur	Good	46	PM ₁₀ , PM _{2.5}	3
69	Karnal	Moderate	124	SO ₂	1
70	Katni	Satisfactory	75	PM ₁₀	1
71	Khanna	Satisfactory	73	PM ₁₀	1
72	Kochi	Good	29	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Good	35	PM ₁₀	1
74	Kolar	Good	36	PM ₁₀	1
75	Kolkata	Good	49	PM _{2.5} , O ₃ , PM ₁₀	6
76	Kollam	Satisfactory	100	СО	1
77	Koppal	Good	33	со	1
78	Kota	Satisfactory	81	PM _{2.5}	1
79	Kozhikode	Good	26	PM ₁₀	1
80	Kurukshetra	Satisfactory	51	O ₃	1
81	Lucknow	Satisfactory	57	PM ₁₀ , PM _{2.5}	5
82	Ludhiana	Satisfactory	86	PM ₁₀	1
83	Maihar	Good	19	PM _{2.5}	1
84	Mandi Gobindgarh	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandideep	Good	41	PM ₁₀	1
86	Mandikhera	Good	49	PM _{2.5}	1
87	Medikeri	Good	29	03	1
88	Meerut	Satisfactory	61	CO, O ₃	3
89	Moradabad	Moderate	106	PM _{2.5}	1
90	Mumbai	Satisfactory	71	O ₃ , PM ₁₀ , PM _{2.5}	20
91	Muzaffarnagar	Satisfactory	79	со	1
92	Muzaffarpur	Good	48	O ₃ , CO, PM ₁₀	3
93	Mysuru	Good	27	PM ₁₀	1
94	Nagpur	Satisfactory	57	со	1
95	Naharlagun	Good	36	SO ₂	1
96	Narnaul	Moderate	101	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Good	44	PM _{2.5}	1
98	Navi Mumbai	Satisfactory	62	PM ₁₀ , CO	3
99	Noida	Moderate	110	PM _{2.5} , PM ₁₀	4
100	Pali	Satisfactory	75	PM ₁₀	1
101	Palwal	Satisfactory	57	PM _{2.5}	1
102	Panchkula	Good	49	со	1
103	Panipat	Satisfactory	74	PM ₁₀	1
104	Patiala	Good	47	PM ₁₀	1
105	Patna	Satisfactory	51	PM ₁₀ , O ₃ , CO	5
106	Pithampur	Satisfactory	59	PM ₁₀	1
107	Prayagraj	Good	44	PM ₁₀	3
108	Puducherry	Satisfactory	62	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Satisfactory	61	CO, PM _{2.5} , PM ₁₀	7
110	Raichur	Satisfactory	51	PM ₁₀	1
111	Rajamahendravaram	Good	44	PM ₁₀	1
112	Ramanagara	Good	34	O ₃	1
113	Ratlam	Satisfactory	57	PM ₁₀	1
114	Rohtak	Satisfactory	86	PM _{2.5}	1
115	Rupnagar	Satisfactory	93	PM ₁₀	1
116	Sagar	Good	28	СО	1
117	Satna	Satisfactory	58	PM ₁₀	1
118	Shivamogga	Good	50	O ₃	1
119	Siliguri	Good	31	со	1
120	Singrauli	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Satisfactory	94	O ₃	1
122	Srinagar	Satisfactory	73	PM ₁₀	1
123	Talcher	Satisfactory	90	со	1
124	Thiruvananthapuram	Good	34	O ₃ , CO	2
125	Thoothukudi	Good	28	PM ₁₀	1
126	Thrissur	Satisfactory	75	SO ₂	1
127	Tirupati	Good	40	со	1
128	Udaipur	Moderate	121	PM ₁₀	1
129	Ujjain	Satisfactory	61	PM ₁₀	1
130	Vapi	Satisfactory	63	PM ₁₀	1
131	Varanasi	Good	44	PM ₁₀ , NO ₂	4
132	Vatva	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vijayapura	Satisfactory	53	со	1
134	Visakhapatnam	Good	45	NO ₂	1
135	Vrindavan	Good	32	PM ₁₀	1
136	Yamunanagar	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bhiwani, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Manesar, Manglore, Motihari, Nandesari, Shillong, Solapur, Sonipat, Thane, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.