

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	281	PM _{2.5}	1
2	Ahmedabad	Satisfactory	98	PM ₁₀	1
3	Ajmer	Moderate	141	PM _{2.5}	1
4	Alwar	Satisfactory	97	PM ₁₀	1
5	Amaravati	Satisfactory	58	O ₃	1
6	Ambala	Poor	209	PM _{2.5}	1
7	Amritsar	Moderate	135	PM _{2.5}	1
8	Ankleshwar	Satisfactory	91	PM _{2.5}	1
9	Asansol	Moderate	103	PM ₁₀	1
10	Aurangabad	Satisfactory	59	PM ₁₀	1
11	Bagalkot	Moderate	127	PM _{2.5}	1
12	Baghpat	Poor	299	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	224	PM _{2.5}	1
14	Ballabgarh	Poor	283	PM _{2.5}	1
15	Bathinda	Moderate	107	PM ₁₀	1
16	Bengaluru	Satisfactory	80	PM ₁₀	10
17	Bhiwadi	Very Poor	329	PM ₁₀	1
18	Bhiwani	Moderate	173	O ₃	1
19	Bhopal	Satisfactory	80	PM ₁₀	1
20	Brajrajnagar	Good	39	PM ₁₀	1
21	Bulandshahr	Poor	291	PM _{2.5}	1
22	Chandigarh	Moderate	128	PM _{2.5}	1
23	Chandrapur	Good	30	O ₃ , PM ₁₀	2
24	Chennai	Satisfactory	62	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	98	PM ₁₀	1
26	Chikkamagaluru	Satisfactory	59	PM ₁₀	1
27	Coimbatore	Good	46	PM _{2.5}	1
28	Damoh	Satisfactory	66	PM _{2.5}	1
29	Delhi	Poor	287	PM ₁₀	36
30	Dewas	Satisfactory	53	PM _{2.5}	1
31	Dharuhera	Poor	260	PM ₁₀	1
32	Eloor	Good	37	со	1
33	Faridabad	Poor	295	PM _{2.5} , PM ₁₀	3
34	Fatehabad	Poor	263	PM _{2.5}	1
35	Gandhinagar	Good	46	PM ₁₀	1
36	Gaya	Satisfactory	54	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	289	PM ₁₀ , PM _{2.5}	4
38	Greater Noida	Very Poor	330	PM ₁₀ , PM _{2.5}	2
39	Gurugram	Poor	280	PM ₁₀ , PM _{2.5} , O ₃	4
40	Guwahati	Moderate	106	PM ₁₀	1
41	Gwalior	Moderate	186	PM _{2.5}	1
42	Hajipur	Moderate	160	PM _{2.5}	1
43	Hapur	Poor	215	PM ₁₀	1
44	Hisar	Poor	259	PM _{2.5}	1
45	Howrah	Moderate	131	PM ₁₀ , PM _{2.5}	3
46	Hubballi	Moderate	103	PM ₁₀	1
47	Hyderabad	Satisfactory	60	PM ₁₀ , PM _{2.5}	6
48	Indore	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Satisfactory	63	PM ₁₀	1
50	Jaipur	Moderate	134	PM _{2.5} , PM ₁₀	3
51	Jalandhar	Moderate	146	PM _{2.5}	1
52	Jind	Poor	290	PM _{2.5}	1
53	Jodhpur	Moderate	177	PM _{2.5}	1
54	Kaithal	Poor	208	PM _{2.5}	1
55	Kalaburgi	Poor	232	PM ₁₀	1
56	Kalyan	Satisfactory	60	PM ₁₀	1
57	Kannur	Satisfactory	52	со	1
58	Kanpur	Poor	211	PM _{2.5}	1
59	Karnal	Poor	221	PM _{2.5}	1
60	Katni	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	117	PM ₁₀	1
62	Kohima	Satisfactory	72	PM ₁₀	1
63	Kolkata	Moderate	112	PM _{2.5} , O ₃ , PM ₁₀	7
64	Kollam	Satisfactory	83	PM ₁₀	1
65	Kota	Moderate	148	PM _{2.5}	1
66	Kurukshetra	Very Poor	348	PM _{2.5}	1
67	Lucknow	Poor	249	PM _{2.5} , O ₃	4
68	Ludhiana	Moderate	112	PM _{2.5}	1
69	Maihar	Good	36	PM ₁₀	1
70	Mandi Gobindgarh	Moderate	130	PM ₁₀	1
71	Mandideep	Satisfactory	73	PM ₁₀	1
72	Mandikhera	Poor	245	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Poor	241	PM _{2.5}	1
74	Meerut	Poor	267	PM _{2.5} , PM ₁₀	3
75	Moradabad	Poor	291	PM _{2.5}	1
76	Mumbai	Satisfactory	71	CO, PM ₁₀	9
77	Muzaffarnagar	Very Poor	341	PM _{2.5}	1
78	Muzaffarpur	Moderate	185	PM ₁₀ , PM _{2.5}	2
79	Mysuru	Good	46	O ₃	1
80	Nagpur	Satisfactory	70	O ₃	1
81	Nandesari	Poor	244	PM _{2.5}	1
82	Narnaul	Moderate	152	PM _{2.5}	1
83	Nashik	Good	49	O ₃	1
84	Navi Mumbai	Satisfactory	60	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Very Poor	309	PM _{2.5} , PM ₁₀	3
86	Pali	Moderate	123	PM _{2.5}	1
87	Palwal	Poor	214	PM _{2.5}	1
88	Panchkula	Moderate	174	PM _{2.5}	1
89	Panipat	Poor	282	PM ₁₀	1
90	Patiala	Moderate	113	PM ₁₀	1
91	Patna	Moderate	170	PM _{2.5} , PM ₁₀	6
92	Pithampur	Satisfactory	55	PM ₁₀	1
93	Rajamahendravaram	Good	49	O ₃	1
94	Ramanagara	Satisfactory	78	PM ₁₀	1
95	Ratlam	Moderate	126	PM ₁₀	1
96	Rohtak	Poor	233	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Moderate	162	PM ₁₀	1
98	Sagar	Moderate	124	PM _{2.5}	1
99	Satna	Satisfactory	73	PM ₁₀	1
100	Shillong	Good	25	PM _{2.5}	1
101	Siliguri	Moderate	142	PM _{2.5}	1
102	Singrauli	Moderate	108	PM ₁₀	1
103	Sirsa	Moderate	159	PM ₁₀	1
104	Sonipat	Moderate	158	PM ₁₀	1
105	Talcher	Satisfactory	83	со	1
106	Thane	Satisfactory	68	PM ₁₀	1
107	Thiruvananthapuram	Satisfactory	60	PM ₁₀ , PM _{2.5}	2
108	Thrissur	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Satisfactory	64	СО	1
110	Udaipur	Moderate	107	PM ₁₀	1
111	Ujjain	Satisfactory	80	O ₃	1
112	Varanasi	Moderate	152	PM _{2.5}	1
113	Vatva	Satisfactory	83	PM ₁₀	1
114	Vijayapura	Satisfactory	61	O ₃	1
115	Yamunanagar	Poor	233	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Charkhi Dadri, Ernakulam, Jorapokhar, Kochi, Kozhikode, Pune, Solapur, Vapi, Visakhapatnam, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.