

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	79	PM _{2.5}	1
2	Agra	Very Poor	333	PM _{2.5}	1
3	Ahmedabad	Poor	247	PM _{2.5}	1
4	Aizawl	Good	34	PM ₁₀	1
5	Ajmer	Satisfactory	77	PM ₁₀	1
6	Alwar	Moderate	118	PM ₁₀	1
7	Amaravati	Moderate	102	PM _{2.5}	1
8	Ambala	Moderate	187	PM _{2.5}	1
9	Amritsar	Moderate	164	PM _{2.5}	1
10	Ankleshwar	Moderate	147	PM ₁₀	1
11	Asansol	Very Poor	342	PM _{2.5}	1
12	Aurangabad	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	sfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Severe	410	PM _{2.5}	1
14	Bahadurgarh	Very Poor	328	PM _{2.5}	1
15	Ballabgarh	Moderate	187	PM ₁₀	1
16	Bathinda	Poor	240	PM _{2.5}	1
17	Bengaluru	Good	49	CO, PM ₁₀ , NO ₂	8
18	Bhiwani	Moderate	186	PM ₁₀	1
19	Brajrajnagar	Moderate	180	PM _{2.5}	1
20	Bulandshahr	Severe	415	PM _{2.5}	1
21	Chandigarh	Satisfactory	99	PM ₁₀	1
22	Chandrapur	Moderate	149	PM _{2.5} , PM ₁₀	2
23	Charkhi Dadri	Poor	274	PM _{2.5}	1
24	Chennai	Good	32	PM ₁₀ , CO, NO ₂	5

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	sfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	31	со	1
26	Chikkamagaluru	Satisfactory	52	O ₃	1
27	Coimbatore	Good	43	со	1
28	Damoh	Moderate	170	PM ₁₀	1
29	Delhi	Severe	404	PM _{2.5}	38
30	Dewas	Satisfactory	95	03	1
31	Dharuhera	Very Poor	373	PM _{2.5}	1
32	Eloor	Good	36	со	1
33	Ernakulam	Satisfactory	77	со	1
34	Faridabad	Very Poor	347	PM _{2.5} , PM ₁₀	4
35	Fatehabad	Very Poor	358	PM _{2.5}	1
36	Gandhinagar	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Poor	208	PM _{2.5}	2
38	Ghaziabad	Severe	434	PM _{2.5}	3
39	Greater Noida	Severe	408	PM _{2.5}	2
40	Gurugram	Very Poor	338	PM _{2.5}	4
41	Guwahati	Poor	206	PM _{2.5}	1
42	Gwalior	Poor	242	PM _{2.5}	1
43	Hajipur	Moderate	107	со	1
44	Hapur	Moderate	158	PM _{2.5}	1
45	Hisar	Very Poor	361	PM _{2.5}	1
46	Howrah	Very Poor	321	PM ₁₀ , PM _{2.5}	3
47	Hubballi	Satisfactory	92	PM ₁₀	1
48	Hyderabad	Moderate	127	PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	sfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	185	PM ₁₀	1
50	Jabalpur	Moderate	167	PM ₁₀	1
51	Jaipur	Moderate	166	PM ₁₀ , PM _{2.5}	3
52	Jalandhar	Moderate	190	PM ₁₀	1
53	Jind	Very Poor	372	PM _{2.5}	1
54	Jodhpur	Poor	223	PM _{2.5}	1
55	Jorapokhar	Satisfactory	91	PM ₁₀	1
56	Kalaburgi	Moderate	109	PM ₁₀	1
57	Kalyan	Moderate	184	PM _{2.5}	1
58	Kannur	Satisfactory	60	PM ₁₀	1
59	Kanpur	Severe	431	PM _{2.5}	1
60	Karnal	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	255	PM _{2.5}	1
62	Khanna	Moderate	135	PM _{2.5}	1
63	Kochi	Good	32	PM ₁₀	1
64	Kohima	Satisfactory	91	PM ₁₀	1
65	Kolkata	Poor	280	PM _{2.5}	7
66	Kollam	Satisfactory	66	PM _{2.5}	1
67	Kota	Moderate	116	PM _{2.5}	1
68	Kozhikode	Satisfactory	89	PM _{2.5}	1
69	Kurukshetra	Poor	284	PM _{2.5}	1
70	Lucknow	Severe	414	PM _{2.5} , PM ₁₀	4
71	Ludhiana	Poor	264	PM _{2.5}	1
72	Maihar	Good	37	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	180	PM _{2.5}	1
74	Mandideep	Poor	219	PM ₁₀	1
75	Mandikhera	Very Poor	332	PM _{2.5}	1
76	Manesar	Poor	286	PM _{2.5}	1
77	Medikeri	Good	36	03	1
78	Meerut	Very Poor	353	PM _{2.5}	3
79	Moradabad	Poor	295	PM _{2.5}	1
80	Mumbai	Moderate	185	PM _{2.5} , PM ₁₀ , O ₃	14
81	Muzaffarnagar	Poor	290	PM _{2.5}	1
82	Muzaffarpur	Very Poor	388	PM _{2.5} , PM ₁₀	2
83	Nagpur	Satisfactory	65	PM _{2.5}	1
84	Nandesari	Satisfactory	99	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Narnaul	Poor	219	PM ₁₀	1
86	Nashik	Moderate	130	PM _{2.5}	1
87	Navi Mumbai	Poor	204	PM _{2.5}	3
88	Noida	Severe	414	PM _{2.5}	4
89	Pali	Moderate	133	PM ₁₀	1
90	Palwal	Moderate	167	PM ₁₀	1
91	Panchkula	Moderate	114	PM _{2.5}	1
92	Patiala	Moderate	154	PM ₁₀	1
93	Patna	Very Poor	391	PM _{2.5} , PM ₁₀	6
94	Pithampur	Satisfactory	97	PM ₁₀	1
95	Pune	Moderate	126	PM _{2.5}	3
96	Rajamahendravaram	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ramanagara	Good	35	SO ₂	1
98	Ratlam	Moderate	167	PM ₁₀	1
99	Rohtak	Severe	409	PM _{2.5}	1
100	Rupnagar	Moderate	125	PM ₁₀	1
101	Sagar	Moderate	141	PM _{2.5}	1
102	Satna	Satisfactory	84	PM ₁₀	1
103	Shillong	Good	43	PM _{2.5}	1
104	Shivamogga	Satisfactory	59	03	1
105	Singrauli	Poor	299	PM _{2.5}	1
106	Sirsa	Poor	201	PM _{2.5}	1
107	Solapur	Moderate	127	PM ₁₀	1
108	Sonipat	Very Poor	324	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	165	PM _{2.5}	1
110	Thane	Poor	213	PM ₁₀	1
111	Thiruvananthapuram	Satisfactory	52	со	2
112	Thrissur	Good	49	03	1
113	Tirupati	Good	38	со	1
114	Udaipur	Moderate	114	PM ₁₀	1
115	Ujjain	Poor	229	O ₃	1
116	Vapi	Poor	252	PM _{2.5}	1
117	Varanasi	Very Poor	354	PM _{2.5}	1
118	Vatva	Poor	244	PM ₁₀	1
119	Vijayapura	Satisfactory	63	PM ₁₀	1
120	Visakhapatnam	Moderate	161	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Satisfactory	75	O ₃	1
122	Yamunanagar	Poor	278	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bhiwadi, Bhopal, Chamarajanagar, Kaithal, Mysuru, Panipat, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.