

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	33	PM ₁₀	1
2	Agra	Satisfactory	85	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	106	PM ₁₀ , PM _{2.5} , CO	5
4	Aizawl	Satisfactory	51	O ₃	1
5	Alwar	Moderate	103	PM ₁₀	1
6	Amaravati	Good	28	03	1
7	Ambala	Poor	201	PM _{2.5}	1
8	Amritsar	Moderate	177	O ₃	1
9	Ankleshwar	Moderate	194	PM _{2.5}	1
10	Araria	Satisfactory	56	PM _{2.5}	1
11	Arrah	Satisfactory	73	PM ₁₀	1
12	Asansol	Satisfactory	67	NO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	130	PM _{2.5}	1
14	Bagalkot	Good	46	PM ₁₀	1
15	Baghpat	Satisfactory	93	PM _{2.5}	1
16	Bahadurgarh	Moderate	167	PM _{2.5}	1
17	Ballabgarh	Moderate	147	PM ₁₀	1
18	Bareilly	Satisfactory	89	PM ₁₀	1
19	Bathinda	Poor	208	PM ₁₀	1
20	Begusarai	Satisfactory	51	PM _{2.5}	1
21	Bengaluru	Satisfactory	65	PM ₁₀	8
22	Bettiah	Good	44	O ₃	1
23	Bhagalpur	Satisfactory	72	NO ₂ , PM ₁₀	2
24	Bhiwadi	Moderate	195	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	155	PM _{2.5}	1
26	Bihar Sharif	Satisfactory	78	PM _{2.5}	1
27	Brajrajnagar	Good	36	со	1
28	Bulandshahr	Moderate	148	PM ₁₀	1
29	Buxar	Moderate	153	PM _{2.5}	1
30	Chamarajanagar	Good	38	PM ₁₀	1
31	Chandigarh	Moderate	149	O ₃ , PM ₁₀	3
32	Chandrapur	Satisfactory	74	PM _{2.5} , CO	2
33	Charkhi Dadri	Moderate	160	PM ₁₀	1
34	Chennai	Satisfactory	64	CO, PM ₁₀ , PM _{2.5}	8
35	Chhapra	Satisfactory	80	PM ₁₀	1
36	Chikkamagaluru	Good	36	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	30	PM ₁₀	1
38	Damoh	Satisfactory	71	PM _{2.5}	1
39	Darbhanga	Satisfactory	96	PM ₁₀	1
40	Dehradun	Satisfactory	99	PM ₁₀	1
41	Delhi	Moderate	169	PM _{2.5} , PM ₁₀	36
42	Dewas	Satisfactory	69	PM ₁₀	1
43	Eloor	Satisfactory	52	PM ₁₀	1
44	Ernakulam	Good	36	NO ₂	1
45	Faridabad	Moderate	165	PM ₁₀	3
46	Fatehabad	Moderate	141	PM ₁₀	1
47	Firozabad	Satisfactory	80	PM ₁₀ , O ₃	2
48	Gandhinagar	Moderate	114	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	18	03	1
50	Gaya	Moderate	135	PM _{2.5}	3
51	Ghaziabad	Moderate	162	PM ₁₀	4
52	Gorakhpur	Good	45	SO ₂	1
53	Greater Noida	Moderate	176	PM ₁₀	2
54	Gurugram	Moderate	166	PM _{2.5} , PM ₁₀	3
55	Guwahati	Good	28	PM ₁₀	2
56	Gwalior	Satisfactory	82	PM ₁₀	2
57	Hajipur	Satisfactory	77	PM ₁₀	1
58	Haldia	Good	34	со	1
59	Hisar	Moderate	194	PM ₁₀	1
60	Howrah	Good	32	O ₃ , CO	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Good	48	СО	1
62	Hyderabad	Good	49	CO, PM _{2.5} , PM ₁₀	11
63	Imphal	Satisfactory	95	SO ₂	1
64	Indore	Moderate	139	PM ₁₀	1
65	Jabalpur	Satisfactory	79	PM ₁₀	1
66	Jaipur	Moderate	143	PM ₁₀	3
67	Jalandhar	Moderate	118	PM ₁₀	1
68	Jind	Moderate	119	PM ₁₀	1
69	Jodhpur	Moderate	181	PM ₁₀	1
70	Kaithal	Moderate	109	PM ₁₀	1
71	Kannur	Satisfactory	73	PM ₁₀	1
72	Kanpur	Satisfactory	75	PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Satisfactory	78	PM ₁₀	1
74	Katni	Satisfactory	75	PM ₁₀	1
75	Khanna	Moderate	118	PM ₁₀	1
76	Khurja	Satisfactory	99	PM ₁₀	1
77	Kishanganj	Satisfactory	54	03	1
78	Kochi	Good	46	PM ₁₀	1
79	Kohima	Satisfactory	52	SO ₂	1
80	Kolkata	Good	33	NO ₂ , PM ₁₀ , O ₃	6
81	Kollam	Satisfactory	96	PM ₁₀	1
82	Kota	Poor	226	PM _{2.5}	1
83	Kozhikode	Satisfactory	76	PM ₁₀	1
84	Kurukshetra	Moderate	111	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Lucknow	Satisfactory	84	PM ₁₀	6
86	Ludhiana	Poor	240	PM _{2.5}	1
87	Mandi Gobindgarh	Satisfactory	81	PM ₁₀	1
88	Mandideep	Satisfactory	84	PM ₁₀	1
89	Mandikhera	Satisfactory	54	PM _{2.5}	1
90	Manesar	Moderate	154	PM _{2.5}	1
91	Meerut	Moderate	124	PM ₁₀ , CO	3
92	Moradabad	Satisfactory	100	PM _{2.5} , PM ₁₀ , CO	6
93	Motihari	Satisfactory	85	O ₃	1
94	Mumbai	Satisfactory	55	CO, SO ₂	13
95	Munger	Moderate	103	PM ₁₀	1
96	Muzaffarnagar	Moderate	157	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarpur	Satisfactory	66	PM ₁₀ , O ₃ , PM _{2.5}	3
98	Mysuru	Good	39	03	1
99	Nagpur	Satisfactory	63	PM ₁₀	1
100	Narnaul	Satisfactory	64	PM _{2.5}	1
101	Nashik	Good	44	03	1
102	Navi Mumbai	Good	37	PM ₁₀	1
103	Noida	Moderate	164	PM ₁₀	4
104	Pali	Moderate	195	PM _{2.5}	1
105	Palwal	Moderate	130	PM ₁₀	1
106	Panchkula	Moderate	120	PM _{2.5}	1
107	Panipat	Moderate	149	PM _{2.5}	1
108	Patiala	Moderate	106	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patna	Moderate	113	PM ₁₀ , O ₃	5
110	Pithampur	Moderate	138	PM ₁₀	1
111	Prayagraj	Satisfactory	59	PM ₁₀	2
112	Puducherry	Satisfactory	53	PM ₁₀	1
113	Pune	Satisfactory	74	SO ₂ , CO	5
114	Purnia	Satisfactory	74	PM ₁₀	1
115	Rajamahendravaram	Good	41	PM ₁₀	1
116	Rajgir	Satisfactory	69	PM ₁₀	1
117	Ramanagara	Good	46	PM ₁₀	1
118	Ratlam	Satisfactory	86	PM ₁₀	1
119	Rohtak	Poor	208	PM _{2.5}	1
120	Rupnagar	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sagar	Good	39	со	1
122	Saharsa	Satisfactory	96	PM ₁₀	1
123	Sasaram	Satisfactory	76	PM ₁₀	1
124	Satna	Good	40	PM ₁₀	1
125	Shillong	Good	12	PM ₁₀	1
126	Shivamogga	Good	48	PM ₁₀	1
127	Siliguri	Good	31	PM ₁₀	1
128	Singrauli	Moderate	108	NO ₂	1
129	Sirsa	Moderate	176	03	1
130	Siwan	Satisfactory	64	PM ₁₀	1
131	Solapur	Satisfactory	58	со	1
132	Sonipat	Moderate	111	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Moderate	108	PM ₁₀	1
134	Talcher	Good	46	со	1
135	Thane	Satisfactory	57	PM ₁₀	1
136	Thiruvananthapuram	Satisfactory	62	PM _{2.5} , PM ₁₀	2
137	Thoothukudi	Good	46	PM ₁₀	1
138	Udaipur	Moderate	127	PM _{2.5}	1
139	Ujjain	Moderate	130	PM ₁₀	1
140	Varanasi	Satisfactory	65	O ₃ , PM ₁₀	4
141	Vatva	Moderate	119	PM ₁₀	1
142	Vijayapura	Good	49	PM ₁₀	1
143	Visakhapatnam	Satisfactory	100	PM ₁₀	1
144	Vrindavan	Satisfactory	98	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Good	30	СО	1
146	Yamunanagar	Poor	211	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Aurangabad Notes: (Maharashtra), Baddi, Bhilai, Bhopal, Bidar, Bilaspur, Chikkaballapur, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hapur, Hassan, Haveri, Jhansi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kolar, Koppal, Madikeri, Maihar, Manglore, Manguraha, Naharlagun, Nandesari, Raichur, Samastipur, Thrissur, Tirupati, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.