

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	175	PM <sub>2.5</sub>	1
2	Agra	Moderate	199	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	174	03	1
4	Aizawl	Satisfactory	67	PM <sub>2.5</sub>	1
5	Ajmer	Satisfactory	99	PM <sub>10</sub>	1
6	Alwar	Satisfactory	94	03	1
7	Amaravati	Moderate	187	PM <sub>2.5</sub>	1
8	Ambala	Moderate	120	PM <sub>10</sub>	1
9	Amritsar	Moderate	101	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	171	PM <sub>10</sub>	1
11	Asansol	Moderate	182	PM <sub>2.5</sub>	1
12	Aurangabad	Moderate	104	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	62	PM <sub>10</sub>	1
14	Baghpat	Poor	257	PM <sub>2.5</sub>	1
15	Bahadurgarh	Poor	221	PM <sub>2.5</sub>	1
16	Ballabgarh	Moderate	158	PM <sub>2.5</sub>	1
17	Bathinda	Satisfactory	99	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	10
19	Bhiwadi	Poor	251	PM <sub>2.5</sub>	1
20	Bhiwani	Moderate	149	PM <sub>10</sub>	1
21	Bhopal	Moderate	180	PM <sub>2.5</sub>	1
22	Brajrajnagar	Satisfactory	100	PM <sub>10</sub>	1
23	Bulandshahr	Very Poor	323	PM <sub>2.5</sub>	1
24	Chamarajanagar	Good	47	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	96	PM <sub>10</sub>	1
26	Chandrapur	Moderate	122	PM <sub>2.5</sub> , PM <sub>10</sub>	2
27	Charkhi Dadri	Moderate	173	PM <sub>10</sub>	1
28	Chennai	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	6
29	Chikkaballapur	Satisfactory	69	PM <sub>2.5</sub>	1
30	Chikkamagaluru	Satisfactory	77	O <sub>3</sub>	1
31	Damoh	Moderate	174	PM <sub>2.5</sub>	1
32	Delhi	Poor	290	PM <sub>2.5</sub>	36
33	Dewas	Moderate	111	PM <sub>10</sub>	1
34	Dharuhera	Poor	259	PM <sub>2.5</sub>	1
35	Durgapur	Moderate	156	PM <sub>10</sub>	1
36	Eloor	Good	50	PM <sub>10</sub>	1

#### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	260	PM <sub>2.5</sub> , PM <sub>10</sub>	3
38	Fatehabad	Poor	257	PM <sub>2.5</sub>	1
39	Gandhinagar	Satisfactory	80	PM <sub>10</sub>	1
40	Gaya	Moderate	150	PM <sub>2.5</sub>	2
41	Ghaziabad	Poor	295	PM <sub>2.5</sub>	4
42	Greater Noida	Poor	292	PM <sub>2.5</sub>	2
43	Gurugram	Poor	260	PM <sub>2.5</sub>	4
44	Guwahati	Very Poor	334	PM <sub>2.5</sub>	1
45	Gwalior	Moderate	198	PM <sub>2.5</sub>	1
46	Hajipur	Poor	211	PM <sub>10</sub>	1
47	Haldia	Moderate	148	PM <sub>10</sub>	1
48	Hapur	Moderate	106	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	229	PM <sub>2.5</sub>	1
50	Howrah	Poor	212	PM <sub>2.5</sub>	3
51	Hubballi	Moderate	117	NO <sub>2</sub>	1
52	Hyderabad	Moderate	158	PM <sub>2.5</sub>	5
53	Indore	Moderate	121	PM <sub>2.5</sub>	1
54	Jabalpur	Moderate	181	PM <sub>2.5</sub>	1
55	Jaipur	Moderate	179	PM <sub>2.5</sub>	3
56	Jalandhar	Moderate	140	PM <sub>2.5</sub>	1
57	Jind	Poor	260	PM <sub>2.5</sub>	1
58	Jodhpur	Moderate	134	PM <sub>2.5</sub>	1
59	Jorapokhar	Moderate	122	PM <sub>10</sub>	1
60	Kaithal	Moderate	128	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Moderate	124	PM <sub>10</sub>	1
62	Kalyan	Moderate	134	PM <sub>10</sub>	1
63	Kannur	Satisfactory	97	PM <sub>2.5</sub>	1
64	Kanpur	Poor	270	PM <sub>2.5</sub>	2
65	Karnal	Moderate	193	PM <sub>2.5</sub>	1
66	Katni	Poor	204	PM <sub>2.5</sub>	1
67	Khanna	Moderate	121	PM <sub>2.5</sub>	1
68	Kohima	Moderate	127	PM <sub>2.5</sub>	1
69	Kolkata	Poor	203	PM <sub>2.5</sub>	7
70	Kollam	Satisfactory	86	со	1
71	Kota	Poor	228	PM <sub>2.5</sub>	1
72	Kozhikode	Satisfactory	79	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	234	PM <sub>2.5</sub>	1
74	Lucknow	Very Poor	362	PM <sub>2.5</sub>	4
75	Ludhiana	Moderate	186	PM <sub>2.5</sub>	1
76	Maihar	Satisfactory	56	PM <sub>10</sub>	1
77	Mandi Gobindgarh	Moderate	116	PM <sub>10</sub>	1
78	Mandideep	Moderate	115	PM <sub>10</sub>	1
79	Mandikhera	Satisfactory	63	PM <sub>10</sub>	1
80	Manesar	Moderate	179	PM <sub>2.5</sub>	1
81	Medikeri	Satisfactory	66	PM <sub>10</sub>	1
82	Meerut	Poor	269	PM <sub>2.5</sub>	3
83	Moradabad	Very Poor	344	PM <sub>2.5</sub>	1
84	Mumbai	Moderate	185	PM <sub>2.5</sub>	19

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	294	PM <sub>2.5</sub> , PM <sub>10</sub>	2
86	Mysuru	Satisfactory	74	O <sub>3</sub>	1
87	Nandesari	Moderate	112	со	1
88	Narnaul	Moderate	196	PM <sub>10</sub>	1
89	Nashik	Moderate	112	PM <sub>2.5</sub>	1
90	Navi Mumbai	Poor	243	PM <sub>2.5</sub>	3
91	Noida	Very Poor	301	PM <sub>2.5</sub>	3
92	Pali	Satisfactory	70	PM <sub>10</sub>	1
93	Palwal	Moderate	138	PM <sub>2.5</sub>	1
94	Panchkula	Poor	244	PM <sub>2.5</sub>	1
95	Panipat	Poor	212	PM <sub>10</sub>	1
96	Patiala	Moderate	119	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Poor	295	PM <sub>2.5</sub>	6
98	Pithampur	Moderate	143	PM <sub>2.5</sub>	1
99	Pune	Moderate	158	PM <sub>2.5</sub>	4
100	Raichur	Moderate	130	PM <sub>2.5</sub>	1
101	Rajamahendravaram	Poor	208	PM <sub>2.5</sub>	1
102	Ramanagara	Satisfactory	66	PM <sub>10</sub>	1
103	Ratlam	Moderate	116	PM <sub>10</sub>	1
104	Rohtak	Poor	268	PM <sub>2.5</sub>	1
105	Sagar	Satisfactory	67	PM <sub>2.5</sub>	1
106	Satna	Moderate	108	PM <sub>10</sub>	1
107	Shivamogga	Satisfactory	84	PM <sub>10</sub>	1
108	Siliguri	Very Poor	337	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Poor	212	PM <sub>2.5</sub>	1
110	Sirsa	Moderate	103	PM <sub>2.5</sub>	1
111	Solapur	Moderate	135	PM <sub>10</sub>	1
112	Sonipat	Moderate	142	PM <sub>10</sub>	1
113	Talcher	Moderate	114	PM <sub>10</sub>	1
114	Thane	Moderate	163	PM <sub>10</sub>	1
115	Thiruvananthapuram	Satisfactory	62	PM <sub>10</sub>	2
116	Thoothukudi	Satisfactory	64	O <sub>3</sub>	1
117	Thrissur	Satisfactory	80	O <sub>3</sub>	1
118	Tirupati	Moderate	104	PM <sub>2.5</sub>	1
119	Ujjain	Moderate	127	O <sub>3</sub>	1
120	Vapi	Moderate	172	PM <sub>10</sub>	1

#### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	238	PM <sub>2.5</sub>	1
122	Vatva	Moderate	134	PM <sub>2.5</sub>	1
123	Vijayapura	Satisfactory	65	PM <sub>10</sub>	1
124	Visakhapatnam	Poor	212	PM <sub>2.5</sub>	1
125	Yadgir	Moderate	102	PM <sub>2.5</sub>	1
126	Yamunanagar	Poor	260	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Coimbatore, Ernakulam, Kochi, Koppal, Muzaffarnagar, Nagpur, Rupnagar, Shillong, Udaipur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.