

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO <sub>2</sub>	1
2	Agra	Good	20	O <sub>3</sub> , PM <sub>10</sub>	3
3	Ahmedabad	Satisfactory	55	PM <sub>10</sub>	9
4	Aizawl	Good	24	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	80	PM <sub>10</sub>	1
6	Alwar	Satisfactory	60	PM <sub>2.5</sub>	1
7	Amaravati	Good	25	PM <sub>10</sub>	1
8	Ambala	Good	35	O <sub>3</sub>	1
9	Amritsar	Good	40	со	1
10	Bagalkot	Good	27	PM <sub>10</sub>	1
11	Baghpat	Good	43	PM <sub>10</sub>	1
12	Bahadurgarh	Good	39	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Satisfactory	72	O <sub>3</sub>	1
14	Bathinda	Good	28	со	1
15	Bengaluru	Satisfactory	69	CO, PM <sub>10</sub>	10
16	Bettiah	Good	48	PM <sub>10</sub>	1
17	Bhiwadi	Satisfactory	97	PM <sub>2.5</sub>	1
18	Bhiwani	Satisfactory	67	03	1
19	Bhopal	Good	42	PM <sub>10</sub>	1
20	Bihar Sharif	Good	44	NO <sub>2</sub>	1
21	Brajrajnagar	Good	45	со	1
22	Bulandshahr	Good	38	03	1
23	Chamarajanagar	Good	39	PM <sub>10</sub>	1
24	Chandigarh	Good	32	со	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	36	PM <sub>10</sub>	2
26	Chennai	Satisfactory	70	PM <sub>10</sub>	7
27	Chikkaballapur	Good	38	PM <sub>10</sub>	1
28	Chikkamagaluru	Good	29	PM <sub>10</sub>	1
29	Damoh	Good	18	NO <sub>2</sub>	1
30	Darbhanga	Good	27	со	1
31	Davanagere	Good	19	03	1
32	Delhi	Satisfactory	57	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	36
33	Dewas	Good	36	PM <sub>10</sub>	1
34	Dharuhera	Satisfactory	91	со	1
35	Durgapur	Satisfactory	65	PM <sub>10</sub>	1
36	Eloor	Satisfactory	78	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	41	PM <sub>10</sub>	1
38	Faridabad	Good	48	O <sub>3</sub> , PM <sub>10</sub>	2
39	Fatehabad	Moderate	121	03	1
40	Firozabad	Good	18	PM <sub>10</sub>	1
41	Gadag	Good	16	со	1
42	Gandhinagar	Good	43	PM <sub>2.5</sub> , CO	2
43	Gaya	Satisfactory	56	со	1
44	Ghaziabad	Satisfactory	57	CO, PM <sub>10</sub>	4
45	Gorakhpur	Good	12	со	1
46	Greater Noida	Good	49	PM <sub>10</sub> , O <sub>3</sub>	2
47	Gurugram	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	3
48	Guwahati	Good	46	SO <sub>2</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Satisfactory	73	PM <sub>10</sub> , O <sub>3</sub>	2
50	Haldia	Good	29	PM <sub>10</sub>	1
51	Hapur	Satisfactory	57	со	1
52	Hassan	Satisfactory	83	PM <sub>10</sub>	1
53	Hisar	Good	42	03	1
54	Howrah	Good	36	CO, PM <sub>10</sub>	3
55	Hubballi	Good	30	PM <sub>10</sub>	1
56	Hyderabad	Good	41	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
57	Indore	Satisfactory	51	PM <sub>10</sub>	1
58	Jabalpur	Good	36	со	1
59	Jaipur	Good	35	PM <sub>10</sub> , CO	2
60	Jalandhar	Satisfactory	61	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	103	PM <sub>10</sub>	1
62	Kaithal	Satisfactory	62	O <sub>3</sub>	1
63	Kalyan	Good	39	PM <sub>10</sub>	1
64	Kannur	Good	37	NO <sub>2</sub>	1
65	Kanpur	Good	37	NO <sub>2</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
66	Karnal	Good	24	PM <sub>10</sub>	1
67	Katni	Good	31	PM <sub>10</sub>	1
68	Khanna	Good	35	PM <sub>10</sub>	1
69	Kochi	Good	37	PM <sub>10</sub>	1
70	Kohima	Good	34	SO <sub>2</sub>	1
71	Kolkata	Good	46	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	7
72	Kollam	Satisfactory	99	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	30	со	1
74	Kota	Good	48	PM <sub>2.5</sub>	1
75	Kozhikode	Good	37	со	1
76	Kurukshetra	Good	28	PM <sub>10</sub>	1
77	Lucknow	Good	41	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
78	Ludhiana	Satisfactory	62	PM <sub>10</sub>	1
79	Maihar	Good	17	PM <sub>2.5</sub>	1
80	Mandi Gobindgarh	Good	25	PM <sub>2.5</sub>	1
81	Mandideep	Good	36	PM <sub>10</sub>	1
82	Medikeri	Good	21	SO <sub>2</sub>	1
83	Meerut	Satisfactory	59	O <sub>3</sub>	3
84	Moradabad	Good	49	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Motihari	Good	44	03	1
86	Mumbai	Satisfactory	66	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	17
87	Muzaffarnagar	Satisfactory	74	СО	1
88	Muzaffarpur	Good	38	CO, PM <sub>10</sub>	2
89	Mysuru	Satisfactory	63	03	1
90	Nagpur	Satisfactory	62	со	1
91	Naharlagun	Good	35	SO <sub>2</sub>	1
92	Narnaul	Satisfactory	62	PM <sub>2.5</sub>	1
93	Nashik	Good	34	PM <sub>2.5</sub>	1
94	Navi Mumbai	Good	37	PM <sub>10</sub>	3
95	Noida	Good	50	CO, O <sub>3</sub> , SO <sub>2</sub>	4
96	Pali	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Good	46	PM <sub>10</sub>	1
98	Panchkula	Good	45	03	1
99	Panipat	Satisfactory	53	PM <sub>10</sub>	1
100	Patiala	Good	27	PM <sub>10</sub>	1
101	Patna	Satisfactory	51	CO, PM <sub>10</sub> , O <sub>3</sub>	3
102	Pithampur	Satisfactory	60	PM <sub>10</sub>	1
103	Prayagraj	Good	32	PM <sub>10</sub>	3
104	Pune	Satisfactory	55	CO, PM <sub>2.5</sub>	4
105	Rajamahendravaram	Good	41	PM <sub>10</sub>	1
106	Ramanagara	Good	39	PM <sub>10</sub>	1
107	Rohtak	Satisfactory	94	03	1
108	Rupnagar	Satisfactory	96	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	59	PM <sub>10</sub>	1
110	Shillong	Good	13	SO <sub>2</sub>	1
111	Shivamogga	Good	40	PM <sub>10</sub>	1
112	Siliguri	Good	31	со	1
113	Singrauli	Good	40	со	1
114	Sirsa	Satisfactory	63	03	1
115	Solapur	Good	42	03	1
116	Sonipat	Satisfactory	83	PM <sub>10</sub>	1
117	Srinagar	Good	43	PM <sub>10</sub>	1
118	Talcher	Satisfactory	83	со	1
119	Thane	Satisfactory	58	PM <sub>10</sub>	1
120	Thiruvananthapuram	Good	32	O <sub>3</sub> , CO	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Good	48	PM <sub>10</sub>	1
122	Thrissur	Satisfactory	54	SO <sub>2</sub>	1
123	Tirupati	Good	39	со	1
124	Udaipur	Satisfactory	89	PM <sub>10</sub>	1
125	Ujjain	Satisfactory	90	PM <sub>10</sub>	1
126	Vapi	Satisfactory	54	PM <sub>10</sub>	1
127	Varanasi	Good	31	CO, O <sub>3</sub>	3
128	Vatva	Moderate	109	PM <sub>10</sub>	1
129	Visakhapatnam	Satisfactory	94	PM <sub>10</sub>	1
130	Yadgir	Good	29	PM <sub>10</sub>	1
131	Yamunanagar	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Asansol, Aurangabad, Bidar, Charkhi Dadri, Coimbatore, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Kolar, Mandikhera, Manesar, Manglore, Nandesari, Puducherry, Raichur, Ratlam, Sagar, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.