

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	35	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	32	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub>	5
3	Ahmedabad	Satisfactory	74	PM <sub>10</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
6	Alwar	Satisfactory	68	PM <sub>10</sub>	1
7	Amaravati	Good	36	03	1
8	Amritsar	Satisfactory	90	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	74	PM <sub>2.5</sub>	1
10	Arrah	Good	42	03	1
11	Asansol	Moderate	122	PM <sub>10</sub>	1
12	Aurangabad (Bihar)	Satisfactory	73	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1
14	Baddi	Satisfactory	65	O <sub>3</sub>	1
15	Bagalkot	Good	42	PM <sub>10</sub>	1
16	Bahadurgarh	Good	38	PM <sub>10</sub>	1
17	Ballabgarh	Satisfactory	80	СО	1
18	Bareilly	Good	31	PM <sub>10</sub>	1
19	Bathinda	Good	31	NO <sub>2</sub>	1
20	Begusarai	Moderate	128	PM <sub>10</sub>	1
21	Bengaluru	Satisfactory	58	CO, PM <sub>10</sub> , O <sub>3</sub>	7
22	Bhagalpur	Satisfactory	90	NO <sub>2</sub> , PM <sub>10</sub>	2
23	Bhiwadi	Satisfactory	75	PM <sub>10</sub>	1
24	Bhiwani	Satisfactory	55	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	63	PM <sub>10</sub>	1
26	Brajrajnagar	Good	48	СО	1
27	Bulandshahr	Good	42	PM <sub>10</sub>	1
28	Buxar	Satisfactory	78	со	1
29	Chamarajanagar	Good	35	PM <sub>10</sub>	1
30	Chandigarh	Good	37	PM <sub>10</sub> , NO <sub>2</sub>	3
31	Chandrapur	Satisfactory	72	PM <sub>10</sub>	1
32	Charkhi Dadri	Satisfactory	66	PM <sub>10</sub>	1
33	Chennai	Satisfactory	58	CO, O <sub>3</sub> , PM <sub>2.5</sub>	8
34	Chhapra	Satisfactory	72	со	1
35	Chikkaballapur	Good	44	PM <sub>10</sub>	1
36	Damoh	Good	27	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Satisfactory	52	PM <sub>10</sub>	1
38	Davanagere	Good	20	со	1
39	Delhi	Satisfactory	71	PM <sub>10</sub> , NO <sub>2</sub> , CO	35
40	Dewas	Satisfactory	51	PM <sub>10</sub>	1
41	Dharuhera	Satisfactory	85	PM <sub>10</sub>	1
42	Eloor	Satisfactory	58	PM <sub>10</sub>	1
43	Ernakulam	Good	40	NO <sub>2</sub>	1
44	Faridabad	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub>	4
45	Firozabad	Good	43	O <sub>3</sub> , PM <sub>2.5</sub>	2
46	Gandhinagar	Satisfactory	53	PM <sub>10</sub>	1
47	Gangtok	Good	14	03	1
48	Gaya	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Satisfactory	66	PM <sub>10</sub> , O <sub>3</sub>	4
50	Gorakhpur	Good	45	SO <sub>2</sub>	1
51	Greater Noida	Satisfactory	95	СО	1
52	Gurugram	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	2
53	Guwahati	Good	33	O <sub>3</sub> , PM <sub>10</sub>	2
54	Gwalior	Satisfactory	74	PM <sub>10</sub>	1
55	Hajipur	Satisfactory	55	PM <sub>10</sub>	1
56	Hapur	Satisfactory	55	СО	1
57	Haveri	Good	44	СО	1
58	Hisar	Satisfactory	67	O <sub>3</sub>	1
59	Howrah	Satisfactory	62	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	3
60	Hubballi	Good	49	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Good	50	CO, PM <sub>10</sub> , O <sub>3</sub>	14
62	Imphal	Satisfactory	68	O <sub>3</sub> , SO <sub>2</sub>	2
63	Indore	Satisfactory	90	PM <sub>10</sub>	1
64	Jabalpur	Good	48	со	1
65	Jaipur	Satisfactory	74	PM <sub>10</sub>	3
66	Jalandhar	Good	32	PM <sub>10</sub>	1
67	Jodhpur	Satisfactory	86	PM <sub>10</sub>	1
68	Kaithal	Good	39	O <sub>3</sub>	1
69	Kalyan	Satisfactory	96	PM <sub>10</sub>	1
70	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
71	Kanpur	Good	39	PM <sub>10</sub>	3
72	Karnal	Good	26	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Satisfactory	73	PM <sub>10</sub>	1
74	Katni	Satisfactory	68	PM <sub>10</sub>	1
75	Khanna	Good	38	PM <sub>10</sub>	1
76	Khurja	Satisfactory	94	PM <sub>10</sub>	1
77	Kochi	Satisfactory	91	PM <sub>2.5</sub>	1
78	Kohima	Satisfactory	53	SO <sub>2</sub>	1
79	Kolkata	Good	49	PM <sub>10</sub> , O <sub>3</sub>	7
80	Kollam	Satisfactory	61	PM <sub>10</sub>	1
81	Kota	Satisfactory	70	PM <sub>10</sub>	1
82	Kozhikode	Satisfactory	57	PM <sub>10</sub>	1
83	Kurukshetra	Good	33	O <sub>3</sub>	1
84	Lucknow	Satisfactory	56	CO, NO <sub>2</sub> , O <sub>3</sub>	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Satisfactory	56	PM <sub>10</sub>	1
86	Madikeri	Good	20	03	1
87	Mandi Gobindgarh	Satisfactory	61	PM <sub>10</sub>	1
88	Mandideep	Good	49	03	1
89	Mandikhera	Good	34	PM <sub>10</sub>	1
90	Manesar	Satisfactory	64	PM <sub>10</sub>	1
91	Manglore	Good	47	со	1
92	Manguraha	Good	36	PM <sub>10</sub>	1
93	Meerut	Good	36	O <sub>3</sub> , CO, PM <sub>10</sub>	3
94	Moradabad	Good	43	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
95	Mumbai	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	15
96	Muzaffarnagar	Satisfactory	57	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarpur	Satisfactory	66	NO <sub>2</sub> , PM <sub>10</sub> , CO	3
98	Mysuru	Good	35	PM <sub>10</sub>	1
99	Nagpur	Satisfactory	62	PM <sub>10</sub>	1
100	Naharlagun	Good	23	SO <sub>2</sub>	1
101	Nandesari	Moderate	108	со	1
102	Narnaul	Good	36	PM <sub>2.5</sub>	1
103	Nashik	Good	44	PM <sub>10</sub>	1
104	Navi Mumbai	Satisfactory	66	PM <sub>10</sub> , CO	3
105	Noida	Satisfactory	67	CO, PM <sub>10</sub>	3
106	Pali	Satisfactory	62	PM <sub>10</sub>	1
107	Palwal	Good	44	PM <sub>10</sub>	1
108	Panchkula	Good	48	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patna	Satisfactory	63	PM <sub>10</sub> , O <sub>3</sub>	6
110	Pithampur	Satisfactory	81	PM <sub>10</sub>	1
111	Prayagraj	Satisfactory	80	PM <sub>10</sub> , SO <sub>2</sub>	2
112	Puducherry	Good	45	03	1
113	Purnia	Satisfactory	99	PM <sub>2.5</sub>	1
114	Raichur	Satisfactory	59	со	1
115	Rajamahendravaram	Good	25	PM <sub>10</sub>	1
116	Ratlam	Satisfactory	51	PM <sub>2.5</sub>	1
117	Rohtak	Good	42	NO <sub>2</sub>	1
118	Rupnagar	Good	44	PM <sub>2.5</sub>	1
119	Sagar	Good	48	со	1
120	Saharsa	Moderate	151	PM <sub>2.5</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Satna	Satisfactory	67	PM <sub>10</sub>	1
122	Shillong	Good	29	PM <sub>10</sub>	2
123	Shivamogga	Satisfactory	52	03	1
124	Singrauli	Satisfactory	85	NO <sub>2</sub>	1
125	Sirsa	Satisfactory	62	03	1
126	Siwan	Satisfactory	52	NO <sub>2</sub>	1
127	Sonipat	Satisfactory	67	PM <sub>10</sub>	1
128	Srinagar	Satisfactory	59	PM <sub>10</sub>	1
129	Talcher	Satisfactory	95	NO <sub>2</sub>	1
130	Thane	Satisfactory	82	03	1
131	Thiruvananthapuram	Good	32	со	1
132	Thoothukudi	Good	35	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thrissur	Good	38	NO <sub>2</sub>	1
134	Tirupati	Satisfactory	72	PM <sub>2.5</sub>	1
135	Udaipur	Satisfactory	74	PM <sub>10</sub>	1
136	Ujjain	Satisfactory	97	PM <sub>10</sub>	1
137	Varanasi	Good	48	SO <sub>2</sub> , PM <sub>10</sub>	4
138	Vatva	Satisfactory	84	PM <sub>10</sub>	1
139	Vijayapura	Good	37	PM <sub>10</sub>	1
140	Visakhapatnam	Satisfactory	75	PM <sub>10</sub>	1
141	Vrindavan	Good	41	SO <sub>2</sub>	1
142	Yadgir	Good	30	со	1
143	Yamunanagar	Moderate	111	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Araria, Baghpat, Notes: Bettiah, Bhilai, Bhopal, Bidar, Bihar Sharif, Chikkamagaluru, Coimbatore, Dehradun, Durgapur, Fatehabad, Gadag, Gummidipoondi, Haldia, Hassan, Jhansi, Jind, Jorapokhar, Kalaburgi, Kishanganj, Kolar, Koppal, Maihar, Motihari, Munger, Panipat, Patiala, Pune, Rajgir, Ramanagara, Samastipur, Sasaram, Siliguri, Solapur, Udupi, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.