

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	40	O ₃	1
2	Agra	Satisfactory	99	PM ₁₀	5
3	Ahmedabad	Satisfactory	87	NO ₂ , PM ₁₀ , PM _{2.5}	6
4	Aizawl	Good	25	SO ₂	1
5	Ajmer	Moderate	106	PM ₁₀	1
6	Alwar	Satisfactory	61	PM ₁₀	1
7	Amaravati	Good	24	со	1
8	Ambala	Satisfactory	95	PM ₁₀	1
9	Amritsar	Satisfactory	70	PM ₁₀	1
10	Asansol	Moderate	116	PM _{2.5}	1
11	Bagalkot	Satisfactory	56	PM ₁₀	1
12	Baghpat	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	73	со	1
14	Ballabgarh	Moderate	157	PM _{2.5}	1
15	Bengaluru	Satisfactory	52	CO, PM ₁₀ , NO ₂	6
16	Bhiwadi	Moderate	128	PM ₁₀	1
17	Bhiwani	Satisfactory	62	PM _{2.5}	1
18	Bhopal	Satisfactory	73	PM ₁₀	1
19	Bidar	Good	42	СО	1
20	Bilaspur	Satisfactory	78	со	1
21	Brajrajnagar	Good	44	со	1
22	Bulandshahr	Satisfactory	86	PM ₁₀	1
23	Chamarajanagar	Good	43	PM ₁₀	1
24	Chandigarh	Satisfactory	76	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	43	PM ₁₀	1
26	Charkhi Dadri	Satisfactory	53	PM ₁₀	1
27	Chennai	Good	45	PM ₁₀ , CO, O ₃	7
28	Chikkaballapur	Good	41	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	88	NO ₂	1
30	Damoh	Good	43	PM _{2.5}	1
31	Davanagere	Good	23	со	1
32	Delhi	Moderate	114	PM ₁₀ , PM _{2.5}	37
33	Dewas	Good	39	PM ₁₀	1
34	Durgapur	Moderate	135	PM ₁₀	1
35	Eloor	Good	50	со	1
36	Ernakulam	Satisfactory	51	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	160	O ₃ , PM ₁₀	2
38	Fatehabad	Satisfactory	58	PM ₁₀	1
39	Firozabad	Satisfactory	89	O ₃	1
40	Gandhinagar	Satisfactory	73	PM _{2.5} , PM ₁₀	3
41	Gaya	Satisfactory	68	PM _{2.5} , PM ₁₀	2
42	Ghaziabad	Moderate	138	PM _{2.5} , PM ₁₀	4
43	Gorakhpur	Satisfactory	67	PM _{2.5}	1
44	Greater Noida	Moderate	196	O ₃ , PM ₁₀	2
45	Gummidipoondi	Satisfactory	54	PM ₁₀	1
46	Gurugram	Satisfactory	94	PM ₁₀ , PM _{2.5}	3
47	Guwahati	Satisfactory	66	SO ₂ , PM ₁₀	2
48	Gwalior	Satisfactory	78	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	35	PM ₁₀	1
50	Hapur	Moderate	108	PM ₁₀	1
51	Hassan	Good	40	PM _{2.5}	1
52	Hisar	Satisfactory	70	NO ₂	1
53	Howrah	Satisfactory	66	PM ₁₀	3
54	Hyderabad	Satisfactory	59	PM ₁₀ , NO ₂ , PM _{2.5}	5
55	Indore	Satisfactory	74	PM ₁₀	1
56	Jabalpur	Satisfactory	62	PM ₁₀	1
57	Jaipur	Satisfactory	80	PM ₁₀	2
58	Jalandhar	Moderate	164	O ₃	1
59	Jind	Satisfactory	71	PM ₁₀	1
60	Jodhpur	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	66	PM ₁₀	1
62	Kalaburgi	Satisfactory	68	PM ₁₀	1
63	Kalyan	Satisfactory	53	PM _{2.5}	1
64	Kannur	Good	40	PM _{2.5}	1
65	Kanpur	Satisfactory	68	PM ₁₀ , O ₃	4
66	Karnal	Satisfactory	65	PM _{2.5}	1
67	Katni	Satisfactory	57	PM ₁₀	1
68	Khanna	Satisfactory	79	PM ₁₀	1
69	Kochi	Good	39	со	1
70	Kohima	Satisfactory	57	PM ₁₀	1
71	Kolar	Good	43	со	1
72	Kolkata	Satisfactory	68	PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	90	СО	1
74	Koppal	Satisfactory	58	03	1
75	Kota	Satisfactory	80	PM _{2.5}	1
76	Kurukshetra	Satisfactory	76	PM ₁₀	1
77	Lucknow	Satisfactory	62	PM ₁₀ , NO ₂ , O ₃	5
78	Ludhiana	Satisfactory	70	03	1
79	Maihar	Good	35	PM ₁₀	1
80	Mandi Gobindgarh	Moderate	155	PM _{2.5}	1
81	Mandideep	Satisfactory	91	PM ₁₀	1
82	Mandikhera	Good	39	PM ₁₀	1
83	Manesar	Satisfactory	66	PM ₁₀	1
84	Manglore	Satisfactory	62	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	24	O ₃	1
86	Meerut	Moderate	114	PM ₁₀	1
87	Moradabad	Moderate	117	PM ₁₀	1
88	Mumbai	Satisfactory	74	PM _{2.5} , PM ₁₀ , SO ₂	17
89	Muzaffarnagar	Moderate	129	PM ₁₀	1
90	Muzaffarpur	Satisfactory	60	CO, PM _{2.5}	2
91	Mysuru	Satisfactory	51	PM ₁₀	1
92	Naharlagun	Satisfactory	59	PM ₁₀	1
93	Nandesari	Satisfactory	82	PM _{2.5}	1
94	Narnaul	Good	48	PM _{2.5}	1
95	Nashik	Good	47	PM _{2.5}	1
96	Navi Mumbai	Satisfactory	62	PM ₁₀ , CO	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Moderate	113	PM ₁₀ , PM _{2.5}	4
98	Pali	Satisfactory	77	PM ₁₀	1
99	Palwal	Satisfactory	77	PM ₁₀	1
100	Panchkula	Satisfactory	71	PM _{2.5}	1
101	Panipat	Satisfactory	94	PM ₁₀	1
102	Patiala	Satisfactory	56	PM ₁₀	1
103	Patna	Satisfactory	82	PM ₁₀	5
104	Pithampur	Satisfactory	78	PM _{2.5}	1
105	Prayagraj	Satisfactory	76	PM ₁₀ , PM _{2.5}	3
106	Puducherry	Good	38	O ₃	1
107	Pune	Satisfactory	76	SO ₂ , CO, PM _{2.5}	5
108	Raichur	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rajamahendravaram	Good	26	со	1
110	Ramanagara	Good	30	03	1
111	Ratlam	Satisfactory	61	PM ₁₀	1
112	Rohtak	Satisfactory	92	NO ₂	1
113	Rupnagar	Satisfactory	76	PM ₁₀	1
114	Sagar	Good	27	PM _{2.5}	1
115	Satna	Satisfactory	56	PM ₁₀	1
116	Shillong	Good	15	SO ₂	1
117	Shivamogga	Good	35	PM ₁₀	1
118	Siliguri	Good	47	PM ₁₀	1
119	Singrauli	Moderate	120	PM ₁₀	1
120	Sirsa	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Solapur	Good	40	03	1
122	Sonipat	Moderate	107	PM ₁₀	1
123	Srinagar	Satisfactory	94	PM ₁₀	1
124	Talcher	Satisfactory	58	SO ₂	1
125	Thane	Moderate	190	03	1
126	Thiruvananthapuram	Good	44	CO, PM ₁₀	2
127	Thoothukudi	Good	41	со	1
128	Thrissur	Good	50	03	1
129	Tirupati	Good	40	со	1
130	Udaipur	Satisfactory	83	PM ₁₀	1
131	Udupi	Poor	226	03	1
132	Ujjain	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Varanasi	Satisfactory	76	PM ₁₀	4
134	Vatva	Moderate	111	PM ₁₀	1
135	Vijayapura	Good	42	PM ₁₀	1
136	Visakhapatnam	Good	19	O ₃	1
137	Vrindavan	Satisfactory	84	PM ₁₀	1
138	Yadgir	Good	32	SO ₂	1
139	Yamunanagar	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Coimbatore, Darbhanga, Dharuhera, Gadag, Hajipur, Hubballi, Jorapokhar, Kozhikode, Motihari, Nagpur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.