

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	237	PM <sub>2.5</sub>	2
2	Agra	Moderate	142	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	134	PM <sub>10</sub> , PM <sub>2.5</sub>	9
4	Aizawl	Satisfactory	100	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	100	PM <sub>10</sub>	1
6	Alwar	Moderate	106	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	87	PM <sub>10</sub>	1
8	Ambala	Moderate	134	PM <sub>10</sub>	1
9	Amritsar	Moderate	124	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	124	PM <sub>2.5</sub>	1
11	Araria	Moderate	106	PM <sub>2.5</sub>	1
12	Arrah	Poor	251	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	249	O <sub>3</sub>	1
14	Baddi	Moderate	169	PM <sub>10</sub>	1
15	Bagalkot	Satisfactory	51	PM <sub>10</sub>	1
16	Baghpat	Moderate	198	PM <sub>2.5</sub>	1
17	Bahadurgarh	Moderate	200	PM <sub>2.5</sub>	1
18	Ballabgarh	Moderate	130	PM <sub>10</sub>	1
19	Bathinda	Poor	226	PM <sub>10</sub>	1
20	Bengaluru	Moderate	111	O <sub>3</sub> , PM <sub>10</sub> , CO	9
21	Bettiah	Poor	242	PM <sub>2.5</sub>	1
22	Bhagalpur	Very Poor	361	PM <sub>10</sub> , PM <sub>2.5</sub>	2
23	Bhiwadi	Very Poor	302	PM <sub>2.5</sub>	1
24	Bhiwani	Moderate	147	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	165	03	1
26	Bidar	Moderate	104	PM <sub>10</sub>	1
27	Bihar Sharif	Poor	238	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	56	PM <sub>10</sub>	1
29	Bulandshahr	Moderate	185	PM <sub>10</sub>	1
30	Buxar	Poor	250	PM <sub>2.5</sub>	1
31	Chamarajanagar	Good	46	PM <sub>10</sub>	1
32	Chandigarh	Moderate	140	O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Moderate	194	PM <sub>2.5</sub>	2
34	Charkhi Dadri	Poor	204	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	77	PM <sub>10</sub> , PM <sub>2.5</sub>	7
36	Chhapra	Poor	260	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	77	PM <sub>2.5</sub>	1
38	Chikkamagaluru	Good	43	PM <sub>10</sub>	1
39	Coimbatore	Satisfactory	66	PM <sub>2.5</sub>	1
40	Damoh	Moderate	126	PM <sub>10</sub>	1
41	Darbhanga	Poor	217	PM <sub>10</sub>	1
42	Davanagere	Moderate	106	PM <sub>10</sub>	1
43	Delhi	Poor	206	PM <sub>10</sub> , PM <sub>2.5</sub>	37
44	Dewas	Satisfactory	94	PM <sub>10</sub>	1
45	Dharuhera	Poor	239	PM <sub>10</sub>	1
46	Durgapur	Poor	292	PM <sub>10</sub>	1
47	Eloor	Satisfactory	67	PM <sub>10</sub>	1
48	Ernakulam	Good	39	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	218	PM <sub>2.5</sub>	3
50	Fatehabad	Moderate	180	PM <sub>2.5</sub>	1
51	Firozabad	Moderate	136	PM <sub>2.5</sub>	1
52	Gadag	Satisfactory	81	PM <sub>2.5</sub>	1
53	Gandhinagar	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Gaya	Moderate	130	PM <sub>10</sub> , PM <sub>2.5</sub>	3
55	Ghaziabad	Poor	236	PM <sub>10</sub>	4
56	Gorakhpur	Satisfactory	78	PM <sub>10</sub>	1
57	Greater Noida	Moderate	179	PM <sub>10</sub>	2
58	Gummidipoondi	Satisfactory	54	PM <sub>10</sub>	1
59	Gurugram	Moderate	192	PM <sub>2.5</sub>	1
60	Guwahati	Poor	294	PM <sub>2.5</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Poor	209	PM <sub>2.5</sub>	1
62	Hajipur	Satisfactory	70	PM <sub>10</sub>	1
63	Haldia	Good	41	PM <sub>2.5</sub>	1
64	Hapur	Moderate	192	03	1
65	Hassan	Satisfactory	93	PM <sub>10</sub>	1
66	Hisar	Poor	227	PM <sub>2.5</sub>	1
67	Howrah	Moderate	105	PM <sub>2.5</sub> , PM <sub>10</sub>	2
68	Hubballi	Moderate	110	PM <sub>10</sub>	1
69	Hyderabad	Moderate	139	PM <sub>2.5</sub> , PM <sub>10</sub>	6
70	Indore	Moderate	164	PM <sub>10</sub>	1
71	Jabalpur	Poor	224	PM <sub>10</sub>	1
72	Jaipur	Moderate	190	PM <sub>2.5</sub>	3

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	152	PM <sub>10</sub>	1
74	Jhansi	Moderate	164	PM <sub>10</sub>	1
75	Jind	Moderate	146	PM <sub>10</sub>	1
76	Jodhpur	Moderate	164	PM <sub>2.5</sub>	1
77	Kaithal	Moderate	162	PM <sub>10</sub>	1
78	Kalaburgi	Moderate	113	PM <sub>10</sub>	1
79	Kannur	Satisfactory	94	PM <sub>10</sub>	1
80	Kanpur	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	3
81	Karnal	Moderate	124	PM <sub>10</sub>	1
82	Katihar	Severe	429	PM <sub>10</sub>	1
83	Katni	Moderate	200	PM <sub>10</sub>	1
84	Khanna	Moderate	123	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Poor	255	PM <sub>2.5</sub>	1
86	Kochi	Satisfactory	55	PM <sub>2.5</sub>	1
87	Kohima	Moderate	153	PM <sub>10</sub>	1
88	Kolar	Moderate	110	PM <sub>2.5</sub>	1
89	Kolkata	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub>	6
90	Kollam	Satisfactory	80	PM <sub>10</sub>	1
91	Kota	Moderate	181	PM <sub>2.5</sub>	1
92	Kozhikode	Satisfactory	58	PM <sub>10</sub>	1
93	Kurukshetra	Moderate	169	PM <sub>2.5</sub>	1
94	Lucknow	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	5
95	Ludhiana	Moderate	119	PM <sub>10</sub>	1
96	Madikeri	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	167	PM <sub>10</sub>	1
98	Mandideep	Moderate	131	PM <sub>10</sub>	1
99	Mandikhera	Satisfactory	99	PM <sub>10</sub>	1
100	Manesar	Poor	252	PM <sub>2.5</sub>	1
101	Manglore	Satisfactory	54	PM <sub>2.5</sub>	1
102	Manguraha	Moderate	112	PM <sub>10</sub>	1
103	Meerut	Poor	229	PM <sub>10</sub> , PM <sub>2.5</sub>	3
104	Moradabad	Moderate	146	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
105	Motihari	Poor	221	PM <sub>2.5</sub>	1
106	Mumbai	Moderate	155	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	17
107	Munger	Very Poor	303	PM <sub>10</sub>	1
108	Muzaffarnagar	Poor	202	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Muzaffarpur	Poor	273	PM <sub>2.5</sub>	3
110	Mysuru	Satisfactory	59	PM <sub>10</sub>	1
111	Nagpur	Satisfactory	84	PM <sub>10</sub>	1
112	Narnaul	Moderate	163	PM <sub>2.5</sub>	1
113	Nashik	Satisfactory	67	PM <sub>10</sub>	1
114	Navi Mumbai	Moderate	152	O <sub>3</sub> , PM <sub>10</sub> , CO	3
115	Noida	Moderate	172	PM <sub>10</sub> , PM <sub>2.5</sub>	4
116	Pali	Moderate	143	PM <sub>2.5</sub>	1
117	Palwal	Moderate	108	со	1
118	Panchkula	Poor	203	PM <sub>2.5</sub>	1
119	Panipat	Moderate	153	PM <sub>10</sub>	1
120	Patiala	Moderate	134	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Poor	263	PM <sub>2.5</sub> , PM <sub>10</sub>	6
122	Pithampur	Moderate	117	PM <sub>2.5</sub>	1
123	Prayagraj	Moderate	112	PM <sub>10</sub>	3
124	Puducherry	Satisfactory	69	PM <sub>10</sub>	1
125	Pune	Moderate	175	PM <sub>2.5</sub>	6
126	Raichur	Moderate	134	PM <sub>10</sub>	1
127	Rajamahendravaram	Satisfactory	93	PM <sub>10</sub>	1
128	Rajgir	Moderate	159	PM <sub>10</sub>	1
129	Ramanagara	Moderate	104	PM <sub>10</sub>	1
130	Ratlam	Moderate	138	PM <sub>10</sub>	1
131	Rohtak	Poor	224	PM <sub>2.5</sub>	1
132	Rupnagar	Poor	295	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Very Poor	356	PM <sub>10</sub>	1
134	Sasaram	Moderate	154	PM <sub>10</sub>	1
135	Satna	Satisfactory	61	PM <sub>10</sub>	1
136	Shillong	Satisfactory	56	PM <sub>2.5</sub>	1
137	Shivamogga	Satisfactory	67	PM <sub>10</sub>	1
138	Siliguri	Moderate	134	PM <sub>10</sub>	1
139	Singrauli	Very Poor	316	PM <sub>10</sub>	1
140	Sirsa	Moderate	133	PM <sub>10</sub>	1
141	Siwan	Poor	285	PM <sub>2.5</sub>	1
142	Solapur	Moderate	118	PM <sub>10</sub>	1
143	Sonipat	Moderate	184	PM <sub>10</sub>	1
144	Srinagar	Good	43	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Poor	224	PM <sub>10</sub>	1
146	Thiruvananthapuram	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	2
147	Thoothukudi	Satisfactory	82	PM <sub>10</sub>	1
148	Thrissur	Satisfactory	75	со	1
149	Udaipur	Moderate	134	PM <sub>2.5</sub>	1
150	Ujjain	Moderate	169	PM <sub>10</sub>	1
151	Varanasi	Moderate	101	PM <sub>10</sub>	4
152	Vatva	Moderate	108	PM <sub>10</sub>	1
153	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
154	Visakhapatnam	Moderate	109	PM <sub>10</sub>	1
155	Vrindavan	Moderate	134	PM <sub>10</sub>	1
156	Yadgir	Satisfactory	76	PM <sub>10</sub>	1

## Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Brajrajnagar, Jorapokhar, Kalyan, Koppal, Maihar, Naharlagun, Nandesari, Purnia, Sagar, Talcher, Tirupati, Udupi, Vapi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.