

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	232	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	68	PM <sub>10</sub> , SO <sub>2</sub>	6
3	Ahmedabad	Moderate	122	PM <sub>10</sub> , PM <sub>2.5</sub>	9
4	Aizawl	Satisfactory	64	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	60	PM <sub>10</sub>	1
6	Alwar	Satisfactory	59	PM <sub>10</sub>	1
7	Amaravati	Good	45	O <sub>3</sub>	1
8	Ambala	Satisfactory	69	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	77	со	1
10	Ankleshwar	Poor	202	PM <sub>2.5</sub>	1
11	Araria	Moderate	187	PM <sub>2.5</sub>	1
12	Arrah	Moderate	127	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	101	PM <sub>10</sub>	1
14	Aurangabad	Moderate	103	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Bahadurgarh	Satisfactory	83	PM <sub>2.5</sub>	1
17	Ballabgarh	Satisfactory	64	PM <sub>10</sub>	1
18	Bathinda	Satisfactory	60	PM <sub>10</sub>	1
19	Bengaluru	Satisfactory	73	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
20	Bettiah	Moderate	195	PM <sub>2.5</sub>	1
21	Bhagalpur	Moderate	164	PM <sub>2.5</sub>	2
22	Bhilai	Satisfactory	54	PM <sub>10</sub>	1
23	Bhiwadi	Poor	209	PM <sub>2.5</sub>	1
24	Bhiwani	Satisfactory	82	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	erate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	125	PM <sub>10</sub>	1
26	Bihar Sharif	Moderate	137	PM <sub>2.5</sub>	1
27	Bilaspur	Satisfactory	60	PM <sub>10</sub>	1
28	Brajrajnagar	Satisfactory	83	O <sub>3</sub>	1
29	Bulandshahr	Moderate	116	PM <sub>10</sub>	1
30	Buxar	Poor	203	PM <sub>2.5</sub>	1
31	Chamarajanagar	Satisfactory	52	со	1
32	Chandigarh	Satisfactory	78	O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Moderate	138	O <sub>3</sub> , CO	2
34	Charkhi Dadri	Satisfactory	69	PM <sub>2.5</sub>	1
35	Chennai	Satisfactory	62	PM <sub>10</sub> , CO	7
36	Chhapra	Poor	281	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	78	PM <sub>10</sub>	1
38	Chikkamagaluru	Good	40	PM <sub>10</sub>	1
39	Coimbatore	Good	45	со	1
40	Darbhanga	Poor	230	PM <sub>2.5</sub>	1
41	Davanagere	Satisfactory	71	PM <sub>10</sub>	1
42	Delhi	Moderate	107	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	32
43	Dewas	Satisfactory	79	PM <sub>10</sub>	1
44	Dharuhera	Moderate	122	PM <sub>10</sub>	1
45	Durgapur	Moderate	191	PM <sub>10</sub>	1
46	Eloor	Satisfactory	80	PM <sub>10</sub>	1
47	Ernakulam	Good	44	PM <sub>2.5</sub>	1
48	Faridabad	Moderate	122	O <sub>3</sub> , PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	tisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	76	PM <sub>2.5</sub>	2
50	Gadag	Good	28	03	1
51	Gandhinagar	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Gaya	Satisfactory	59	PM <sub>10</sub>	1
53	Ghaziabad	Moderate	126	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	4
54	Gorakhpur	Satisfactory	62	O <sub>3</sub>	1
55	Greater Noida	Moderate	155	O <sub>3</sub>	2
56	Gummidipoondi	Good	38	PM <sub>10</sub>	1
57	Gurugram	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	2
58	Guwahati	Poor	222	PM <sub>2.5</sub>	2
59	Hajipur	Moderate	188	PM <sub>2.5</sub>	1
60	Haldia	Satisfactory	96	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available.
  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	174	03	1
62	Hassan	Satisfactory	57	PM <sub>10</sub>	1
63	Hisar	Satisfactory	76	PM <sub>2.5</sub>	1
64	Howrah	Moderate	137	PM <sub>2.5</sub> , PM <sub>10</sub>	3
65	Hubballi	Moderate	105	PM <sub>10</sub>	1
66	Hyderabad	Satisfactory	67	PM <sub>10</sub> , PM <sub>2.5</sub>	5
67	Indore	Moderate	117	PM <sub>10</sub>	1
68	Jabalpur	Moderate	119	PM <sub>10</sub>	1
69	Jaipur	Satisfactory	67	PM <sub>10</sub>	1
70	Jalandhar	Satisfactory	56	PM <sub>10</sub>	1
71	Jhansi	Satisfactory	95	PM <sub>10</sub>	1
72	Jind	Satisfactory	54	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	128	PM <sub>2.5</sub>	1
74	Kaithal	Satisfactory	51	PM <sub>10</sub>	1
75	Kalaburgi	Satisfactory	60	PM <sub>10</sub>	1
76	Kalyan	Poor	250	PM <sub>2.5</sub>	1
77	Kannur	Satisfactory	78	PM <sub>2.5</sub>	1
78	Kanpur	Satisfactory	69	NO <sub>2</sub> , PM <sub>10</sub>	3
79	Karnal	Satisfactory	53	PM <sub>10</sub>	1
80	Katihar	Poor	231	PM <sub>10</sub>	1
81	Katni	Moderate	159	PM <sub>2.5</sub>	1
82	Khanna	Satisfactory	66	PM <sub>10</sub>	1
83	Kishanganj	Poor	262	PM <sub>2.5</sub>	1
84	Kochi	Satisfactory	62	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	98	PM <sub>10</sub>	1
86	Kolkata	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	7
87	Kollam	Satisfactory	66	со	1
88	Koppal	Moderate	105	03	1
89	Kota	Moderate	114	PM <sub>2.5</sub>	1
90	Kozhikode	Satisfactory	56	PM <sub>10</sub>	1
91	Kurukshetra	Satisfactory	67	03	1
92	Lucknow	Satisfactory	84	PM <sub>10</sub>	6
93	Ludhiana	Satisfactory	52	03	1
94	Madikeri	Satisfactory	64	PM <sub>10</sub>	1
95	Mandi Gobindgarh	Moderate	162	PM <sub>10</sub>	1
96	Mandideep	Moderate	140	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	100	PM <sub>10</sub>	1
98	Manesar	Satisfactory	53	PM <sub>10</sub>	1
99	Manglore	Good	46	со	1
100	Manguraha	Satisfactory	64	PM <sub>2.5</sub>	1
101	Meerut	Satisfactory	91	PM <sub>10</sub>	3
102	Moradabad	Satisfactory	62	PM <sub>10</sub> , CO	4
103	Motihari	Poor	208	PM <sub>2.5</sub>	1
104	Mumbai	Poor	215	PM <sub>2.5</sub> , O <sub>3</sub>	13
105	Munger	Moderate	196	PM <sub>2.5</sub>	1
106	Muzaffarnagar	Moderate	155	03	1
107	Muzaffarpur	Poor	238	PM <sub>2.5</sub> , PM <sub>10</sub>	3
108	Mysuru	Good	50	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	85	со	1
110	Nandesari	Satisfactory	100	со	1
111	Narnaul	Satisfactory	62	PM <sub>2.5</sub>	1
112	Nashik	Satisfactory	64	PM <sub>10</sub>	1
113	Navi Mumbai	Moderate	197	PM <sub>2.5</sub> , PM <sub>10</sub>	2
114	Noida	Satisfactory	83	PM <sub>10</sub> , CO	3
115	Pali	Satisfactory	83	PM <sub>10</sub>	1
116	Panchkula	Satisfactory	83	PM <sub>2.5</sub>	1
117	Panipat	Satisfactory	65	PM <sub>10</sub>	1
118	Patna	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	5
119	Pithampur	Moderate	129	PM <sub>2.5</sub>	1
120	Prayagraj	Satisfactory	84	PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	44	PM <sub>10</sub>	1
122	Pune	Moderate	119	PM <sub>2.5</sub> , PM <sub>10</sub>	6
123	Purnia	Moderate	172	PM <sub>2.5</sub>	1
124	Raichur	Satisfactory	92	PM <sub>10</sub>	1
125	Rajamahendravaram	Satisfactory	71	PM <sub>10</sub>	1
126	Rajgir	Moderate	129	PM <sub>2.5</sub>	1
127	Ramanagara	Satisfactory	55	PM <sub>10</sub>	1
128	Ratlam	Satisfactory	93	PM <sub>10</sub>	1
129	Rohtak	Satisfactory	57	PM <sub>2.5</sub>	1
130	Rupnagar	Satisfactory	99	PM <sub>10</sub>	1
131	Sagar	Satisfactory	89	PM <sub>10</sub>	1
132	Saharsa	Poor	233	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Moderate	179	PM <sub>2.5</sub>	1
134	Satna	Satisfactory	54	PM <sub>10</sub>	1
135	Shivamogga	Good	48	PM <sub>10</sub>	1
136	Siliguri	Moderate	156	PM <sub>2.5</sub>	1
137	Singrauli	Poor	229	PM <sub>2.5</sub>	1
138	Sirsa	Satisfactory	62	03	1
139	Siwan	Moderate	189	PM <sub>2.5</sub>	1
140	Srinagar	Satisfactory	53	PM <sub>10</sub>	1
141	Talcher	Satisfactory	59	PM <sub>2.5</sub>	1
142	Thiruvananthapuram	Satisfactory	64	NO <sub>2</sub> , PM <sub>2.5</sub>	2
143	Thoothukudi	Good	30	PM <sub>10</sub>	1
144	Thrissur	Satisfactory	68	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Good	34	со	1
146	Udaipur	Satisfactory	84	PM <sub>10</sub>	1
147	Ujjain	Moderate	160	PM <sub>10</sub>	1
148	Vapi	Moderate	200	PM <sub>10</sub>	1
149	Varanasi	Satisfactory	89	PM <sub>10</sub> , PM <sub>2.5</sub>	4
150	Vatva	Moderate	109	PM <sub>10</sub>	1
151	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
152	Visakhapatnam	Moderate	195	O <sub>3</sub>	1
153	Vrindavan	Satisfactory	58	PM <sub>10</sub>	1
154	Yadgir	Good	44	PM <sub>10</sub>	1
155	Yamunanagar	Satisfactory	69	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Baghpat, Bidar, Damoh, Fatehabad, Gwalior, Jorapokhar, Kolar, Maihar, Naharlagun, Palwal, Patiala, Shillong, Solapur, Sonipat, Thane, Udupi as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.