

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	328	PM _{2.5}	2
2	Agra	Satisfactory	63	PM ₁₀	6
3	Ahmedabad	Satisfactory	86	NO ₂	1
4	Aizawl	Moderate	101	PM ₁₀	1
5	Ajmer	Satisfactory	100	PM _{2.5}	1
6	Alwar	Satisfactory	81	PM ₁₀	1
7	Amaravati	Satisfactory	81	PM _{2.5}	1
8	Ambala	Moderate	133	PM _{2.5}	1
9	Amritsar	Moderate	188	PM _{2.5}	1
10	Ankleshwar	Moderate	168	PM _{2.5}	1
11	Araria	Very Poor	360	PM ₁₀	1
12	Arrah	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad,

Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	219	PM _{2.5}	1
14	Aurangabad (Bihar)	Moderate	170	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	80	PM _{2.5}	1
16	Baddi	Poor	251	PM _{2.5}	1
17	Bagalkot	Good	43	PM ₁₀	1
18	Baghpat	Moderate	154	PM _{2.5}	1
19	Bahadurgarh	Moderate	107	PM _{2.5}	1
20	Ballabgarh	Moderate	151	PM ₁₀	1
21	Bareilly	Satisfactory	94	PM ₁₀	2
22	Baripada	Moderate	155	O ₃	1
23	Belgaum	Good	49	PM _{2.5}	1
24	Bengaluru	Satisfactory	72	СО	9

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Severe	439	PM _{2.5}	1
26	Bhagalpur	Poor	293	PM _{2.5}	2
27	Bhiwadi	Moderate	164	PM ₁₀	1
28	Bhiwani	Satisfactory	70	O ₃	1
29	Bhopal	Satisfactory	94	PM ₁₀	2
30	Bidar	Satisfactory	72	SO ₂	1
31	Bihar Sharif	Very Poor	305	PM _{2.5}	1
32	Bilaspur	Satisfactory	92	СО	1
33	Bileipada	Moderate	149	PM ₁₀	1
34	Brajrajnagar	Good	45	PM ₁₀	1
35	Bulandshahr	Poor	208	PM _{2.5}	1
36	Chamarajanagar	Good	44	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	197	PM _{2.5} , PM ₁₀	3
38	Chandrapur	Poor	242	PM _{2.5}	2
39	Charkhi Dadri	Moderate	127	PM _{2.5}	1
40	Chengalpattu	Satisfactory	89	PM ₁₀	1
41	Chennai	Satisfactory	72	PM _{2.5} , CO	7
42	Chhapra	Poor	296	PM _{2.5}	1
43	Chikkaballapur	Good	46	PM ₁₀	1
44	Chikkamagaluru	Good	28	O ₃	1
45	Damoh	Good	26	PM ₁₀	1
46	Darbhanga	Severe	437	PM ₁₀	1
47	Davanagere	Satisfactory	54	PM ₁₀	1
48	Delhi	Moderate	189	PM _{2.5}	37

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Satisfactory	80	PM ₁₀	1
50	Dharuhera	Moderate	168	PM ₁₀	1
51	Durgapur	Moderate	142	PM _{2.5}	1
52	Faridabad	Moderate	191	PM _{2.5}	4
53	Fatehabad	Satisfactory	93	PM ₁₀	1
54	Firozabad	Satisfactory	93	PM ₁₀	1
55	Gadag	Good	35	O ₃	1
56	Gandhinagar	Satisfactory	64	PM ₁₀	1
57	Gangtok	Satisfactory	78	PM _{2.5}	1
58	Gaya	Moderate	188	PM ₁₀ , PM _{2.5}	3
59	Ghaziabad	Moderate	150	PM ₁₀	4
60	Gorakhpur	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Bathinda,

Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Moderate	171	PM ₁₀	2
62	Gurugram	Poor	228	PM _{2.5}	4
63	Guwahati	Poor	226	PM _{2.5}	3
64	Gwalior	Moderate	197	PM ₁₀ , PM _{2.5}	3
65	Hajipur	Poor	261	PM ₁₀	1
66	Haldia	Moderate	154	PM ₁₀	1
67	Hapur	Satisfactory	73	PM _{2.5}	1
68	Hassan	Good	27	PM _{2.5}	1
69	Haveri	Satisfactory	51	PM ₁₀	1
70	Hisar	Satisfactory	85	PM ₁₀	1
71	Hosur	Satisfactory	76	PM ₁₀	1
72	Howrah	Poor	289	PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	71	СО	2
74	Hyderabad	Satisfactory	88	PM ₁₀ , NO ₂	13
75	Imphal	Moderate	124	PM _{2.5} , SO ₂	2
76	Indore	Satisfactory	75	PM ₁₀	1
77	Jabalpur	Moderate	121	PM ₁₀	1
78	Jaipur	Moderate	112	PM _{2.5} , NO ₂	3
79	Jalandhar	Moderate	173	PM _{2.5}	1
80	Jhansi	Moderate	111	PM ₁₀	1
81	Jodhpur	Satisfactory	99	PM ₁₀	1
82	Kaithal	Moderate	117	PM ₁₀	1
83	Kalaburgi	Good	33	PM _{2.5}	1
84	Kalyan	Moderate	110	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	73	PM _{2.5}	1
86	Kanpur	Moderate	113	PM _{2.5}	4
87	Karnal	Satisfactory	91	PM _{2.5}	1
88	Katihar	Very Poor	398	PM _{2.5}	1
89	Katni	Moderate	177	PM ₁₀	1
90	Keonjhar	Moderate	106	03	1
91	Khanna	Moderate	131	PM _{2.5}	1
92	Kishanganj	Very Poor	301	PM _{2.5}	1
93	Kohima	Satisfactory	98	PM _{2.5}	1
94	Kolkata	Poor	271	PM _{2.5}	7
95	Kollam	Satisfactory	69	PM ₁₀	1
96	Koppal	Satisfactory	79	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kota	Moderate	141	PM ₁₀	1
98	Kozhikode	Good	38	со	1
99	Kurukshetra	Satisfactory	83	PM _{2.5}	1
100	Lucknow	Moderate	114	PM ₁₀	6
101	Ludhiana	Moderate	159	PM _{2.5}	1
102	Madikeri	Good	30	03	1
103	Maihar	Good	28	со	1
104	Mandi Gobindgarh	Very Poor	315	PM _{2.5}	1
105	Mandideep	Satisfactory	68	SO ₂	1
106	Mandikhera	Satisfactory	82	PM ₁₀	1
107	Manesar	Moderate	124	PM ₁₀	1
108	Mangalore	Satisfactory	56	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Meerut	Poor	226	PM _{2.5}	3
110	Moradabad	Moderate	111	PM _{2.5}	6
111	Motihari	Very Poor	358	PM ₁₀	1
112	Mumbai	Moderate	117	PM ₁₀	17
113	Munger	Very Poor	308	PM _{2.5}	1
114	Muzaffarnagar	Poor	265	PM _{2.5}	1
115	Muzaffarpur	Very Poor	384	PM _{2.5}	3
116	Mysuru	Good	48	PM ₁₀	1
117	Nagpur	Moderate	106	PM ₁₀	1
118	Nalbari	Poor	256	PM _{2.5}	1
119	Nandesari	Satisfactory	60	со	1
120	Narnaul	Satisfactory	99	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nashik	Good	36	PM _{2.5}	1
122	Nayagarh	Moderate	124	PM _{2.5}	1
123	Noida	Moderate	137	PM _{2.5}	4
124	Ooty	Good	49	SO ₂	1
125	Pali	Moderate	105	PM ₁₀	1
126	Panchkula	Moderate	109	PM _{2.5}	1
127	Panipat	Moderate	123	PM ₁₀	1
128	Patiala	Satisfactory	73	PM ₁₀	1
129	Patna	Very Poor	302	PM ₁₀ , PM _{2.5}	6
130	Pithampur	Satisfactory	92	PM ₁₀	1
131	Prayagraj	Satisfactory	75	PM ₁₀	3
132	Puducherry	Good	39	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Purnia	Severe	460	PM _{2.5}	1
134	Raichur	Satisfactory	75	PM ₁₀	1
135	Rairangpur	Moderate	116	PM ₁₀	1
136	Rajamahendravaram	Moderate	124	PM _{2.5}	1
137	Rajgir	Poor	240	PM _{2.5}	1
138	Ramanagara	Good	43	PM ₁₀	1
139	Ramanathapuram	Good	19	PM ₁₀	1
140	Ratlam	Satisfactory	65	PM ₁₀	1
141	Rohtak	Satisfactory	75	PM _{2.5}	1
142	Rourkela	Poor	215	PM ₁₀	1
143	Rupnagar	Moderate	107	PM ₁₀	1
144	Sagar	Satisfactory	81	O ₃ , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad,

begusarai, Bhilai, Buxar, Chittoor, Colmbatore, Denradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Saharsa	Very Poor	382	PM _{2.5}	1
146	Salem	Good	35	SO ₂	1
147	Samastipur	Very Poor	345	PM _{2.5}	1
148	Sasaram	Moderate	146	PM _{2.5}	1
149	Satna	Satisfactory	67	PM ₁₀	1
150	Shillong	Satisfactory	88	PM _{2.5}	1
151	Shivamogga	Good	50	PM ₁₀	1
152	Siliguri	Moderate	198	PM _{2.5}	1
153	Sirsa	Satisfactory	98	O ₃	1
154	Sivasagar	Satisfactory	52	PM ₁₀	1
155	Siwan	Very Poor	360	PM _{2.5}	1
156	Solapur	Satisfactory	75	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sonipat	Moderate	118	PM ₁₀	1
158	Srinagar	Satisfactory	72	PM _{2.5}	1
159	Suakati	Moderate	111	PM ₁₀	1
160	Surat	Moderate	159	PM _{2.5}	1
161	Talcher	Moderate	125	PM _{2.5}	1
162	Tensa	Satisfactory	79	PM ₁₀	1
163	Thane	Moderate	198	03	1
164	Thiruvananthapuram	Good	43	PM _{2.5} , CO	2
165	Thoothukudi	Good	35	03	1
166	Tirupati	Satisfactory	61	NO ₂	2
167	Tirupur	Satisfactory	97	PM ₁₀	1
168	Udaipur	Moderate	165	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ujjain	Moderate	101	PM ₁₀	1
170	Vapi	Moderate	169	PM _{2.5}	1
171	Varanasi	Satisfactory	66	PM ₁₀ , CO	4
172	Vatva	Satisfactory	94	PM ₁₀	1
173	Vijayapura	Satisfactory	58	PM ₁₀	1
174	Visakhapatnam	Poor	203	PM ₁₀	1
175	Vrindavan	Satisfactory	94	PM ₁₀	1
176	Yadgir	Good	30	со	1
177	Yamunanagar	Moderate	151	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Notes: Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Dindigul, Eloor, Ernakulam, Gummidipoondi, Jind, Jorapokhar, Kanchipuram, Khurja, Kochi, Kolar, Korba, Manguraha, Naharlagun, Navi Mumbai, Palwal, Pune, Raipur, Singrauli, Thrissur, Tumakuru, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.