



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	225	PM _{2.5}	1
2	Agra	Moderate	140	PM ₁₀ , O ₃ , PM _{2.5}	6
3	Ahmedabad	Poor	239	PM _{2.5}	8
4	Aizawl	Satisfactory	70	PM ₁₀	1
5	Ajmer	Satisfactory	91	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	56	PM ₁₀	1
8	Amritsar	Satisfactory	77	PM ₁₀	1
9	Ankleshwar	Moderate	196	PM _{2.5}	1
10	Araria	Very Poor	337	O ₃	1
11	Arrah	Moderate	186	PM ₁₀	1
12	Asansol	Moderate	135	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonipat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	102	PM ₁₀	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Ballabgarh	Moderate	101	PM ₁₀	1
16	Bathinda	Moderate	108	PM ₁₀	1
17	Bengaluru	Satisfactory	69	PM ₁₀	8
18	Bhagalpur	Moderate	185	PM _{2.5}	1
19	Bhilai	Satisfactory	69	PM ₁₀	1
20	Bhiwadi	Poor	207	PM _{2.5}	1
21	Bhiwani	Poor	275	PM _{2.5}	1
22	Bhopal	Moderate	156	O ₃	1
23	Bidar	Satisfactory	76	PM ₁₀	1
24	Bihar Sharif	Poor	300	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	56	PM ₁₀	1
26	Bulandshahr	Poor	215	PM _{2.5}	1
27	Buxar	Poor	234	PM _{2.5}	1
28	Chamarajanagar	Good	46	PM ₁₀	1
29	Chandigarh	Moderate	144	O ₃ , PM _{2.5} , PM ₁₀	3
30	Chandrapur	Satisfactory	96	PM ₁₀	2
31	Chennai	Satisfactory	60	O ₃ , PM ₁₀ , CO	7
32	Chikkaballapur	Satisfactory	72	PM _{2.5}	1
33	Chikkamagaluru	Good	44	PM ₁₀	1
34	Coimbatore	Satisfactory	55	CO	1
35	Darbhanga	Poor	203	PM _{2.5}	1
36	Davanagere	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Delhi	Poor	237	PM ₁₀ , PM _{2.5}	34
38	Dewas	Moderate	124	PM ₁₀	1
39	Dharuhera	Moderate	173	PM ₁₀	1
40	Durgapur	Poor	232	PM _{2.5}	1
41	Eloor	Satisfactory	80	PM ₁₀	1
42	Ernakulam	Satisfactory	85	NO ₂	1
43	Faridabad	Poor	230	PM ₁₀ , O ₃ , PM _{2.5}	4
44	Firozabad	Moderate	116	PM _{2.5}	2
45	Gandhinagar	Moderate	148	PM _{2.5} , PM ₁₀	3
46	Gaya	Moderate	145	NO ₂ , PM _{2.5}	3
47	Ghaziabad	Poor	293	PM _{2.5} , PM ₁₀	4
48	Gorakhpur	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Poor	210	PM ₁₀ , PM _{2.5}	2
50	Gummidipoondi	Good	38	PM ₁₀	1
51	Gurugram	Poor	205	PM ₁₀ , PM _{2.5}	4
52	Guwahati	Poor	234	PM _{2.5}	2
53	Gwalior	Moderate	114	PM _{2.5}	1
54	Hajipur	Moderate	171	PM _{2.5}	1
55	Haldia	Moderate	127	PM ₁₀	1
56	Hapur	Poor	212	PM _{2.5}	1
57	Hassan	Satisfactory	53	PM ₁₀	1
58	Hisar	Poor	243	PM _{2.5}	1
59	Howrah	Poor	204	PM ₁₀ , PM _{2.5}	3
60	Hyderabad	Satisfactory	83	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonipat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Moderate	104	O ₃	1
62	Jabalpur	Moderate	148	PM ₁₀	1
63	Jaipur	Satisfactory	88	PM ₁₀	2
64	Jalandhar	Moderate	120	PM ₁₀	1
65	Jind	Moderate	147	PM _{2.5}	1
66	Jodhpur	Poor	211	PM _{2.5}	1
67	Kaithal	Moderate	151	PM _{2.5}	1
68	Kalaburgi	Satisfactory	80	PM ₁₀	1
69	Kalyan	Poor	270	PM _{2.5}	1
70	Kannur	Satisfactory	52	PM ₁₀	1
71	Kanpur	Moderate	171	PM ₁₀	3
72	Karnal	Moderate	124	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Very Poor	323	PM _{2.5}	1
74	Katni	Satisfactory	92	PM ₁₀	1
75	Khanna	Satisfactory	90	PM ₁₀	1
76	Kishanganj	Poor	272	PM _{2.5}	1
77	Kochi	Moderate	122	PM _{2.5}	1
78	Kolkata	Moderate	149	PM _{2.5} , PM ₁₀	5
79	Kollam	Satisfactory	88	PM ₁₀	1
80	Koppal	Satisfactory	93	O ₃	1
81	Kota	Moderate	168	PM _{2.5}	1
82	Kozhikode	Satisfactory	62	PM ₁₀	1
83	Kurukshetra	Poor	231	PM _{2.5}	1
84	Lucknow	Moderate	165	PM _{2.5} , O ₃	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Moderate	179	PM ₁₀	1
86	Mandi Gobindgarh	Satisfactory	86	PM ₁₀	1
87	Mandideep	Moderate	185	PM ₁₀	1
88	Mandikhera	Satisfactory	99	PM ₁₀	1
89	Manesar	Moderate	195	PM _{2.5}	1
90	Manglore	Satisfactory	51	CO	1
91	Manguraha	Satisfactory	96	O ₃	1
92	Meerut	Poor	281	PM _{2.5}	1
93	Moradabad	Moderate	197	PM _{2.5}	4
94	Motihari	Poor	242	PM _{2.5}	1
95	Mumbai	Moderate	170	PM _{2.5} , PM ₁₀	19
96	Munger	Moderate	184	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonipat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Muzaffarnagar	Very Poor	302	PM _{2.5}	1
98	Muzaffarpur	Poor	282	PM ₁₀ , PM _{2.5}	3
99	Mysuru	Good	48	PM ₁₀	1
100	Nagpur	Satisfactory	75	CO	1
101	Naharlagun	Poor	204	PM ₁₀	1
102	Narnaul	Moderate	114	PM _{2.5}	1
103	Nashik	Satisfactory	82	PM _{2.5}	1
104	Navi Mumbai	Moderate	178	PM ₁₀ , CO	2
105	Noida	Moderate	169	PM _{2.5}	1
106	Pali	Moderate	140	PM _{2.5}	1
107	Palwal	Moderate	104	PM ₁₀	1
108	Panchkula	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panipat	Moderate	170	PM ₁₀	1
110	Patiala	Moderate	120	PM ₁₀	1
111	Patna	Poor	214	PM _{2.5} , PM ₁₀	5
112	Pithampur	Satisfactory	79	PM ₁₀	1
113	Prayagraj	Moderate	129	O ₃ , PM ₁₀	3
114	Puducherry	Good	49	O ₃	1
115	Pune	Moderate	149	PM _{2.5}	5
116	Purnia	Poor	248	PM _{2.5}	1
117	Raichur	Satisfactory	82	PM ₁₀	1
118	Rajamahendravaram	Satisfactory	70	PM ₁₀	1
119	Rajgir	Moderate	155	O ₃	1
120	Ratlam	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonipat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rohtak	Poor	201	PM _{2.5}	1
122	Rupnagar	Moderate	141	PM _{2.5}	1
123	Sagar	Satisfactory	69	CO	1
124	Saharsa	Very Poor	325	PM ₁₀	1
125	Sasaram	Moderate	173	PM _{2.5}	1
126	Satna	Satisfactory	52	PM ₁₀	1
127	Siliguri	Moderate	176	PM _{2.5}	1
128	Singrauli	Poor	272	PM ₁₀	1
129	Sirsa	Moderate	101	O ₃	1
130	Solapur	Satisfactory	88	PM _{2.5}	1
131	Talcher	Moderate	109	PM ₁₀	1
132	Thane	Poor	227	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Satisfactory	55	PM ₁₀ , PM _{2.5}	2
134	Thoothukudi	Good	38	PM ₁₀	1
135	Udaipur	Moderate	151	PM _{2.5}	1
136	Ujjain	Moderate	143	PM ₁₀	1
137	Vapi	Moderate	171	PM ₁₀	1
138	Varanasi	Moderate	108	PM ₁₀	4
139	Vatva	Poor	203	PM _{2.5}	1
140	Vijayapura	Satisfactory	51	PM ₁₀	1
141	Visakhapatnam	Moderate	130	PM ₁₀	1
142	Yadgir	Satisfactory	53	PM ₁₀	1
143	Yamunanagar	Poor	251	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ambala, Baghpat, Bahadurgarh, Bettiah, Brajrajnagar, Charkhi Dadri, Chhapra, Damoh, Fatehabad, Gadag, Hubballi, Jhansi, Jorapokhar, Kohima, Kolar, Madikeri, Maihar, Nandesari, Ramanagara, Shillong, Shivamogga, Siwan, Sonapat, Srinagar, Thrissur, Tirupati, Udupi, Vrindavan as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.