

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	256	PM _{2.5}	1
2	Agra	Moderate	147	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	172	PM _{2.5} , PM ₁₀	8
4	Aizawl	Satisfactory	75	PM ₁₀	1
5	Ajmer	Satisfactory	80	PM ₁₀	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Satisfactory	73	PM ₁₀	1
8	Amritsar	Satisfactory	76	PM ₁₀	1
9	Ankleshwar	Moderate	131	PM _{2.5}	1
10	Araria	Moderate	200	O ₃	1
11	Arrah	Moderate	177	PM ₁₀	1
12	Asansol	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Bahadurgarh	Moderate	133	PM _{2.5}	1
15	Ballabgarh	Moderate	139	PM ₁₀	1
16	Bathinda	Satisfactory	76	PM ₁₀	1
17	Bengaluru	Moderate	119	CO, O ₃ , PM _{2.5}	7
18	Bettiah	Poor	241	PM _{2.5}	1
19	Bhagalpur	Moderate	196	PM _{2.5} , PM ₁₀	2
20	Bhilai	Satisfactory	71	PM ₁₀	1
21	Bhiwadi	Poor	261	PM _{2.5}	1
22	Bhiwani	Moderate	109	PM _{2.5}	1
23	Bhopal	Satisfactory	99	PM ₁₀	1
24	Bidar	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	209	PM _{2.5}	1
26	Bilaspur	Satisfactory	66	СО	1
27	Bulandshahr	Moderate	154	PM ₁₀	1
28	Buxar	Poor	256	PM _{2.5}	1
29	Chamarajanagar	Good	45	PM ₁₀	1
30	Chandigarh	Satisfactory	91	PM ₁₀	3
31	Chandrapur	Moderate	128	PM ₁₀	2
32	Charkhi Dadri	Moderate	146	PM ₁₀	1
33	Chennai	Satisfactory	96	PM ₁₀ , PM _{2.5}	8
34	Chhapra	Poor	262	PM _{2.5}	1
35	Chikkaballapur	Satisfactory	100	PM _{2.5}	1
36	Coimbatore	Satisfactory	69	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Moderate	107	PM ₁₀	1
38	Darbhanga	Moderate	161	PM _{2.5}	1
39	Davanagere	Satisfactory	80	PM ₁₀	1
40	Delhi	Moderate	162	PM _{2.5} , PM ₁₀	36
41	Dewas	Moderate	102	PM ₁₀	1
42	Dharuhera	Moderate	187	PM ₁₀	1
43	Durgapur	Poor	251	PM _{2.5}	1
44	Eloor	Satisfactory	73	PM ₁₀	1
45	Ernakulam	Good	30	PM _{2.5}	1
46	Faridabad	Moderate	160	PM ₁₀ , O ₃	3
47	Fatehabad	Satisfactory	89	PM ₁₀	1
48	Firozabad	Poor	202	O ₃ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	119	PM _{2.5} , PM ₁₀	3
50	Gaya	Moderate	129	NO ₂ , PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Moderate	198	PM _{2.5} , PM ₁₀	4
52	Gorakhpur	Satisfactory	81	PM ₁₀	1
53	Greater Noida	Moderate	149	PM ₁₀	2
54	Gummidipoondi	Good	46	PM ₁₀	1
55	Gurugram	Moderate	162	PM _{2.5} , PM ₁₀	4
56	Guwahati	Poor	259	PM _{2.5}	2
57	Gwalior	Moderate	133	PM ₁₀	1
58	Hajipur	Moderate	147	PM _{2.5}	1
59	Haldia	Moderate	137	PM ₁₀	1
60	Hapur	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	74	PM ₁₀	1
62	Hisar	Moderate	138	PM _{2.5}	1
63	Howrah	Poor	243	PM _{2.5}	3
64	Hubballi	Satisfactory	97	PM ₁₀	1
65	Hyderabad	Moderate	130	PM ₁₀ , PM _{2.5}	5
66	Indore	Moderate	106	PM ₁₀	1
67	Jabalpur	Moderate	176	PM ₁₀	1
68	Jaipur	Satisfactory	93	PM ₁₀	3
69	Jalandhar	Satisfactory	97	PM ₁₀	1
70	Jhansi	Moderate	187	PM ₁₀	1
71	Jind	Satisfactory	98	PM ₁₀	1
72	Jodhpur	Moderate	135	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	99	PM ₁₀	1
74	Kalaburgi	Moderate	103	PM ₁₀	1
75	Kalyan	Poor	259	PM _{2.5}	1
76	Kannur	Satisfactory	56	PM _{2.5}	1
77	Kanpur	Moderate	117	PM _{2.5}	3
78	Karnal	Satisfactory	81	PM ₁₀	1
79	Katihar	Poor	270	PM _{2.5}	1
80	Katni	Poor	221	PM ₁₀	1
81	Khanna	Satisfactory	86	PM ₁₀	1
82	Kishanganj	Poor	250	PM _{2.5}	1
83	Kochi	Good	47	PM _{2.5}	1
84	Kolar	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	202	PM _{2.5} , PM ₁₀	7
86	Kollam	Satisfactory	80	PM ₁₀	1
87	Koppal	Satisfactory	89	O ₃	1
88	Kota	Moderate	117	PM ₁₀	1
89	Kozhikode	Satisfactory	64	PM ₁₀	1
90	Kurukshetra	Satisfactory	97	PM ₁₀	1
91	Lucknow	Moderate	144	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Satisfactory	75	PM ₁₀	1
93	Madikeri	Satisfactory	53	PM _{2.5}	1
94	Mandi Gobindgarh	Moderate	135	PM ₁₀	1
95	Mandideep	Moderate	139	PM ₁₀	1
96	Mandikhera	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	186	PM _{2.5}	1
98	Manglore	Satisfactory	57	со	1
99	Manguraha	Satisfactory	83	PM ₁₀	1
100	Meerut	Moderate	136	PM ₁₀	3
101	Moradabad	Moderate	106	PM _{2.5} , PM ₁₀	4
102	Motihari	Moderate	176	PM _{2.5}	1
103	Mumbai	Poor	210	PM _{2.5}	19
104	Munger	Moderate	174	PM ₁₀	1
105	Muzaffarnagar	Moderate	134	PM ₁₀	1
106	Muzaffarpur	Poor	227	PM _{2.5}	3
107	Mysuru	Satisfactory	57	PM ₁₀	1
108	Nandesari	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	125	PM _{2.5}	1
110	Nashik	Moderate	170	PM ₁₀	1
111	Navi Mumbai	Moderate	176	PM _{2.5} , CO	2
112	Noida	Moderate	136	PM ₁₀	4
113	Pali	Satisfactory	95	PM _{2.5}	1
114	Palwal	Moderate	110	PM ₁₀	1
115	Panchkula	Moderate	107	PM _{2.5}	1
116	Panipat	Moderate	104	PM ₁₀	1
117	Patiala	Satisfactory	91	PM ₁₀	1
118	Patna	Poor	226	PM _{2.5} , PM ₁₀	6
119	Pithampur	Satisfactory	72	PM ₁₀	1
120	Prayagraj	Satisfactory	99	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	90	PM _{2.5}	1
122	Pune	Moderate	133	PM _{2.5}	3
123	Purnia	Moderate	188	PM _{2.5}	1
124	Raichur	Moderate	140	PM ₁₀	1
125	Rajamahendravaram	Satisfactory	95	PM ₁₀	1
126	Rajgir	Moderate	134	PM _{2.5}	1
127	Ratlam	Satisfactory	53	PM ₁₀	1
128	Rohtak	Satisfactory	94	PM _{2.5}	1
129	Rupnagar	Moderate	160	PM _{2.5}	1
130	Saharsa	Poor	236	PM _{2.5}	1
131	Sasaram	Moderate	164	O ₃	1
132	Satna	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Satisfactory	63	PM _{2.5}	1
134	Shivamogga	Satisfactory	52	PM ₁₀	1
135	Siliguri	Moderate	151	PM _{2.5}	1
136	Singrauli	Moderate	199	PM ₁₀	1
137	Sirsa	Satisfactory	76	PM ₁₀	1
138	Siwan	Moderate	193	PM _{2.5}	1
139	Solapur	Satisfactory	79	PM _{2.5}	1
140	Sonipat	Moderate	116	PM ₁₀	1
141	Srinagar	Satisfactory	71	PM ₁₀	1
142	Talcher	Moderate	189	PM ₁₀	1
143	Thane	Poor	258	PM ₁₀	1
144	Thiruvananthapuram	Satisfactory	56	PM ₁₀ , CO	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Satisfactory	63	PM ₁₀	1
146	Tirupati	Satisfactory	92	PM _{2.5}	1
147	Udaipur	Moderate	116	PM ₁₀	1
148	Udupi	Satisfactory	84	O ₃	1
149	Ujjain	Moderate	189	PM ₁₀	1
150	Vapi	Moderate	147	PM ₁₀	1
151	Varanasi	Satisfactory	91	PM ₁₀	4
152	Vatva	Moderate	139	PM ₁₀	1
153	Vijayapura	Satisfactory	51	PM ₁₀	1
154	Visakhapatnam	Moderate	123	PM ₁₀	1
155	Vrindavan	Satisfactory	100	PM ₁₀	1
156	Yadgir	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Aurangabad, Baghpat, Brajrajnagar, Chikkamagaluru, Gadag, Jorapokhar, Kohima, Maihar, Nagpur, Naharlagun, Ramanagara, Sagar, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.