

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	72	PM _{2.5}	2
2	Agra	Good	47	PM ₁₀	6
3	Ahmedabad	Satisfactory	88	PM ₁₀ , NO ₂	7
4	Aizawl	Good	34	PM ₁₀	1
5	Ajmer	Satisfactory	72	PM ₁₀	1
6	Alwar	Satisfactory	60	NO ₂	1
7	Amaravati	Satisfactory	55	со	1
8	Ambala	Satisfactory	64	PM ₁₀	1
9	Amritsar	Moderate	136	PM _{2.5}	1
10	Anantapur	Satisfactory	53	PM ₁₀	1
11	Ankleshwar	Satisfactory	52	со	1
12	Araria	Poor	221	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	62	NO ₂	1
14	Arrah	Moderate	125	PM _{2.5}	1
15	Asansol	Satisfactory	97	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	129	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	54	PM ₁₀	1
18	Baddi	Moderate	105	PM ₁₀	1
19	Bagalkot	Satisfactory	53	03	1
20	Baghpat	Moderate	126	PM _{2.5}	1
21	Bahadurgarh	Satisfactory	86	PM _{2.5}	1
22	Ballabgarh	Moderate	127	PM ₁₀	1
23	Banswara	Moderate	114	PM ₁₀	1
24	Bareilly	Satisfactory	54	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Moderate	136	O ₃	1
26	Barmer	Satisfactory	64	O ₃	1
27	Bathinda	Moderate	130	PM ₁₀	1
28	Belgaum	Good	49	PM ₁₀	1
29	Bengaluru	Satisfactory	70	PM _{2.5} , PM ₁₀	7
30	Bettiah	Moderate	161	PM ₁₀	1
31	Bhagalpur	Moderate	122	PM ₁₀	2
32	Bharatpur	Satisfactory	92	PM _{2.5}	1
33	Bhilai	Satisfactory	62	PM ₁₀	2
34	Bhiwadi	Satisfactory	96	PM ₁₀	1
35	Bhiwani	Satisfactory	89	PM ₁₀	1
36	Bhopal	Satisfactory	96	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bidar	Moderate	105	со	1
38	Bihar Sharif	Moderate	123	PM ₁₀	1
39	Bikaner	Moderate	162	PM ₁₀	1
40	Bilaspur	Moderate	154	со	1
41	Bileipada	Moderate	163	PM ₁₀	1
42	Brajrajnagar	Satisfactory	94	со	1
43	Bulandshahr	Moderate	163	03	1
44	Chamarajanagar	Good	49	PM ₁₀	1
45	Chandigarh	Satisfactory	91	PM _{2.5} , PM ₁₀	3
46	Chandrapur	Satisfactory	75	PM ₁₀	1
47	Charkhi Dadri	Moderate	113	PM _{2.5}	1
48	Chengalpattu	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Good	43	со	7
50	Chhal	Satisfactory	55	PM ₁₀	1
51	Chhapra	Moderate	141	PM ₁₀	1
52	Chikkaballapur	Satisfactory	57	PM ₁₀	1
53	Chikkamagaluru	Good	45	PM ₁₀	1
54	Chittoor	Satisfactory	63	03	1
55	Chittorgarh	Satisfactory	77	O ₃	1
56	Coimbatore	Moderate	106	PM ₁₀	1
57	Cuddalore	Good	44	NO ₂	2
58	Damoh	Good	26	со	1
59	Dausa	Moderate	122	PM ₁₀	1
60	Davanagere	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	65	PM ₁₀	1
62	Delhi	Moderate	151	O ₃ , PM _{2.5}	36
63	Dhanbad	Moderate	148	PM _{2.5}	1
64	Dharuhera	Satisfactory	98	PM _{2.5}	1
65	Dharwad	Satisfactory	60	PM ₁₀	1
66	Dindigul	Moderate	148	NO ₂	1
67	Eloor	Satisfactory	98	PM ₁₀	1
68	Faridabad	Moderate	165	PM _{2.5}	3
69	Fatehabad	Moderate	154	PM ₁₀	1
70	Firozabad	Satisfactory	60	O ₃ , PM ₁₀	2
71	Gadag	Satisfactory	66	PM ₁₀	1
72	Gandhinagar	Satisfactory	57	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Good	44	O ₃	1
74	Gaya	Moderate	108	PM ₁₀ , PM _{2.5}	3
75	Ghaziabad	Moderate	144	PM _{2.5} , PM ₁₀	4
76	Gorakhpur	Satisfactory	58	SO ₂	1
77	Greater Noida	Moderate	140	PM ₁₀	2
78	Gurugram	Moderate	116	PM ₁₀ , PM _{2.5}	3
79	Guwahati	Satisfactory	86	O ₃ , PM ₁₀	4
80	Gwalior	Moderate	120	03	3
81	Hajipur	Moderate	135	PM ₁₀	1
82	Haldia	Good	46	PM ₁₀	1
83	Hanumangarh	Moderate	120	PM ₁₀	1
84	Hapur	Satisfactory	76	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Satisfactory	57	PM ₁₀	1
86	Hisar	Satisfactory	99	PM _{2.5}	1
87	Hosur	Moderate	112	со	1
88	Howrah	Satisfactory	86	PM ₁₀	3
89	Hubballi	Satisfactory	76	PM ₁₀	2
90	Hyderabad	Satisfactory	95	CO, PM ₁₀	13
91	Imphal	Satisfactory	75	PM ₁₀	1
92	Indore	Satisfactory	90	PM ₁₀	2
93	Jabalpur	Satisfactory	71	PM ₁₀	1
94	Jaipur	Satisfactory	68	PM ₁₀	5
95	Jalandhar	Satisfactory	79	PM ₁₀	1
96	Jhalawar	Satisfactory	68	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Satisfactory	57	SO ₂	1
98	Jhunjhunu	Poor	238	O ₃	1
99	Jind	Satisfactory	72	со	1
100	Jodhpur	Moderate	132	PM ₁₀ , O ₃	2
101	Jorapokhar	Satisfactory	80	03	1
102	Kaithal	Satisfactory	65	PM ₁₀	1
103	Kalaburgi	Good	46	PM ₁₀	2
104	Kalyan	Satisfactory	92	PM ₁₀	1
105	Kanchipuram	Good	32	PM ₁₀	1
106	Kanpur	Satisfactory	99	NO ₂	3
107	Karauli	Satisfactory	51	O ₃	1
108	Karnal	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Satisfactory	88	PM _{2.5}	1
110	Katihar	Moderate	140	PM _{2.5}	1
111	Katni	Moderate	139	PM ₁₀	1
112	Keonjhar	Satisfactory	83	PM ₁₀	1
113	Khanna	Satisfactory	90	PM ₁₀	1
114	Khurja	Satisfactory	85	PM _{2.5}	1
115	Kishanganj	Moderate	105	PM ₁₀	1
116	Kochi	Satisfactory	74	PM ₁₀	1
117	Kohima	Satisfactory	99	PM ₁₀	1
118	Kolar	Satisfactory	75	PM ₁₀	1
119	Kolkata	Satisfactory	72	O ₃	5
120	Kollam	Satisfactory	61	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Satisfactory	80	O ₃	1
122	Korba	Satisfactory	73	NO ₂ , PM ₁₀	2
123	Kota	Satisfactory	78	O ₃ , PM ₁₀	3
124	Kurukshetra	Satisfactory	73	03	1
125	Lucknow	Satisfactory	84	PM ₁₀	5
126	Ludhiana	Satisfactory	91	PM ₁₀	1
127	Madikeri	Good	22	O ₃	1
128	Maihar	Satisfactory	55	СО	1
129	Mandi Gobindgarh	Moderate	189	PM _{2.5}	1
130	Mandideep	Moderate	178	PM ₁₀	1
131	Mandikhera	Good	41	PM ₁₀	1
132	Manesar	Moderate	116	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Satisfactory	72	PM ₁₀	1
134	Manguraha	Satisfactory	86	03	1
135	Meerut	Moderate	146	PM _{2.5}	3
136	Milupara	Good	42	03	1
137	Moradabad	Moderate	119	PM _{2.5}	5
138	Motihari	Satisfactory	81	PM ₁₀	1
139	Mumbai	Satisfactory	86	NO ₂ , PM ₁₀	17
140	Munger	Moderate	167	PM _{2.5}	1
141	Muzaffarnagar	Moderate	155	PM _{2.5}	1
142	Muzaffarpur	Moderate	164	PM ₁₀	3
143	Mysuru	Good	50	PM ₁₀	1
144	Nagaon	Poor	226	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Moderate	158	O ₃	1
146	Nalbari	Satisfactory	63	O ₃	1
147	Nandesari	Good	29	СО	1
148	Narnaul	Satisfactory	78	PM _{2.5}	1
149	Nashik	Good	28	PM ₁₀	1
150	Navi Mumbai	Moderate	145	PM _{2.5} , NO ₂	2
151	Nayagarh	Moderate	160	PM ₁₀	1
152	Noida	Moderate	135	O ₃ , PM ₁₀	4
153	Ooty	Satisfactory	81	PM ₁₀	1
154	Pali	Satisfactory	67	PM ₁₀	1
155	Palkalaiperur	Satisfactory	52	SO ₂	1
156	Palwal	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	60	PM _{2.5}	1
158	Panipat	Satisfactory	76	PM ₁₀	1
159	Patiala	Satisfactory	71	PM ₁₀	1
160	Patna	Moderate	146	PM ₁₀ , PM _{2.5}	6
161	Pithampur	Satisfactory	85	PM ₁₀	1
162	Pratapgarh	Satisfactory	82	PM ₁₀	1
163	Prayagraj	Satisfactory	57	PM ₁₀	3
164	Puducherry	Good	22	03	1
165	Pune	Satisfactory	93	NO ₂ , CO	3
166	Purnia	Satisfactory	99	PM ₁₀	1
167	Raichur	Satisfactory	80	PM ₁₀	1
168	Raipur	Satisfactory	78	NO ₂	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rairangpur	Satisfactory	74	PM _{2.5}	1
170	Rajamahendravaram	Good	27	PM ₁₀	1
171	Rajgir	Satisfactory	98	PM ₁₀	1
172	Rajsamand	Satisfactory	54	PM ₁₀	1
173	Ramanagara	Good	41	PM _{2.5}	1
174	Ramanathapuram	Good	26	PM ₁₀	1
175	Ratlam	Satisfactory	76	PM ₁₀	1
176	Rishikesh	Satisfactory	61	03	1
177	Rohtak	Satisfactory	56	PM _{2.5}	1
178	Rourkela	Moderate	122	PM ₁₀	3
179	Rupnagar	Satisfactory	83	PM ₁₀	1
180	Sagar	Satisfactory	89	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Saharsa	Moderate	175	PM _{2.5}	1
182	Samastipur	Moderate	139	PM ₁₀	1
183	Sasaram	Satisfactory	88	03	1
184	Satna	Poor	275	PM ₁₀	1
185	Sawai Madhopur	Satisfactory	74	PM ₁₀	1
186	Shillong	Good	42	PM ₁₀	1
187	Shivamogga	Satisfactory	51	O ₃	1
188	Sikar	Satisfactory	95	O ₃	1
189	Silchar	Good	31	со	1
190	Siliguri	Satisfactory	51	O ₃	1
191	Singrauli	Moderate	191	PM ₁₀	1
192	Sirohi	Satisfactory	59	O ₃	1

Possible Health Impacts

od Minimal Impact

Good	William impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirsa	Satisfactory	76	03	1
194	Sivasagar	Good	24	PM _{2.5}	1
195	Siwan	Moderate	128	PM _{2.5}	1
196	Solapur	Moderate	138	PM ₁₀	1
197	Sri Ganganagar	Poor	230	PM ₁₀	1
198	Srinagar	Satisfactory	73	PM ₁₀	1
199	Suakati	Satisfactory	78	03	1
200	Talcher	Moderate	114	PM _{2.5}	1
201	Tensa	Satisfactory	60	PM ₁₀	1
202	Thiruvananthapuram	Satisfactory	60	PM _{2.5} , CO	2
203	Thoothukudi	Satisfactory	92	PM ₁₀	1
204	Thrissur	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupati	Satisfactory	64	PM _{2.5}	2
206	Tirupur	Satisfactory	62	PM ₁₀	1
207	Tonk	Satisfactory	80	PM ₁₀	1
208	Tumidih	Satisfactory	68	03	1
209	Udaipur	Satisfactory	93	PM ₁₀	1
210	Udupi	Satisfactory	73	03	1
211	Ujjain	Satisfactory	83	PM ₁₀	1
212	Varanasi	Satisfactory	53	PM ₁₀ , O ₃	4
213	Vatva	Moderate	102	PM ₁₀	1
214	Vijayapura	Good	42	PM ₁₀	1
215	Vijayawada	Moderate	138	PM _{2.5}	1
216	Visakhapatnam	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vrindavan	Moderate	102	PM ₁₀	1
218	Yadgir	Good	40	PM ₁₀	1
219	Yamunanagar	Satisfactory	86	PM ₁₀	1
220	vellore	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Buxar, Byrnihat, Churu, Darbhanga, Dewas, Dholpur, Durgapur, Ernakulam, Gummidipoondi, Haveri, Kadapa, Kannur, Kozhikode, Kunjemura, Naharlagun, Salem, Sonipat, Surat, Thane, Tumakuru, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.