



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	36	PM <sub>10</sub>	2
2	Agra	Good	23	O <sub>3</sub> , SO <sub>2</sub> , PM <sub>10</sub>	4
3	Ahmedabad	Good	49	PM <sub>10</sub>	2
4	Aizawl	Good	19	SO <sub>2</sub>	1
5	Ajmer	Satisfactory	99	PM <sub>10</sub>	1
6	Amaravati	Good	22	O <sub>3</sub>	1
7	Ambala	Satisfactory	74	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	79	O <sub>3</sub>	1
9	Ankleshwar	Satisfactory	74	CO	1
10	Arrah	Good	45	CO	1
11	Asansol	Good	50	O <sub>3</sub>	1
12	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	51	PM <sub>10</sub>	1
14	Baghpat	Good	30	O <sub>3</sub>	1
15	Ballabgarh	Satisfactory	94	SO <sub>2</sub>	1
16	Bareilly	Good	31	CO	1
17	Bathinda	Good	46	CO	1
18	Belgaum	Good	46	CO	1
19	Bengaluru	Satisfactory	62	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	5
20	Bettiah	Satisfactory	52	PM <sub>10</sub>	1
21	Bhagalpur	Good	42	O <sub>3</sub>	1
22	Bhiwadi	Satisfactory	56	PM <sub>10</sub>	1
23	Bhiwani	Satisfactory	84	O <sub>3</sub>	1
24	Bhopal	Good	42	CO	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Good	31	PM <sub>10</sub>	1
26	Chamarajanagar	Good	41	PM <sub>10</sub>	1
27	Chandigarh	Good	32	CO, NO <sub>2</sub>	3
28	Chandrapur	Satisfactory	60	CO, PM <sub>10</sub>	2
29	Charkhi Dadri	Good	46	PM <sub>2.5</sub>	1
30	Chennai	Satisfactory	63	O <sub>3</sub> , CO, PM <sub>10</sub>	7
31	Chhapra	Good	40	CO	1
32	Chikkaballapur	Good	29	CO	1
33	Chikkamagaluru	Good	42	PM <sub>10</sub>	1
34	Coimbatore	Good	25	NO <sub>2</sub>	1
35	Damoh	Good	22	CO	1
36	Darbhanga	Good	45	CO	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Dehradun	Good	18	CO	1
38	Delhi	Satisfactory	62	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	33
39	Dewas	Good	43	PM <sub>10</sub>	1
40	Dharuhera	Satisfactory	93	PM <sub>2.5</sub>	1
41	Eloor	Satisfactory	62	PM <sub>10</sub>	1
42	Ernakulam	Good	42	CO	1
43	Faridabad	Satisfactory	90	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	4
44	Fatehabad	Good	43	PM <sub>10</sub>	1
45	Firozabad	Good	42	PM <sub>10</sub>	1
46	Gadag	Good	32	PM <sub>2.5</sub>	1
47	Gandhinagar	Good	26	PM <sub>10</sub>	1
48	Gaya	Good	40	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Good	41	PM <sub>10</sub> , NO <sub>2</sub>	4
50	Gorakhpur	Good	45	SO <sub>2</sub>	1
51	Greater Noida	Satisfactory	70	CO	2
52	Gurugram	Satisfactory	78	PM <sub>10</sub>	2
53	Guwahati	Good	31	SO <sub>2</sub>	2
54	Hajipur	Satisfactory	52	PM <sub>10</sub>	1
55	Haldia	Good	27	CO	1
56	Hassan	Satisfactory	58	SO <sub>2</sub>	1
57	Haveri	Good	50	CO	1
58	Hisar	Satisfactory	67	O <sub>3</sub>	1
59	Hosur	Satisfactory	62	CO	1
60	Howrah	Good	30	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	51	CO	1
62	Hyderabad	Satisfactory	54	CO, NO <sub>2</sub> , PM <sub>10</sub>	12
63	Imphal	Good	46	SO <sub>2</sub>	1
64	Indore	Good	49	PM <sub>10</sub>	1
65	Jabalpur	Satisfactory	53	CO	1
66	Jaipur	Good	42	PM <sub>10</sub> , O <sub>3</sub>	3
67	Jind	Good	49	CO	1
68	Jodhpur	Satisfactory	88	PM <sub>10</sub>	1
69	Kaithal	Satisfactory	51	PM <sub>2.5</sub>	1
70	Kalyan	Satisfactory	52	PM <sub>10</sub>	1
71	Kanpur	Good	25	PM <sub>10</sub> , O <sub>3</sub>	3
72	Karnal	Good	23	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Satisfactory	51	CO	1
74	Katni	Good	31	PM <sub>2.5</sub>	1
75	Khanna	Good	35	PM <sub>10</sub>	1
76	Khurja	Satisfactory	89	PM <sub>10</sub>	1
77	Kishanganj	Satisfactory	60	O <sub>3</sub>	1
78	Kochi	Satisfactory	57	PM <sub>10</sub>	1
79	Kohima	Satisfactory	55	SO <sub>2</sub>	1
80	Kolkata	Good	33	O <sub>3</sub> , CO, NO <sub>2</sub>	7
81	Kollam	Satisfactory	63	PM <sub>10</sub>	1
82	Koppal	Satisfactory	76	O <sub>3</sub>	1
83	Kota	Good	50	PM <sub>10</sub>	1
84	Kozhikode	Satisfactory	82	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Good	27	PM <sub>10</sub>	1
86	Lucknow	Good	46	CO, PM <sub>10</sub> , O <sub>3</sub>	5
87	Ludhiana	Good	45	PM <sub>10</sub>	1
88	Madikeri	Good	23	SO <sub>2</sub>	1
89	Maihar	Good	44	CO	1
90	Mandi Gobindgarh	Good	33	PM <sub>2.5</sub>	1
91	Mandideep	Good	39	O <sub>3</sub>	1
92	Mandikhera	Good	24	CO	1
93	Manesar	Satisfactory	68	PM <sub>2.5</sub>	1
94	Manglore	Good	47	CO	1
95	Meerut	Satisfactory	82	CO, O <sub>3</sub> , PM <sub>10</sub>	3
96	Moradabad	Satisfactory	52	CO, PM <sub>10</sub> , O <sub>3</sub>	6

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Satisfactory	60	O <sub>3</sub>	1
98	Mumbai	Satisfactory	79	PM <sub>10</sub> , CO	13
99	Muzaffarnagar	Satisfactory	55	PM <sub>10</sub>	1
100	Muzaffarpur	Satisfactory	56	CO, PM <sub>10</sub>	2
101	Mysuru	Good	46	PM <sub>10</sub>	1
102	Nagpur	Good	28	PM <sub>10</sub>	1
103	Nandesari	Moderate	112	CO	1
104	Narnaul	Satisfactory	69	PM <sub>2.5</sub>	1
105	Navi Mumbai	Satisfactory	57	CO, PM <sub>10</sub>	3
106	Noida	Satisfactory	51	CO, SO <sub>2</sub> , PM <sub>10</sub>	3
107	Pali	Satisfactory	67	PM <sub>10</sub>	1
108	Palwal	Satisfactory	56	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Good	49	CO	1
110	Panipat	Satisfactory	54	PM <sub>10</sub>	1
111	Patiala	Good	32	PM <sub>2.5</sub>	1
112	Patna	Satisfactory	73	PM <sub>10</sub> , CO	5
113	Pithampur	Good	49	PM <sub>10</sub>	1
114	Prayagraj	Satisfactory	58	SO <sub>2</sub> , PM <sub>10</sub>	2
115	Puducherry	Satisfactory	52	O <sub>3</sub>	1
116	Purnia	Satisfactory	62	CO	1
117	Raichur	Satisfactory	76	CO	1
118	Rajamahendravaram	Good	23	PM <sub>10</sub>	1
119	Rajgir	Satisfactory	98	CO	1
120	Ramanagara	Good	43	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanathapuram	Satisfactory	74	CO	1
122	Ratlam	Good	24	NO <sub>2</sub>	1
123	Rohtak	Good	45	NO <sub>2</sub>	1
124	Rupnagar	Satisfactory	74	PM <sub>10</sub>	1
125	Sasaram	Good	45	NO <sub>2</sub>	1
126	Satna	Good	27	PM <sub>10</sub>	1
127	Shillong	Good	20	PM <sub>10</sub>	2
128	Shivamogga	Good	43	PM <sub>10</sub>	1
129	Singrauli	Satisfactory	91	NO <sub>2</sub>	1
130	Sirsa	Satisfactory	66	O <sub>3</sub>	1
131	Solapur	Satisfactory	74	PM <sub>10</sub>	1
132	Sonipat	Good	46	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Aug 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Good	36	PM <sub>10</sub>	1
134	Thiruvananthapuram	Good	44	PM <sub>2.5</sub> , PM <sub>10</sub>	2
135	Thoothukudi	Good	42	PM <sub>10</sub>	1
136	Thrissur	Good	40	PM <sub>2.5</sub>	1
137	Tirupati	Good	40	CO	1
138	Ujjain	Satisfactory	54	PM <sub>10</sub>	1
139	Varanasi	Good	33	CO, PM <sub>10</sub>	3
140	Vatva	Good	45	CO	1
141	Visakhapatnam	Satisfactory	89	PM <sub>10</sub>	1
142	Vrindavan	Good	43	SO <sub>2</sub>	1
143	Yadgir	Good	30	CO	1
144	Yamunanagar	Good	50	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Alwar, Araria, Aurangabad

(Bihar), Baddi, Bahadurgarh, Begusarai, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Durgapur, Gangtok, Gummidipoondi, Gwalior, Hapur, Jalandhar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Kolar, Manguraha, Munger, Naharlagun, Nashik, Pune, Sagar, Saharsa, Samastipur, Siliguri, Siwan, Talcher, Thane, Udaipur, Udupi, Vapi, Vijayapura as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases