

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	199	PM ₁₀ , PM _{2.5}	5
2	Ahmedabad	Moderate	140	PM ₁₀ , PM _{2.5}	6
3	Ajmer	Moderate	130	PM _{2.5}	1
4	Alwar	Satisfactory	75	PM ₁₀	1
5	Amaravati	Moderate	104	PM ₁₀	1
6	Ambala	Poor	204	PM ₁₀	1
7	Amritsar	Moderate	178	PM _{2.5}	1
8	Ankleshwar	Poor	256	PM _{2.5}	1
9	Aurangabad	Satisfactory	84	PM ₁₀	1
10	Bagalkot	Satisfactory	59	PM _{2.5}	1
11	Baghpat	Moderate	199	PM _{2.5}	1
12	Bahadurgarh	Poor	215	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	309	PM _{2.5}	1
14	Bathinda	Moderate	109	PM ₁₀	1
15	Bengaluru	Satisfactory	84	CO, PM _{2.5} , PM ₁₀	9
16	Bhiwadi	Poor	222	PM ₁₀	1
17	Bhiwani	Moderate	125	PM ₁₀	1
18	Bhopal	Moderate	124	PM ₁₀	1
19	Bilaspur	Satisfactory	79	PM ₁₀	1
20	Brajrajnagar	Satisfactory	70	03	1
21	Bulandshahr	Poor	210	PM _{2.5}	1
22	Chamarajanagar	Good	47	PM _{2.5}	1
23	Chandigarh	Moderate	178	O ₃ , PM ₁₀	2
24	Chandrapur	Moderate	116	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	285	PM _{2.5}	1
26	Chennai	Satisfactory	84	PM _{2.5} , PM ₁₀	7
27	Chikkaballapur	Good	50	PM ₁₀	1
28	Chikkamagaluru	Good	35	PM ₁₀	1
29	Damoh	Good	43	PM _{2.5}	1
30	Davanagere	Satisfactory	61	PM ₁₀	1
31	Delhi	Moderate	199	PM ₁₀ , PM _{2.5}	37
32	Dewas	Moderate	123	PM _{2.5}	1
33	Dharuhera	Poor	209	PM _{2.5}	1
34	Faridabad	Poor	203	PM _{2.5}	4
35	Fatehabad	Moderate	149	PM ₁₀	1
36	Firozabad	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	120	PM _{2.5} , PM ₁₀	3
38	Gaya	Satisfactory	72	PM _{2.5} , PM ₁₀	2
39	Ghaziabad	Poor	262	PM ₁₀ , PM _{2.5}	4
40	Gorakhpur	Moderate	144	PM _{2.5}	1
41	Greater Noida	Poor	220	PM ₁₀	2
42	Gummidipoondi	Moderate	173	PM _{2.5}	1
43	Gurugram	Poor	215	PM _{2.5} , PM ₁₀	3
44	Guwahati	Satisfactory	64	SO ₂	2
45	Gwalior	Moderate	116	PM ₁₀	1
46	Hajipur	Satisfactory	91	PM _{2.5}	1
47	Haldia	Satisfactory	66	PM ₁₀	1
48	Hapur	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	142	PM ₁₀	1
50	Howrah	Satisfactory	94	PM _{2.5} , PM ₁₀	3
51	Hubballi	Moderate	101	PM ₁₀	1
52	Hyderabad	Moderate	125	PM ₁₀ , PM _{2.5}	5
53	Indore	Moderate	183	PM ₁₀	1
54	Jabalpur	Moderate	130	PM ₁₀	1
55	Jaipur	Moderate	140	PM _{2.5} , PM ₁₀	3
56	Jalandhar	Poor	206	PM _{2.5}	1
57	Jind	Poor	204	PM _{2.5}	1
58	Jodhpur	Moderate	129	PM _{2.5}	1
59	Kaithal	Poor	215	PM _{2.5}	1
60	Kalaburgi	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	67	PM ₁₀	1
62	Kanpur	Moderate	122	PM _{2.5}	4
63	Karnal	Poor	207	PM _{2.5}	1
64	Katni	Moderate	170	PM ₁₀	1
65	Khanna	Poor	243	PM _{2.5}	1
66	Kochi	Good	49	NO ₂	1
67	Kohima	Good	36	SO ₂	1
68	Kolar	Satisfactory	64	со	1
69	Kolkata	Satisfactory	94	PM _{2.5} , PM ₁₀	5
70	Koppal	Good	49	со	1
71	Kota	Satisfactory	81	PM ₁₀	1
72	Kozhikode	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	286	PM _{2.5}	1
74	Lucknow	Moderate	168	PM _{2.5} , PM ₁₀	6
75	Ludhiana	Moderate	166	PM _{2.5}	1
76	Mandi Gobindgarh	Moderate	178	PM _{2.5}	1
77	Mandikhera	Moderate	126	PM _{2.5}	1
78	Manesar	Poor	238	PM _{2.5}	1
79	Manglore	Satisfactory	70	PM ₁₀	1
80	Medikeri	Satisfactory	92	O ₃	1
81	Meerut	Poor	267	PM _{2.5}	3
82	Moradabad	Very Poor	318	PM _{2.5}	1
83	Mumbai	Moderate	106	PM _{2.5} , O ₃ , PM ₁₀	18
84	Muzaffarnagar	Very Poor	305	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	88	PM _{2.5} , O ₃	2
86	Mysuru	Good	47	03	1
87	Nandesari	Satisfactory	70	со	1
88	Narnaul	Satisfactory	66	PM _{2.5}	1
89	Nashik	Satisfactory	68	03	1
90	Navi Mumbai	Moderate	107	PM ₁₀ , PM _{2.5}	3
91	Noida	Poor	209	PM ₁₀	4
92	Pali	Moderate	102	PM _{2.5}	1
93	Palwal	Satisfactory	61	PM ₁₀	1
94	Panchkula	Moderate	154	PM _{2.5}	1
95	Panipat	Poor	244	PM ₁₀	1
96	Patiala	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	107	PM ₁₀ , PM _{2.5}	5
98	Pithampur	Moderate	103	PM _{2.5}	1
99	Prayagraj	Satisfactory	88	PM _{2.5} , PM ₁₀	3
100	Puducherry	Satisfactory	59	PM _{2.5}	1
101	Pune	Satisfactory	83	PM _{2.5} , CO	4
102	Raichur	Moderate	111	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	90	PM ₁₀	1
104	Ramanagara	Satisfactory	65	O ₃	1
105	Ratlam	Moderate	113	PM ₁₀	1
106	Rohtak	Poor	217	PM _{2.5}	1
107	Rupnagar	Moderate	111	PM ₁₀	1
108	Sagar	Good	39	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Satna	Satisfactory	64	PM ₁₀	1
110	Shillong	Good	18	SO ₂	1
111	Shivamogga	Good	38	PM ₁₀	1
112	Singrauli	Moderate	131	PM ₁₀	1
113	Sirsa	Moderate	151	PM _{2.5}	1
114	Sonipat	Poor	251	PM ₁₀	1
115	Srinagar	Moderate	116	PM ₁₀	1
116	Talcher	Satisfactory	78	PM _{2.5}	1
117	Thane	Moderate	165	03	1
118	Thiruvananthapuram	Satisfactory	59	PM ₁₀	2
119	Thoothukudi	Good	39	O ₃	1
120	Tirupati	Satisfactory	93	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	101	PM ₁₀	1
122	Udupi	Moderate	123	O ₃	1
123	Ujjain	Moderate	127	PM ₁₀	1
124	Vapi	Moderate	142	PM ₁₀	1
125	Varanasi	Satisfactory	60	PM ₁₀	4
126	Vatva	Moderate	190	NO ₂	1
127	Vijayapura	Good	50	PM ₁₀	1
128	Visakhapatnam	Moderate	195	PM _{2.5}	1
129	Vrindavan	Poor	208	PM ₁₀	1
130	Yadgir	Satisfactory	72	PM ₁₀	1
131	Yamunanagar	Poor	243	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Aizawl, Asansol, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Durgapur, Eloor, Ernakulam, Gadag, Hassan, Jorapokhar, Kalyan, Kollam, Maihar, Mandideep, Motihari, Nagpur, Naharlagun, Siliguri, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.