

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	161	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	156	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	141	NO ₂	1
4	Aizawl	Good	29	PM ₁₀	1
5	Ajmer	Satisfactory	88	PM _{2.5}	1
6	Alwar	Moderate	107	PM _{2.5}	1
7	Amaravati	Moderate	138	PM _{2.5}	1
8	Ambala	Moderate	137	PM _{2.5}	1
9	Amritsar	Poor	251	PM _{2.5}	1
10	Araria	Poor	227	PM _{2.5}	1
11	Arrah	Very Poor	341	PM _{2.5}	1
12	Asansol	Very Poor	335	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, By

Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan,

Notes: Hisar, Hosur, Jind, Kanchipuram, Keonjhar, Khurja, Kolar, Korba, Nalbari,
Nayagarh, Ooty, Panipat, Pune, Raichur, Raipur, Rairangpur, Ramanathapuram,
Rourkela, Salem, Sivasagar, Solapur, Sonipat, Srinagar, Suakati, Surat,
Tensa, Thane, Tirupur, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Very Poor	365	PM _{2.5}	1
14	Aurangabad (Maharashtra)	Moderate	150	PM ₁₀	1
15	Baddi	Poor	268	PM _{2.5}	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Very Poor	310	PM _{2.5}	1
18	Bahadurgarh	Moderate	132	PM _{2.5}	1
19	Ballabgarh	Poor	227	PM _{2.5}	1
20	Bathinda	Moderate	102	PM _{2.5}	1
21	Begusarai	Very Poor	377	PM _{2.5}	1
22	Belgaum	Moderate	156	PM ₁₀	1
23	Bengaluru	Satisfactory	100	O ₃ , PM ₁₀	9
24	Bettiah	Very Poor	370	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, By

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Very Poor	376	PM _{2.5}	2
26	Bhiwadi	Poor	215	PM _{2.5}	1
27	Bhiwani	Moderate	142	PM _{2.5}	1
28	Bhopal	Moderate	199	PM _{2.5}	2
29	Bidar	Moderate	106	PM ₁₀	1
30	Bihar Sharif	Very Poor	373	PM _{2.5}	1
31	Brajrajnagar	Satisfactory	96	PM ₁₀	1
32	Bulandshahr	Poor	230	PM _{2.5}	1
33	Chamarajanagar	Good	45	PM ₁₀	1
34	Chandigarh	Very Poor	306	PM _{2.5}	2
35	Chandrapur	Poor	214	PM _{2.5}	2
36	Charkhi Dadri	Moderate	171	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, Byrniha

Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan,

Notes: Hisar, Hosur, Jind, Kanchipuram, Keonjhar, Khurja, Kolar, Korba, Nalbari, Nayagarh, Ooty, Panipat, Pune, Raichur, Raipur, Rairangpur, Ramanathapuram, Rourkela, Salem, Sivasagar, Solapur, Sonipat, Srinagar, Suakati, Surat, Tensa, Thane, Tirupur, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Moderate	124	PM _{2.5} , PM ₁₀	8
38	Chhapra	Very Poor	360	PM _{2.5}	1
39	Chikkaballapur	Moderate	111	PM ₁₀	1
40	Chikkamagaluru	Satisfactory	69	со	1
41	Coimbatore	Moderate	160	PM _{2.5}	1
42	Darbhanga	Very Poor	343	PM _{2.5}	1
43	Davanagere	Satisfactory	73	PM ₁₀	1
44	Dehradun	Poor	235	PM _{2.5}	1
45	Delhi	Very Poor	308	PM _{2.5}	38
46	Dewas	Moderate	111	PM ₁₀	1
47	Dharuhera	Very Poor	314	PM _{2.5}	1
48	Durgapur	Moderate	181	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, Byrr

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Very Poor	314	PM _{2.5}	4
50	Fatehabad	Satisfactory	83	PM ₁₀	1
51	Firozabad	Moderate	178	PM _{2.5}	2
52	Gadag	Satisfactory	76	03	1
53	Gandhinagar	Moderate	120	PM ₁₀	1
54	Gangtok	Good	42	PM ₁₀	1
55	Gaya	Very Poor	323	PM _{2.5}	2
56	Ghaziabad	Poor	266	PM _{2.5}	4
57	Gorakhpur	Moderate	129	PM _{2.5}	1
58	Greater Noida	Poor	294	PM _{2.5}	2
59	Gummidipoondi	Moderate	173	PM _{2.5}	1
60	Gurugram	Poor	254	PM _{2.5}	4

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Barcilly, Baripada, Bhilai, Bilaspur, Bilcipada, Buxar, By

 Good
 Minimal Impact

 Satisfactory
 Minor breathing discomfort to sensitive people

 Moderate
 Breathing discomfort to the people with lungs, asthma and heart diseases

 Poor
 Breathing discomfort to most people on prolonged exposure

 Very Poor
 Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Poor	272	PM _{2.5}	3
62	Gwalior	Very Poor	373	PM _{2.5}	3
63	Hajipur	Moderate	168	PM ₁₀	1
64	Haldia	Moderate	160	PM ₁₀	1
65	Hapur	Moderate	109	PM _{2.5}	1
66	Haveri	Moderate	123	PM _{2.5}	1
67	Howrah	Poor	280	PM _{2.5}	3
68	Hubballi	Satisfactory	98	PM ₁₀	2
69	Hyderabad	Moderate	144	PM _{2.5} , O ₃	14
70	Imphal	Satisfactory	98	PM _{2.5} , SO ₂	2
71	Indore	Moderate	190	PM ₁₀	1
72	Jabalpur	Poor	201	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, By

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Moderate	172	PM _{2.5} , PM ₁₀	3
74	Jalandhar	Poor	202	PM _{2.5}	1
75	Jhansi	Moderate	133	PM ₁₀	1
76	Jodhpur	Moderate	175	PM _{2.5}	1
77	Jorapokhar	Moderate	162	PM ₁₀	1
78	Kaithal	Moderate	168	PM _{2.5}	1
79	Kalaburgi	Moderate	142	PM _{2.5}	1
80	Kalyan	Moderate	179	PM ₁₀	1
81	Kannur	Satisfactory	93	PM _{2.5}	1
82	Kanpur	Poor	227	PM _{2.5}	3
83	Karnal	Moderate	117	PM _{2.5}	1
84	Katihar	Very Poor	398	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, By

 Good
 Minimal Impact

 Satisfactory
 Minor breathing discomfort to sensitive people

 Moderate
 Breathing discomfort to the people with lungs, asthma and heart diseases

 Poor
 Breathing discomfort to most people on prolonged exposure

 Very Poor
 Respiratory illness on prolonged exposure

 Severe
 Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Poor	241	PM _{2.5}	1
86	Khanna	Moderate	125	PM _{2.5}	1
87	Kishanganj	Poor	214	PM _{2.5}	1
88	Kochi	Moderate	184	PM _{2.5}	1
89	Kohima	Satisfactory	73	PM ₁₀	1
90	Kolkata	Poor	270	PM _{2.5}	7
91	Kollam	Moderate	122	PM ₁₀	1
92	Koppal	Satisfactory	82	СО	1
93	Kota	Moderate	176	PM _{2.5}	1
94	Kozhikode	Satisfactory	75	PM _{2.5}	1
95	Kurukshetra	Poor	207	PM _{2.5}	1
96	Lucknow	Poor	246	PM _{2.5}	6

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

— Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, By

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ludhiana	Poor	201	PM _{2.5}	1
98	Madikeri	Good	50	03	1
99	Maihar	Good	39	PM ₁₀	1
100	Mandi Gobindgarh	Poor	219	PM _{2.5}	1
101	Mandideep	Poor	204	PM ₁₀	1
102	Mandikhera	Moderate	110	PM ₁₀	1
103	Manesar	Poor	206	PM _{2.5}	1
104	Mangalore	Moderate	125	PM _{2.5}	1
105	Manguraha	Poor	232	PM _{2.5}	1
106	Meerut	Poor	264	PM _{2.5}	3
107	Moradabad	Moderate	130	PM _{2.5}	6
108	Motihari	Moderate	178	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, By

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jind, Kanchipuram, Keonjhar, Khurja, Kolar, Korba, Nalbari, Nayagarh, Ooty, Panipat, Pune, Raichur, Raipur, Rairangpur, Ramanathapuram, Rourkela, Salem, Sivasagar, Solapur, Sonipat, Srinagar, Suakati, Surat, Tensa, Thane, Tirupur, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Poor	213	PM _{2.5} , PM ₁₀	19
110	Munger	Very Poor	328	PM _{2.5}	1
111	Muzaffarnagar	Moderate	163	PM _{2.5}	1
112	Muzaffarpur	Very Poor	317	PM _{2.5}	3
113	Mysuru	Satisfactory	56	O ₃	1
114	Nagpur	Moderate	176	PM _{2.5}	1
115	Naharlagun	Good	40	PM _{2.5}	1
116	Nandesari	Satisfactory	56	PM _{2.5}	1
117	Narnaul	Poor	238	PM _{2.5}	1
118	Nashik	Moderate	156	PM _{2.5}	1
119	Navi Mumbai	Poor	244	PM _{2.5}	2
120	Noida	Poor	272	PM _{2.5}	4

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Barcilly, Baripada, Bhilai, Bilaspur, Bilcipada, Buxar, Byrı Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Notes: Hisar, Hosur, Jind, Kanchipuram, Keonjhar, Khurja, Kolar, Korba, Nalbari, Nayagarh, Ooty, Panipat, Pune, Raichur, Raipur, Rairangpur, Ramanathapuram, Rourkela, Salem, Sivasagar, Solapur, Sonipat, Srinagar, Suakati, Surat, Tensa, Thane, Tirupur, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pali	Moderate	169	PM _{2.5}	1
122	Palwal	Satisfactory	88	PM ₁₀	1
123	Panchkula	Poor	245	PM _{2.5}	1
124	Patiala	Moderate	134	PM _{2.5}	1
125	Patna	Very Poor	363	PM ₁₀ , PM _{2.5}	6
126	Pithampur	Moderate	122	PM ₁₀	1
127	Prayagraj	Moderate	171	PM _{2.5} , PM ₁₀	3
128	Puducherry	Satisfactory	77	PM _{2.5}	1
129	Purnia	Very Poor	333	PM _{2.5}	1
130	Rajamahendravaram	Moderate	193	PM _{2.5}	1
131	Rajgir	Very Poor	390	PM _{2.5}	1
132	Ramanagara	Satisfactory	90	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Barcilly, Baripada, Bhilai, Bilaspur, Bilcipada, Buxar, Byrni

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Moderate	109	PM ₁₀	1
134	Rohtak	Moderate	189	PM _{2.5}	1
135	Rupnagar	Moderate	181	PM ₁₀	1
136	Sagar	Satisfactory	64	со	2
137	Saharsa	Very Poor	313	PM _{2.5}	1
138	Samastipur	Very Poor	322	PM _{2.5}	1
139	Sasaram	Very Poor	350	PM _{2.5}	1
140	Satna	Satisfactory	79	PM ₁₀	1
141	Shillong	Satisfactory	60	PM _{2.5}	1
142	Shivamogga	Good	42	PM ₁₀	1
143	Siliguri	Poor	221	PM _{2.5}	1
144	Singrauli	Poor	201	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar,

Ariyalur, Bareilly, Baripada, Bhilai, Bilaspur, Bileipada, Buxar, Byrniha

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Satisfactory	90	PM _{2.5}	1
146	Siwan	Very Poor	365	PM _{2.5}	1
147	Talcher	Poor	208	PM _{2.5}	1
148	Thiruvananthapuram	Satisfactory	96	PM _{2.5}	2
149	Thoothukudi	Good	49	PM ₁₀	1
150	Thrissur	Moderate	112	PM ₁₀	1
151	Tirupati	Moderate	105	PM _{2.5}	2
152	Udaipur	Moderate	162	PM _{2.5}	1
153	Udupi	Moderate	102	СО	1
154	Ujjain	Poor	217	PM _{2.5}	1
155	Vapi	Poor	271	PM _{2.5}	1
156	Varanasi	Satisfactory	86	CO, PM _{2.5}	4

* AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Barcilly, Baripada, Bhilai, Bilaspur, Bilcipada, Buxar, Byrı

Notes: Hisar, Hosur, Jind, Kanchipuram, Keonjhar, Khurja, Kolar, Korba, Nalbari,

Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan,

Nayagarh, Ooty, Panipat, Pune, Raichur, Raipur, Rairangpur, Ramanathapuram, Rourkela, Salem, Sivasagar, Solapur, Sonipat, Srinagar, Suakati, Surat, Tensa, Thane, Tirupur, Tumakuru, Vrindavan, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vatva	Poor	251	PM ₁₀	1
158	Vijayapura	Good	46	PM ₁₀	1
159	Visakhapatnam	Poor	224	PM ₁₀	1
160	Yadgir	Satisfactory	85	PM ₁₀	1
161	Yamunanagar	Moderate	196	PM _{2.5}	1

Chengalpattu, Chittoor, Damoh, Dharwad, Dindigul, Eloor, Ernakulam, Hassan, Notes: Hisar, Hosur, Jind, Kanchipuram, Keonjhar, Khurja, Kolar, Korba, Nalbari, Nayagarh, Ooty, Panipat, Pune, Raichur, Raipur, Rairangpur, Ramanathapuram, Rourkela, Salem, Sivasagar, Solapur, Sonipat, Srinagar, Suakati, Surat, Tensa, Thane, Tirupur, Tumakuru, Vrindavan, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

 $^{^{\}star}$ AQI is not calculated for today's bulletin for Anantapur, Ankleshwar, Ariyalur, Barcilly, Baripada, Bhilai, Bilaspur, Bilcipada, Buxar, Byrni