

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM ₁₀	1
2	Agra	Satisfactory	65	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	72	NO ₂ , PM ₁₀ , CO	9
4	Ajmer	Satisfactory	55	PM ₁₀	1
5	Alwar	Satisfactory	85	PM ₁₀	1
6	Amaravati	Good	23	03	1
7	Ambala	Satisfactory	56	PM ₁₀	1
8	Amritsar	Satisfactory	66	PM ₁₀	1
9	Ankleshwar	Satisfactory	81	PM _{2.5}	1
10	Asansol	Good	41	03	1
11	Bagalkot	Good	26	PM ₁₀	1
12	Baghpat	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	79	PM ₁₀	1
14	Ballabgarh	Moderate	115	PM ₁₀	1
15	Bengaluru	Good	41	PM ₁₀ , NO ₂ , PM _{2.5}	9
16	Bhiwadi	Satisfactory	78	PM ₁₀	1
17	Bhiwani	Satisfactory	89	PM ₁₀	1
18	Bhopal	Satisfactory	88	PM ₁₀	1
19	Bidar	Good	47	SO ₂	1
20	Bulandshahr	Satisfactory	65	PM ₁₀	1
21	Chamarajanagar	Good	40	PM ₁₀	1
22	Chandigarh	Satisfactory	60	O ₃ , PM ₁₀	2
23	Chandrapur	Good	22	O ₃ , PM ₁₀	2
24	Charkhi Dadri	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	46	CO, PM ₁₀	7
26	Chikkaballapur	Good	45	NO ₂	1
27	Chikkamagaluru	Good	27	O ₃	1
28	Damoh	Good	46	PM _{2.5}	1
29	Delhi	Satisfactory	98	PM ₁₀ , PM _{2.5} , CO	36
30	Dewas	Satisfactory	61	PM ₁₀	1
31	Dharuhera	Satisfactory	83	со	1
32	Durgapur	Good	36	PM ₁₀	1
33	Eloor	Satisfactory	70	со	1
34	Ernakulam	Good	35	со	1
35	Faridabad	Moderate	109	PM _{2.5} , PM ₁₀ , O ₃	3
36	Fatehabad	Satisfactory	57	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Firozabad	Good	36	PM ₁₀	1
38	Gadag	Good	19	со	1
39	Gandhinagar	Good	49	CO, PM ₁₀ , PM _{2.5}	3
40	Gaya	Satisfactory	67	CO, O ₃	2
41	Ghaziabad	Moderate	115	PM _{2.5} , PM ₁₀	4
42	Gorakhpur	Good	21	PM ₁₀	1
43	Greater Noida	Moderate	128	PM ₁₀	1
44	Gummidipoondi	Satisfactory	61	PM ₁₀	1
45	Gurugram	Moderate	103	PM _{2.5} , PM ₁₀	3
46	Guwahati	Satisfactory	58	SO ₂	2
47	Gwalior	Good	49	PM ₁₀	1
48	Hajipur	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	34	O ₃	1
50	Hapur	Satisfactory	69	PM ₁₀	1
51	Hassan	Good	39	PM ₁₀	1
52	Hisar	Moderate	120	PM ₁₀	1
53	Howrah	Good	45	NO ₂ , CO	3
54	Hubballi	Good	22	со	1
55	Hyderabad	Good	38	NO ₂ , SO ₂ , CO	5
56	Indore	Satisfactory	58	PM ₁₀	1
57	Jabalpur	Satisfactory	58	PM ₁₀	1
58	Jaipur	Satisfactory	77	CO, PM ₁₀ , PM _{2.5}	3
59	Jalandhar	Satisfactory	83	PM ₁₀	1
60	Jind	Satisfactory	77	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Satisfactory	87	PM ₁₀	1
62	Kaithal	Satisfactory	65	O ₃	1
63	Kalaburgi	Good	22	O ₃	1
64	Kanpur	Satisfactory	71	NO ₂ , PM _{2.5} , PM ₁₀	4
65	Katni	Satisfactory	59	PM ₁₀	1
66	Khanna	Satisfactory	69	PM ₁₀	1
67	Kochi	Good	39	PM ₁₀	1
68	Kohima	Good	45	PM ₁₀	1
69	Kolar	Good	43	со	1
70	Kolkata	Good	38	O ₃ , CO, PM ₁₀	6
71	Kollam	Moderate	106	PM ₁₀	1
72	Koppal	Satisfactory	56	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Satisfactory	64	PM ₁₀	1
74	Kozhikode	Good	30	со	1
75	Kurukshetra	Satisfactory	66	PM _{2.5}	1
76	Lucknow	Satisfactory	71	PM ₁₀ , CO, PM _{2.5}	6
77	Ludhiana	Satisfactory	87	PM ₁₀	1
78	Mandi Gobindgarh	Good	44	PM ₁₀	1
79	Mandideep	Moderate	104	PM ₁₀	1
80	Manesar	Satisfactory	89	PM ₁₀	1
81	Manglore	Satisfactory	62	NO ₂	1
82	Medikeri	Good	27	O ₃	1
83	Meerut	Satisfactory	75	PM ₁₀	2
84	Mumbai	Satisfactory	58	CO, PM ₁₀	17

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Moderate	107	PM _{2.5}	1
86	Muzaffarpur	Good	48	PM ₁₀	1
87	Mysuru	Good	31	PM ₁₀	1
88	Nagpur	Good	50	со	1
89	Narnaul	Satisfactory	72	PM _{2.5}	1
90	Navi Mumbai	Satisfactory	55	CO, PM ₁₀	3
91	Noida	Satisfactory	88	PM ₁₀ , NO ₂	4
92	Pali	Satisfactory	64	PM ₁₀	1
93	Palwal	Satisfactory	90	PM ₁₀	1
94	Panchkula	Satisfactory	68	PM _{2.5}	1
95	Panipat	Satisfactory	92	PM ₁₀	1
96	Patiala	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	61	PM ₁₀	5
98	Pithampur	Satisfactory	74	PM ₁₀	1
99	Prayagraj	Good	39	PM ₁₀ , PM _{2.5}	3
100	Puducherry	Good	48	03	1
101	Pune	Satisfactory	72	со	4
102	Raichur	Good	22	PM ₁₀	1
103	Rajamahendravaram	Good	33	со	1
104	Ramanagara	Good	26	PM ₁₀	1
105	Rohtak	Moderate	103	со	1
106	Rupnagar	Poor	216	PM ₁₀	1
107	Sagar	Good	43	PM _{2.5}	1
108	Satna	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	15	SO ₂	1
110	Shivamogga	Good	42	PM ₁₀	1
111	Siliguri	Good	32	PM ₁₀	1
112	Singrauli	Satisfactory	81	PM ₁₀	1
113	Sirsa	Satisfactory	71	03	1
114	Solapur	Good	45	PM ₁₀	1
115	Sonipat	Satisfactory	56	PM _{2.5}	1
116	Srinagar	Moderate	117	PM ₁₀	1
117	Talcher	Good	27	со	1
118	Thiruvananthapuram	Good	42	CO, O ₃	2
119	Thoothukudi	Good	34	PM ₁₀	1
120	Thrissur	Satisfactory	60	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Good	38	СО	1
122	Udaipur	Satisfactory	64	PM ₁₀	1
123	Udupi	Satisfactory	94	со	1
124	Ujjain	Satisfactory	83	PM ₁₀	1
125	Vapi	Satisfactory	55	PM ₁₀	1
126	Varanasi	Satisfactory	51	PM ₁₀	4
127	Vatva	Satisfactory	67	PM ₁₀	1
128	Vijayapura	Satisfactory	73	со	1
129	Visakhapatnam	Good	49	со	1
130	Vrindavan	Satisfactory	51	PM ₁₀	1
131	Yadgir	Good	15	PM ₁₀	1
132	Yamunanagar	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Davanagere, Jorapokhar, Kalyan, Kannur, Karnal, Maihar, Mandikhera, Moradabad, Motihari, Naharlagun, Nandesari, Nashik, Ratlam, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.