



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	62	PM <sub>10</sub>	2
2	Agra	Moderate	167	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	104	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Aizawl	Satisfactory	63	PM <sub>10</sub>	1
5	Ajmer	Moderate	150	PM <sub>10</sub>	1
6	Alwar	Moderate	129	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	87	PM <sub>10</sub>	1
8	Ambala	Moderate	126	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	55	PM <sub>10</sub>	1
10	Araria	Moderate	115	O <sub>3</sub>	1
11	Arrah	Moderate	120	PM <sub>10</sub>	1
12	Asansol	Moderate	102	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udipi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	148	PM <sub>10</sub>	1
14	Baddi	Moderate	136	PM <sub>10</sub>	1
15	Bagalkot	Satisfactory	52	PM <sub>10</sub>	1
16	Baghpat	Moderate	117	PM <sub>10</sub>	1
17	Bahadurgarh	Poor	216	PM <sub>10</sub>	1
18	Bathinda	Satisfactory	84	PM <sub>10</sub>	1
19	Begusarai	Moderate	109	PM <sub>2.5</sub>	1
20	Bengaluru	Satisfactory	64	PM <sub>10</sub>	7
21	Bhagalpur	Moderate	114	CO, PM <sub>10</sub>	2
22	Bhiwadi	Poor	258	PM <sub>2.5</sub>	1
23	Bhiwani	Moderate	171	PM <sub>10</sub>	1
24	Bhopal	Moderate	134	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udipi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	89	PM <sub>10</sub>	1
26	Bihar Sharif	Poor	209	PM <sub>10</sub>	1
27	Bilaspur	Satisfactory	55	PM <sub>10</sub>	1
28	Bulandshahr	Very Poor	318	PM <sub>10</sub>	1
29	Buxar	Moderate	174	PM <sub>2.5</sub>	1
30	Chamarajanagar	Good	42	PM <sub>10</sub>	1
31	Chandigarh	Moderate	170	O <sub>3</sub> , PM <sub>10</sub>	3
32	Chandrapur	Moderate	125	PM <sub>10</sub>	2
33	Chennai	Satisfactory	68	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	5
34	Chikkaballapur	Good	38	PM <sub>10</sub>	1
35	Coimbatore	Good	27	PM <sub>10</sub>	1
36	Darbhanga	Moderate	126	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	68	PM <sub>10</sub>	1
38	Dehradun	Moderate	105	PM <sub>10</sub>	1
39	Delhi	Poor	273	PM <sub>10</sub> , PM <sub>2.5</sub>	38
40	Dewas	Moderate	116	PM <sub>10</sub>	1
41	Dharuhera	Very Poor	334	PM <sub>10</sub>	1
42	Faridabad	Poor	252	PM <sub>10</sub> , PM <sub>2.5</sub>	2
43	Fatehabad	Poor	214	PM <sub>10</sub>	1
44	Firozabad	Moderate	130	PM <sub>10</sub>	2
45	Gadag	Good	26	PM <sub>2.5</sub>	1
46	Gandhinagar	Moderate	158	PM <sub>2.5</sub> , PM <sub>10</sub>	2
47	Gangtok	Good	39	O <sub>3</sub>	1
48	Gaya	Moderate	113	O <sub>3</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoondi, Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Poor	267	PM <sub>10</sub>	3
50	Gorakhpur	Good	44	O <sub>3</sub>	1
51	Greater Noida	Poor	266	PM <sub>10</sub>	2
52	Gurugram	Poor	254	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Guwahati	Satisfactory	82	PM <sub>10</sub>	2
54	Gwalior	Moderate	159	PM <sub>10</sub>	1
55	Hajipur	Moderate	140	PM <sub>2.5</sub>	1
56	Haldia	Satisfactory	89	PM <sub>10</sub>	1
57	Hassan	Satisfactory	73	PM <sub>10</sub>	1
58	Hisar	Moderate	165	PM <sub>10</sub>	1
59	Howrah	Satisfactory	95	PM <sub>2.5</sub> , PM <sub>10</sub>	3
60	Hubballi	Satisfactory	69	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoondi, Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udipi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Moderate	122	O <sub>3</sub> , PM <sub>10</sub>	11
62	Imphal	Satisfactory	91	PM <sub>10</sub>	1
63	Indore	Satisfactory	85	PM <sub>10</sub>	1
64	Jabalpur	Moderate	147	PM <sub>10</sub>	1
65	Jaipur	Poor	227	PM <sub>2.5</sub> , PM <sub>10</sub>	3
66	Jalandhar	Moderate	126	PM <sub>2.5</sub>	1
67	Jhansi	Moderate	157	PM <sub>10</sub>	1
68	Jind	Moderate	171	PM <sub>10</sub>	1
69	Kaithal	Moderate	136	PM <sub>2.5</sub>	1
70	Kalaburgi	Satisfactory	91	PM <sub>10</sub>	1
71	Kalyan	Satisfactory	77	PM <sub>10</sub>	1
72	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidiipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	158	PM <sub>10</sub>	2
74	Karnal	Satisfactory	97	PM <sub>10</sub>	1
75	Katihar	Moderate	111	PM <sub>10</sub>	1
76	Katni	Moderate	150	PM <sub>10</sub>	1
77	Khanna	Moderate	110	PM <sub>10</sub>	1
78	Kishanganj	Moderate	156	O <sub>3</sub>	1
79	Kochi	Satisfactory	55	CO	1
80	Kohima	Satisfactory	94	PM <sub>10</sub>	1
81	Kolkata	Satisfactory	91	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	7
82	Kollam	Satisfactory	53	PM <sub>2.5</sub>	1
83	Koppal	Satisfactory	56	PM <sub>10</sub>	1
84	Kota	Moderate	141	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	52	PM <sub>10</sub>	1
86	Kurukshetra	Moderate	178	O <sub>3</sub>	1
87	Lucknow	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	6
88	Ludhiana	Moderate	132	PM <sub>10</sub>	1
89	Madikeri	Good	33	PM <sub>10</sub>	1
90	Maihar	Good	31	PM <sub>10</sub>	1
91	Mandi Gobindgarh	Moderate	106	PM <sub>2.5</sub>	1
92	Mandideep	Satisfactory	89	PM <sub>10</sub>	1
93	Mandikhera	Moderate	132	PM <sub>10</sub>	1
94	Manesar	Poor	269	PM <sub>2.5</sub>	1
95	Manglore	Satisfactory	53	CO	1
96	Meerut	Moderate	156	PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoondi, Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	115	O <sub>3</sub> , PM <sub>10</sub>	4
98	Motihari	Moderate	111	PM <sub>2.5</sub>	1
99	Mumbai	Satisfactory	83	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	14
100	Munger	Moderate	149	PM <sub>2.5</sub>	1
101	Muzaffarnagar	Poor	240	O <sub>3</sub>	1
102	Muzaffarpur	Moderate	144	PM <sub>2.5</sub>	3
103	Mysuru	Good	37	PM <sub>10</sub>	1
104	Nashik	Satisfactory	52	PM <sub>10</sub>	1
105	Navi Mumbai	Satisfactory	75	CO, PM <sub>10</sub>	3
106	Noida	Very Poor	304	PM <sub>10</sub>	4
107	Pali	Moderate	134	PM <sub>10</sub>	1
108	Palwal	Poor	205	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Moderate	136	PM <sub>2.5</sub>	1
110	Panipat	Moderate	165	PM <sub>10</sub>	1
111	Patiala	Moderate	102	PM <sub>10</sub>	1
112	Patna	Moderate	179	PM <sub>10</sub> , PM <sub>2.5</sub>	5
113	Pithampur	Satisfactory	81	PM <sub>10</sub>	1
114	Prayagraj	Moderate	129	PM <sub>10</sub>	3
115	Puducherry	Good	50	PM <sub>10</sub>	1
116	Pune	Satisfactory	84	CO, PM <sub>2.5</sub>	4
117	Purnia	Moderate	123	PM <sub>10</sub>	1
118	Raichur	Satisfactory	80	PM <sub>10</sub>	1
119	Rajamahendravaram	Satisfactory	96	PM <sub>10</sub>	1
120	Ramanagara	Good	34	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoondi, Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	111	PM <sub>10</sub>	1
122	Rohtak	Very Poor	303	PM <sub>2.5</sub>	1
123	Rupnagar	Satisfactory	85	PM <sub>10</sub>	1
124	Sagar	Satisfactory	79	PM <sub>2.5</sub>	1
125	Samastipur	Moderate	123	PM <sub>10</sub>	1
126	Sasaram	Moderate	151	O <sub>3</sub>	1
127	Satna	Satisfactory	90	PM <sub>10</sub>	1
128	Shillong	Good	39	PM <sub>10</sub>	2
129	Shivamogga	Satisfactory	59	PM <sub>10</sub>	1
130	Singrauli	Moderate	106	PM <sub>10</sub>	1
131	Sirsa	Poor	219	PM <sub>10</sub>	1
132	Solapur	Satisfactory	69	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sonipat	Poor	278	PM <sub>10</sub>	1
134	Srinagar	Satisfactory	73	PM <sub>10</sub>	1
135	Talcher	Moderate	117	PM <sub>2.5</sub>	1
136	Thane	Satisfactory	94	PM <sub>10</sub>	1
137	Thiruvananthapuram	Good	36	CO	1
138	Thoothukudi	Good	28	PM <sub>10</sub>	1
139	Thrissur	Good	41	PM <sub>2.5</sub>	1
140	Tirupati	Satisfactory	75	PM <sub>10</sub>	1
141	Udaipur	Moderate	123	PM <sub>10</sub>	1
142	Ujjain	Poor	204	PM <sub>10</sub>	1
143	Varanasi	Satisfactory	82	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	4
144	Vatva	Satisfactory	78	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Satisfactory	56	PM <sub>10</sub>	1
146	Vrindavan	Moderate	156	PM <sub>10</sub>	1
147	Yadgir	Satisfactory	72	PM <sub>10</sub>	1
148	Yamunanagar	Moderate	188	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Aurangabad (Maharashtra), Ballabgarh, Bettiah, Bhilai, Brajrajnagar, Charkhi Dadri, Chhapra, Chikkamagaluru, Damoh, Durgapur, Eloor, Ernakulam, Gummidiipoond Hapur, Haveri, Jodhpur, Jorapokhar, Kolar, Manguraha, Nagpur, Naharlagun, Nandesari, Narnaul, Rajgir, Saharsa, Siliguri, Siwan, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.