

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	81	PM _{2.5}	1
2	Agra	Satisfactory	92	PM ₁₀	6
3	Ahmedabad	Satisfactory	67	NO ₂	7
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM ₁₀	1
6	Akola	Satisfactory	57	PM ₁₀	1
7	Alwar	Satisfactory	76	PM ₁₀	1
8	Amaravati	Good	45	03	1
9	Ambala	Satisfactory	98	со	1
10	Amravati	Good	46	PM ₁₀	2
11	Amritsar	Satisfactory	82	PM ₁₀	1
12	Anantapur	Satisfactory	56	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	45	со	1
14	Arrah	Satisfactory	85	PM ₁₀	1
15	Asansol	Good	36	PM ₁₀	1
16	Aurangabad (Bihar)	Satisfactory	65	со	1
17	Aurangabad (Maharashtra)	Satisfactory	60	со	3
18	Baddi	Satisfactory	93	PM ₁₀	1
19	Badlapur	Good	34	PM ₁₀	1
20	Bagalkot	Good	42	PM ₁₀	1
21	Baghpat	Satisfactory	80	03	1
22	Ballabgarh	Satisfactory	51	со	1
23	Banswara	Satisfactory	75	PM ₁₀	1
24	Baran	Moderate	107	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	32	PM ₁₀	2
26	Baripada	Satisfactory	64	PM ₁₀	1
27	Barmer	Satisfactory	77	PM ₁₀	1
28	Bathinda	Satisfactory	52	PM ₁₀	1
29	Begusarai	Satisfactory	64	PM ₁₀	1
30	Belapur	Good	45	PM ₁₀	1
31	Belgaum	Satisfactory	92	PM _{2.5}	1
32	Bengaluru	Satisfactory	58	PM _{2.5} , PM ₁₀	11
33	Bettiah	Satisfactory	90	PM ₁₀	1
34	Bhagalpur	Satisfactory	52	O ₃	2
35	Bhilai	Good	36	PM ₁₀ , PM _{2.5}	2
36	Bhiwadi	Satisfactory	91	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Good	45	PM ₁₀	1
38	Bhiwani	Satisfactory	82	PM ₁₀	1
39	Bhopal	Satisfactory	58	PM ₁₀	3
40	Bidar	Good	39	PM ₁₀	1
41	Bihar Sharif	Moderate	169	03	1
42	Bikaner	Moderate	106	PM ₁₀	1
43	Bilaspur	Satisfactory	59	со	1
44	Bileipada	Good	43	PM ₁₀	1
45	Bulandshahr	Satisfactory	66	PM ₁₀	1
46	Byrnihat	Moderate	166	PM ₁₀	1
47	Chandigarh	Satisfactory	68	PM ₁₀	3
48	Chandrapur	Satisfactory	52	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	55	PM ₁₀	1
50	Chennai	Satisfactory	79	PM ₁₀ , CO	7
51	Chhal	Good	37	со	1
52	Chhapra	Satisfactory	89	со	1
53	Chikkaballapur	Good	37	PM ₁₀	1
54	Chikkamagaluru	Good	43	PM ₁₀	1
55	Chittoor	Good	33	03	1
56	Chittorgarh	Satisfactory	96	PM ₁₀	1
57	Churu	Satisfactory	94	PM ₁₀	1
58	Cuddalore	Moderate	156	NO ₂	2
59	Damoh	Good	31	PM ₁₀	1
60	Dausa	Moderate	146	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	66	03	1
62	Delhi	Satisfactory	85	O ₃ , PM ₁₀	28
63	Dewas	Good	44	PM ₁₀	1
64	Dharuhera	Satisfactory	97	PM ₁₀	1
65	Dharwad	Satisfactory	76	PM ₁₀	1
66	Dhule	Satisfactory	62	PM ₁₀	1
67	Durgapur	Satisfactory	90	PM ₁₀	1
68	Faridabad	Satisfactory	64	PM ₁₀ , PM _{2.5}	3
69	Fatehabad	Moderate	115	03	1
70	Firozabad	Good	48	PM ₁₀	1
71	Gadag	Good	46	SO ₂	1
72	Gandhinagar	Satisfactory	77	PM _{2.5} , PM ₁₀	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Satisfactory	55	SO ₂	1
74	Gaya	Satisfactory	51	со	2
75	Ghaziabad	Satisfactory	82	PM ₁₀	3
76	Gorakhpur	Satisfactory	59	PM _{2.5}	1
77	Greater Noida	Moderate	108	PM ₁₀	2
78	Gummidipoondi	Moderate	112	PM _{2.5}	1
79	Gurugram	Moderate	116	PM _{2.5} , CO	3
80	Guwahati	Satisfactory	65	CO, SO ₂	3
81	Gwalior	Good	44	O ₃ , CO	2
82	Hajipur	Good	49	NO ₂	1
83	Haldia	Good	46	PM ₁₀	1
84	Hanumangarh	Satisfactory	88	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Satisfactory	51	PM ₁₀	1
86	Hassan	Satisfactory	51	PM ₁₀	1
87	Hosur	Good	44	PM ₁₀	1
88	Howrah	Satisfactory	62	PM ₁₀	3
89	Hubballi	Moderate	118	PM ₁₀	1
90	Hyderabad	Satisfactory	62	PM ₁₀ , NO ₂	10
91	Indore	Satisfactory	75	PM ₁₀	1
92	Jabalpur	Good	40	O ₃ , CO	3
93	Jaipur	Satisfactory	94	PM ₁₀	4
94	Jaisalmer	Satisfactory	93	PM ₁₀	1
95	Jalandhar	Good	42	PM ₁₀	1
96	Jalgaon	Good	37	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- Yamunanagar, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Moderate	145	PM ₁₀	1
98	Jhalawar	Satisfactory	72	PM ₁₀	1
99	Jhansi	Good	40	PM _{2.5}	1
100	Jhunjhunu	Satisfactory	77	PM ₁₀	1
101	Jind	Moderate	109	со	1
102	Jodhpur	Moderate	123	PM ₁₀	5
103	Kadapa	Good	26	PM _{2.5}	1
104	Kaithal	Satisfactory	62	PM _{2.5}	1
105	Kalyan	Satisfactory	66	со	1
106	Kanpur	Satisfactory	72	CO, PM ₁₀	4
107	Karauli	Good	43	03	1
108	Karnal	Good	29	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kashipur	Good	40	PM ₁₀	1
110	Katihar	Satisfactory	100	СО	1
111	Katni	Good	35	PM ₁₀	1
112	Keonjhar	Good	32	PM ₁₀	1
113	Khanna	Satisfactory	85	PM ₁₀	1
114	Khurja	Moderate	103	PM _{2.5}	1
115	Kishanganj	Satisfactory	51	СО	1
116	Kochi	Satisfactory	80	СО	1
117	Kolhapur	Good	38	PM ₁₀	2
118	Kolkata	Good	48	PM ₁₀	7
119	Kollam	Satisfactory	70	PM ₁₀	1
120	Koppal	Good	28	SO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	28	CO, PM ₁₀	2
122	Kota	Satisfactory	89	PM ₁₀ , PM _{2.5}	3
123	Kunjemura	Good	23	со	1
124	Kurukshetra	Satisfactory	52	03	1
125	Latur	Satisfactory	75	PM ₁₀	1
126	Lucknow	Satisfactory	51	со	6
127	Ludhiana	Satisfactory	79	PM ₁₀	1
128	Madikeri	Good	29	PM _{2.5}	1
129	Mahad	Good	42	PM ₁₀	1
130	Maihar	Good	42	со	1
131	Mandi Gobindgarh	Good	43	PM _{2.5}	1
132	Mandideep	Good	44	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	43	PM ₁₀	1
134	Mangalore	Satisfactory	62	NO ₂	1
135	Manguraha	Good	26	PM ₁₀	1
136	Meerut	Good	41	PM ₁₀ , PM _{2.5}	3
137	Moradabad	Satisfactory	91	O ₃ , PM ₁₀	6
138	Motihari	Good	48	со	1
139	Mumbai	Satisfactory	62	PM ₁₀	15
140	Munger	Satisfactory	93	PM ₁₀	1
141	Muzaffarnagar	Satisfactory	75	PM _{2.5}	1
142	Muzaffarpur	Satisfactory	86	со	2
143	Nagaon	Good	43	O ₃	1
144	Nagaur	Moderate	104	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Good	44	PM ₁₀	4
146	Naharlagun	Good	22	PM ₁₀	1
147	Nalbari	Good	34	PM ₁₀	1
148	Nanded	Satisfactory	53	03	1
149	Narnaul	Satisfactory	66	PM ₁₀	1
150	Nashik	Good	44	PM ₁₀	3
151	Navi Mumbai	Good	48	PM ₁₀	7
152	Nayagarh	Good	46	NO ₂	1
153	Noida	Satisfactory	88	PM _{2.5}	4
154	Ooty	Good	49	SO ₂	1
155	Pali	Moderate	152	PM _{2.5}	1
156	Palkalaiperur	Satisfactory	66	SO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palwal	Good	49	PM _{2.5}	1
158	Panchkula	Good	48	O ₃	1
159	Panipat	Satisfactory	76	PM ₁₀	1
160	Parbhani	Satisfactory	63	PM ₁₀	1
161	Patiala	Good	39	PM ₁₀	1
162	Patna	Satisfactory	82	PM ₁₀ , NO ₂	6
163	Pimpri Chinchwad	Good	44	PM _{2.5} , PM ₁₀	3
164	Pithampur	Satisfactory	69	PM ₁₀	1
165	Pratapgarh	Satisfactory	94	PM ₁₀	1
166	Prayagraj	Satisfactory	55	PM ₁₀	3
167	Puducherry	Satisfactory	52	PM ₁₀	1
168	Pune	Satisfactory	94	NO ₂ , PM ₁₀	5

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Purnia	Satisfactory	73	PM ₁₀	1
170	Raipur	Good	44	PM ₁₀ , NO ₂	4
171	Rajamahendravaram	Good	40	PM ₁₀	1
172	Rajgir	Good	43	03	1
173	Rajsamand	Satisfactory	98	PM ₁₀	1
174	Ramanagara	Good	47	PM ₁₀	1
175	Ramanathapuram	Good	49	PM ₁₀	1
176	Ratlam	Satisfactory	51	PM ₁₀	1
177	Rishikesh	Good	29	PM ₁₀	1
178	Rohtak	Satisfactory	72	PM _{2.5}	1
179	Rupnagar	Moderate	117	PM ₁₀	1
180	Sagar	Good	41	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Saharsa	Good	40	PM ₁₀	1
182	Samastipur	Satisfactory	98	PM ₁₀	1
183	Sangli	Good	32	PM ₁₀	1
184	Sasaram	Good	25	PM ₁₀	1
185	Satna	Satisfactory	53	PM ₁₀	1
186	Sawai Madhopur	Satisfactory	92	PM ₁₀	1
187	Shillong	Good	19	SO ₂	1
188	Shivamogga	Good	47	PM ₁₀	1
189	Sikar	Satisfactory	85	PM ₁₀	1
190	Silchar	Good	32	со	1
191	Siliguri	Good	35	PM ₁₀	1
192	Singrauli	Moderate	174	NO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirohi	Satisfactory	56	PM ₁₀	1
194	Sirsa	Satisfactory	63	PM ₁₀	1
195	Sivasagar	Good	13	PM ₁₀	1
196	Siwan	Satisfactory	79	PM ₁₀	1
197	Solapur	Satisfactory	73	PM ₁₀	3
198	Sonipat	Satisfactory	88	PM ₁₀	1
199	Sri Ganganagar	Moderate	118	PM ₁₀	1
200	Srinagar	Good	34	PM ₁₀	1
201	Suakati	Satisfactory	56	со	1
202	Surat	Satisfactory	65	PM _{2.5}	1
203	Talcher	Satisfactory	78	со	1
204	Thane	Satisfactory	54	PM ₁₀ , CO	3

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thiruvananthapuram	Good	34	со	2
206	Thoothukudi	Satisfactory	94	03	1
207	Thrissur	Good	38	03	1
208	Tirupati	Good	44	PM ₁₀	1
209	Tonk	Moderate	168	PM ₁₀	1
210	Tumidih	Good	17	со	1
211	Udaipur	Satisfactory	81	PM ₁₀	1
212	Ujjain	Satisfactory	75	со	1
213	Ulhasnagar	Good	45	PM ₁₀	1
214	Vapi	Satisfactory	82	со	1
215	Varanasi	Good	33	SO ₂ , PM ₁₀	4
216	Vatva	Satisfactory	80	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vijayapura	Good	46	PM ₁₀	1
218	Vijayawada	Good	43	O ₃	1
219	Visakhapatnam	Moderate	118	PM ₁₀	1
220	Vrindavan	Good	28	SO ₂	1
221	Yadgir	Good	36	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Bahadurgarh, Bharatpur, Bhilwara, Boisar, Brajrajnagar, Bundi, Buxar, Chamarajanagar, Chengalpattu, Coimbatore, Darbhanga, Davanagere, Dhanbad, Dholpur, Dindigul, Eloor, Ernakulam, Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kohima, Kolar, Kozhikode, Malegaon, Manesar, Milupara, Mira-Bhayandar, Mysuru, Nandesari, Raichur, Rairangpur, Rourkela, Salem, Tensa, Tirupur, Tumakuru, Udupi, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.