

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	50	NO ₂	1
2	Ahmedabad	Satisfactory	72	PM _{2.5}	1
3	Aizawl	Satisfactory	81	PM _{2.5}	1
4	Alwar	Satisfactory	75	PM ₁₀	1
5	Amaravati	Satisfactory	54	O ₃	1
6	Ambala	Good	36	O ₃	1
7	Amritsar	Satisfactory	52	PM ₁₀	1
8	Ankleshwar	Satisfactory	59	O ₃	1
9	Asanol	Satisfactory	79	PM ₁₀	1
10	Bagalkot	Satisfactory	58	O ₃	1
11	Bahadurgarh	Good	39	O ₃	1
12	Bathinda	Satisfactory	96	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Apoteos calculated for today's bulletin for Ajmer, Aurangabad, Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad, Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	53	PM _{2.5} , O ₃ , PM ₁₀	8
14	Bhiwadi	Good	44	O ₃	1
15	Brajrajnagar	Moderate	124	PM ₁₀	1
16	Bulandshahr	Satisfactory	92	O ₃	1
17	Chandigarh	Good	17	O ₃	1
18	Chandrapur	Moderate	136	O ₃ , PM ₁₀	2
19	Chennai	Satisfactory	57	PM _{2.5}	3
20	Chikkaballapur	Satisfactory	72	PM ₁₀	1
21	Chikkamagaluru	Satisfactory	63	PM ₁₀	1
22	Delhi	Good	45	NO ₂ , O ₃ , CO	27
23	Dewas	Satisfactory	100	O ₃	1
24	Dharuhera	Good	36	O ₃	1

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Motes t calculated for today's bulletin for Ajmer, Aurangabad, Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad, Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Eloor	Satisfactory	80	PM ₁₀	1
26	Ernakulam	Satisfactory	57	со	1
27	Faridabad	Satisfactory	64	PM ₁₀ , O ₃	3
28	Gandhinagar	Good	50	PM _{2.5}	1
29	Gaya	Satisfactory	88	03	2
30	Ghaziabad	Good	39	CO, PM _{2.5} , PM ₁₀	3
31	Greater Noida	Satisfactory	82	CO, O ₃	2
32	Gurugram	Satisfactory	54	03	3
33	Guwahati	Poor	261	PM _{2.5}	1
34	Gwalior	Satisfactory	96	PM ₁₀ , O ₃	2
35	Hapur	Satisfactory	99	со	1
36	Hisar	Good	24	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Atotes t calculated for today's bulletin for Ajmer, Aurangabad,
 Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur,
 Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad,
 Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Satisfactory	87	PM ₁₀ , O ₃	3
38	Hyderabad	Satisfactory	68	PM ₁₀	3
39	Indore	Good	38	NO ₂	1
40	Jabalpur	Good	46	03	1
41	Jaipur	Good	48	O ₃ , PM ₁₀	3
42	Jalandhar	Good	31	PM ₁₀	1
43	Jind	Good	49	O ₃	1
44	Jodhpur	Good	49	O ₃	1
45	Kaithal	Good	32	PM ₁₀	1
46	Kannur	Satisfactory	78	PM _{2.5}	1
47	Kanpur	Satisfactory	60	PM _{2.5}	1
48	Katni	Satisfactory	64	O ₃	1

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Motes t calculated for today's bulletin for Ajmer, Aurangabad, Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad, Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Khanna	Good	25	PM ₁₀	1
50	Kochi	Satisfactory	64	PM _{2.5}	1
51	Kolkata	Moderate	102	O ₃ , PM _{2.5} , PM ₁₀	6
52	Kota	Satisfactory	55	PM ₁₀	1
53	Kozhikode	Satisfactory	55	PM _{2.5}	1
54	Kurukshetra	Good	34	O ₃	1
55	Lucknow	Satisfactory	68	PM _{2.5} , CO	3
56	Ludhiana	Good	27	PM ₁₀	1
57	Maihar	Good	45	NO ₂	1
58	Mandi Gobindgarh	Good	24	PM ₁₀	1
59	Mandideep	Good	20	PM _{2.5}	1
60	Mandikhera	Satisfactory	80	O ₃	1

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athers t calculated for today's bulletin for Ajmer, Aurangabad,
 Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur,
 Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad,
 Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Manesar	Good	43	SO ₂	1
62	Meerut	Satisfactory	58	СО	1
63	Mumbai	Satisfactory	72	O ₃ , PM ₁₀	9
64	Muzaffarnagar	Satisfactory	54	со	1
65	Muzaffarpur	Moderate	176	03	1
66	Nagpur	Satisfactory	66	03	1
67	Nandesari	Moderate	131	со	1
68	Narnaul	Good	23	PM _{2.5}	1
69	Nashik	Satisfactory	73	03	1
70	Navi Mumbai	Satisfactory	98	CO, O ₃	3
71	Noida	Good	38	CO, PM ₁₀ , PM _{2.5}	4
72	Pali	Satisfactory	66	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Athers t calculated for today's bulletin for Ajmer, Aurangabad,
 Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur,
 Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad,
 Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Palwal	Satisfactory	56	PM ₁₀	1
74	Panchkula	Good	46	O ₃	1
75	Panipat	Satisfactory	54	NO ₂	1
76	Patiala	Good	25	PM ₁₀	1
77	Patna	Moderate	101	CO, PM ₁₀	3
78	Pithampur	Satisfactory	54	со	1
79	Pune	Satisfactory	67	СО	1
80	Rajamahendravaram	Satisfactory	60	O ₃	1
81	Ramanagara	Good	43	PM ₁₀	1
82	Ratlam	Satisfactory	85	PM _{2.5}	1
83	Rohtak	Good	26	PM _{2.5}	1
84	Rupnagar	Good	26	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Atotes t calculated for today's bulletin for Ajmer, Aurangabad,
 Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur,
 Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad,
 Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Good	35	PM ₁₀	1
86	Shillong	Satisfactory	80	PM _{2.5}	1
87	Singrauli	Moderate	123	PM ₁₀	1
88	Sirsa	Satisfactory	97	SO ₂	1
89	Sonipat	Satisfactory	62	NO ₂	1
90	Talcher	Moderate	119	PM _{2.5}	1
91	Thane	Good	46	PM ₁₀	1
92	Thiruvananthapuram	Satisfactory	73	03	1
93	Tirupati	Satisfactory	65	03	1
94	Udaipur	Satisfactory	63	03	1
95	Ujjain	Satisfactory	67	03	1
96	Vapi	Satisfactory	77	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * Atotes t calculated for today's bulletin for Ajmer, Aurangabad,
 Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur,
 Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad,
 Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Good	50	PM _{2.5}	1
98	Vatva	Satisfactory	64	PM ₁₀	1
99	Visakhapatnam	Satisfactory	88	PM ₁₀	1
100	Yadgir	Satisfactory	60	PM ₁₀	1
101	Yamunanagar	Good	32	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * Atotes t calculated for today's bulletin for Ajmer, Aurangabad, Ballabgarh, Bhiwani, Bhopal, Coimbatore, Damoh, Fatehabad, Hajipur, Hubballi, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kollam, Moradabad, Mysuru, Sagar, Siliguri, Solapur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.