

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	194	PM _{2.5}	1
2	Agra	Very Poor	318	PM _{2.5}	1
3	Ahmedabad	Poor	211	O ₃	1
4	Aizawl	Satisfactory	78	PM _{2.5}	1
5	Ajmer	Satisfactory	88	PM ₁₀	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Satisfactory	90	PM _{2.5}	1
8	Ambala	Moderate	186	PM _{2.5}	1
9	Amritsar	Moderate	104	PM ₁₀	1
10	Ankleshwar	Poor	285	PM _{2.5}	1
11	Asansol	Poor	224	PM _{2.5}	1
12	Aurangabad	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	313	PM _{2.5}	1
14	Ballabgarh	Poor	202	PM _{2.5}	1
15	Bathinda	Moderate	200	PM _{2.5}	1
16	Bengaluru	Satisfactory	79	PM ₁₀ , PM _{2.5} , O ₃	9
17	Bhiwadi	Very Poor	325	PM _{2.5}	1
18	Bhiwani	Moderate	166	PM ₁₀	1
19	Bhopal	Moderate	139	PM ₁₀	1
20	Bidar	Satisfactory	90	PM _{2.5}	1
21	Brajrajnagar	Satisfactory	86	PM ₁₀	1
22	Bulandshahr	Poor	297	PM _{2.5}	1
23	Chandigarh	Moderate	180	PM _{2.5}	1
24	Chandrapur	Satisfactory	71	PM _{2.5} , O ₃	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Very Poor	337	PM _{2.5}	1
26	Chennai	Satisfactory	58	PM ₁₀ , CO, PM _{2.5}	8
27	Chikkaballapur	Satisfactory	88	PM _{2.5}	1
28	Chikkamagaluru	Satisfactory	72	03	1
29	Damoh	Moderate	111	PM ₁₀	1
30	Delhi	Very Poor	364	PM _{2.5} , PM ₁₀	34
31	Dewas	Satisfactory	71	03	1
32	Dharuhera	Poor	298	PM ₁₀	1
33	Eloor	Moderate	152	PM ₁₀	1
34	Ernakulam	Moderate	108	PM _{2.5}	1
35	Faridabad	Very Poor	376	PM _{2.5} , PM ₁₀	2
36	Fatehabad	Poor	291	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	99	PM ₁₀	1
38	Gaya	Moderate	162	PM _{2.5} , O ₃	2
39	Ghaziabad	Very Poor	371	PM _{2.5}	4
40	Greater Noida	Very Poor	322	PM _{2.5}	2
41	Gurugram	Very Poor	315	PM _{2.5}	4
42	Guwahati	Moderate	169	PM _{2.5}	1
43	Gwalior	Moderate	196	PM _{2.5}	1
44	Hajipur	Satisfactory	68	СО	1
45	Haldia	Moderate	144	PM ₁₀	1
46	Hisar	Very Poor	324	PM _{2.5}	1
47	Howrah	Poor	259	PM _{2.5}	3
48	Hubballi	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	141	PM _{2.5} , PM ₁₀	3
50	Indore	Moderate	102	PM ₁₀	1
51	Jabalpur	Moderate	154	PM ₁₀	1
52	Jaipur	Moderate	181	PM _{2.5}	3
53	Jalandhar	Moderate	103	PM _{2.5}	1
54	Jind	Poor	254	PM _{2.5}	1
55	Jodhpur	Poor	228	PM _{2.5}	1
56	Jorapokhar	Moderate	125	PM ₁₀	1
57	Kaithal	Moderate	174	PM ₁₀	1
58	Kalaburgi	Moderate	156	PM _{2.5}	1
59	Kalyan	Very Poor	304	PM _{2.5}	1
60	Kannur	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Very Poor	324	PM _{2.5}	2
62	Karnal	Poor	207	PM _{2.5}	1
63	Katni	Poor	249	PM ₁₀	1
64	Khanna	Satisfactory	100	PM ₁₀	1
65	Kohima	Moderate	169	PM _{2.5}	1
66	Kolar	Good	47	SO ₂	1
67	Kolkata	Poor	249	PM _{2.5}	7
68	Kollam	Moderate	138	PM _{2.5}	1
69	Koppal	Satisfactory	100	PM _{2.5}	1
70	Kota	Moderate	120	PM _{2.5}	1
71	Kozhikode	Satisfactory	89	PM ₁₀	1
72	Kurukshetra	Poor	235	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	279	PM ₁₀ , PM _{2.5}	4
74	Ludhiana	Moderate	162	PM _{2.5}	1
75	Maihar	Good	50	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	164	PM ₁₀	1
77	Mandideep	Moderate	173	PM ₁₀	1
78	Mandikhera	Poor	205	PM _{2.5}	1
79	Manesar	Poor	274	PM _{2.5}	1
80	Manglore	Satisfactory	81	PM _{2.5}	1
81	Medikeri	Satisfactory	66	O ₃	1
82	Meerut	Poor	283	PM _{2.5}	2
83	Moradabad	Poor	217	PM _{2.5}	1
84	Mumbai	Poor	233	PM _{2.5}	19

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	267	PM _{2.5}	1
86	Muzaffarpur	Poor	286	PM _{2.5}	2
87	Mysuru	Satisfactory	97	PM ₁₀	1
88	Nagpur	Satisfactory	64	PM ₁₀	1
89	Nandesari	Satisfactory	100	со	1
90	Narnaul	Poor	253	PM ₁₀	1
91	Nashik	Moderate	110	03	1
92	Navi Mumbai	Very Poor	324	PM _{2.5}	3
93	Noida	Very Poor	361	PM _{2.5}	4
94	Pali	Moderate	126	PM ₁₀	1
95	Palwal	Moderate	121	PM ₁₀	1
96	Panchkula	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	145	PM _{2.5}	1
98	Patna	Poor	243	PM _{2.5} , PM ₁₀	6
99	Pithampur	Moderate	104	PM ₁₀	1
100	Puducherry	Good	32	PM ₁₀	1
101	Pune	Moderate	131	PM _{2.5} , NO ₂ , PM ₁₀	5
102	Raichur	Poor	213	PM ₁₀	1
103	Rajamahendravaram	Moderate	175	PM _{2.5}	1
104	Ramanagara	Satisfactory	59	PM ₁₀	1
105	Ratlam	Moderate	172	PM ₁₀	1
106	Rohtak	Very Poor	315	PM _{2.5}	1
107	Sagar	Satisfactory	89	PM _{2.5}	1
108	Satna	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Poor	257	PM _{2.5}	1
110	Singrauli	Poor	220	PM _{2.5}	1
111	Sirsa	Moderate	178	PM _{2.5}	1
112	Sonipat	Poor	216	PM _{2.5}	1
113	Talcher	Moderate	180	PM ₁₀	1
114	Thane	Poor	228	PM ₁₀	1
115	Thiruvananthapuram	Satisfactory	100	PM _{2.5} , PM ₁₀	2
116	Thoothukudi	Good	37	03	1
117	Tirupati	Satisfactory	63	PM _{2.5}	1
118	Udaipur	Moderate	114	PM _{2.5}	1
119	Ujjain	Moderate	162	03	1
120	Vapi	Poor	255	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Very Poor	304	PM _{2.5}	1
122	Vatva	Poor	265	PM ₁₀	1
123	Vijayapura	Satisfactory	91	PM ₁₀	1
124	Visakhapatnam	Poor	225	PM _{2.5}	1
125	Yadgir	Satisfactory	90	PM ₁₀	1
126	Yamunanagar	Very Poor	320	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Baghpat, Chamarajanagar, Coimbatore, Davanagere, Durgapur, Gadag, Gummidipoondi, Hapur, Kochi, Panipat, Rupnagar, Shillong, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.