



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	252	PM <sub>2.5</sub>	1
2	Agra	Moderate	172	PM <sub>10</sub> , PM <sub>2.5</sub>	4
3	Ahmedabad	Moderate	178	PM <sub>2.5</sub> , PM <sub>10</sub>	8
4	Aizawl	Moderate	106	PM <sub>10</sub>	1
5	Ajmer	Moderate	104	PM <sub>2.5</sub>	1
6	Alwar	Moderate	133	PM <sub>2.5</sub>	1
7	Ambala	Moderate	186	PM <sub>2.5</sub>	1
8	Amritsar	Moderate	117	PM <sub>10</sub>	1
9	Ankleshwar	Poor	210	PM <sub>2.5</sub>	1
10	Arrah	Poor	225	PM <sub>2.5</sub>	1
11	Aurangabad	Moderate	112	PM <sub>10</sub>	1
12	Bagalkot	Good	50	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamara, Charkhi Dadri, Chikmagalur, Darbhanga, Deventra, Eloor, Fatchabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Very Poor	318	PM <sub>2.5</sub>	1
14	Ballabgarh	Poor	240	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	124	PM <sub>10</sub>	1
16	Bengaluru	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	9
17	Bhagalpur	Very Poor	354	PM <sub>2.5</sub>	1
18	Bhilai	Good	43	PM <sub>10</sub>	1
19	Bhiwadi	Poor	260	PM <sub>2.5</sub>	1
20	Bhopal	Moderate	106	PM <sub>10</sub>	1
21	Bidar	Moderate	111	PM <sub>10</sub>	1
22	Bihar Sharif	Poor	277	PM <sub>2.5</sub>	1
23	Brajrajnagar	Satisfactory	84	O <sub>3</sub>	1
24	Bulandshahr	Poor	228	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamaraajanagar, Charkhi Dadri, Chikaballapur, Darbhanga, Davanagere, Eloor, Fatehabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	200	PM <sub>2.5</sub>	2
26	Chandrapur	Moderate	159	PM <sub>2.5</sub>	2
27	Chennai	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
28	Chhapra	Very Poor	367	PM <sub>2.5</sub>	1
29	Chikkamagaluru	Good	35	PM <sub>10</sub>	1
30	Coimbatore	Satisfactory	90	PM <sub>2.5</sub>	1
31	Damoh	Satisfactory	76	PM <sub>2.5</sub>	1
32	Delhi	Very Poor	346	PM <sub>2.5</sub> , PM <sub>10</sub>	9
33	Dewas	Moderate	130	PM <sub>2.5</sub>	1
34	Dharuhera	Poor	232	PM <sub>2.5</sub>	1
35	Durgapur	Very Poor	363	PM <sub>10</sub>	1
36	Ernakulam	Moderate	111	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamara, Charkhi Dadri, Chikmagalur, Darbhanga, Deventhal, Eloor, Fatchabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	298	PM <sub>2.5</sub> , PM <sub>10</sub>	3
38	Firozabad	Poor	223	PM <sub>2.5</sub>	1
39	Gadag	Satisfactory	76	PM <sub>2.5</sub>	1
40	Gandhinagar	Poor	211	PM <sub>2.5</sub>	1
41	Gaya	Very Poor	324	PM <sub>2.5</sub>	1
42	Ghaziabad	Very Poor	373	PM <sub>2.5</sub>	4
43	Greater Noida	Poor	290	PM <sub>2.5</sub>	2
44	Gummidipoondi	Satisfactory	64	PM <sub>10</sub>	1
45	Gurugram	Poor	252	PM <sub>2.5</sub>	3
46	Guwahati	Poor	291	PM <sub>2.5</sub>	1
47	Gwalior	Poor	210	PM <sub>2.5</sub>	1
48	Haldia	Satisfactory	96	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamara, Charkhi Dadri, Chikmagalur, Darbhanga, Deventhal, Durgam, Faridkot, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	88	PM <sub>10</sub>	1
50	Hisar	Poor	258	PM <sub>2.5</sub>	1
51	Howrah	Moderate	147	PM <sub>2.5</sub>	1
52	Hubballi	Moderate	120	PM <sub>10</sub>	1
53	Hyderabad	Moderate	180	PM <sub>2.5</sub>	3
54	Indore	Poor	207	PM <sub>2.5</sub>	1
55	Jaipur	Poor	248	PM <sub>2.5</sub>	2
56	Jalandhar	Moderate	120	PM <sub>10</sub>	1
57	Jind	Poor	257	PM <sub>2.5</sub>	1
58	Jodhpur	Moderate	178	PM <sub>10</sub>	1
59	Jorapokhar	Satisfactory	65	PM <sub>10</sub>	1
60	Kaithal	Moderate	155	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamaraajanagar, Charkhi Dadri, Chikaballapur, Darbhanga, Davanagere, Eloor, Fatehabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	259	PM <sub>2.5</sub>	1
62	Kannur	Satisfactory	74	PM <sub>10</sub>	1
63	Kanpur	Moderate	183	PM <sub>2.5</sub>	3
64	Karnal	Moderate	109	PM <sub>2.5</sub>	1
65	Katni	Poor	243	PM <sub>10</sub>	1
66	Kohima	Moderate	160	PM <sub>2.5</sub>	1
67	Kolkata	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	3
68	Kota	Moderate	103	PM <sub>2.5</sub>	1
69	Kozhikode	Good	47	PM <sub>10</sub>	1
70	Kurukshetra	Moderate	181	PM <sub>2.5</sub>	1
71	Lucknow	Moderate	176	PM <sub>2.5</sub> , PM <sub>10</sub>	5
72	Ludhiana	Moderate	145	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamara, Charkhi Dadri, Chikaballapur, Darbhanga, Devaragere, Eloor, Fatehabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Madikeri	Satisfactory	79	PM <sub>10</sub>	1
74	Maihar	Good	20	PM <sub>2.5</sub>	1
75	Mandideep	Moderate	108	PM <sub>2.5</sub>	1
76	Mandikhera	Satisfactory	89	PM <sub>10</sub>	1
77	Manglore	Good	50	PM <sub>2.5</sub>	1
78	Meerut	Poor	300	PM <sub>2.5</sub>	3
79	Moradabad	Moderate	176	PM <sub>2.5</sub>	3
80	Mumbai	Moderate	185	PM <sub>2.5</sub> , PM <sub>10</sub>	13
81	Muzaffarnagar	Very Poor	331	PM <sub>2.5</sub>	1
82	Muzaffarpur	Severe	412	PM <sub>2.5</sub>	2
83	Mysuru	Moderate	151	O <sub>3</sub>	1
84	Nagpur	Satisfactory	51	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamara, Charkhi Dadri, Chikmagalur, Darbhanga, Deventra, Eloor, Fatchabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	92	CO	1
86	Narnaul	Moderate	178	PM <sub>2.5</sub>	1
87	Navi Mumbai	Poor	218	PM <sub>2.5</sub> , PM <sub>10</sub>	3
88	Noida	Very Poor	330	PM <sub>2.5</sub>	1
89	Pali	Moderate	125	PM <sub>2.5</sub>	1
90	Palwal	Moderate	110	PM <sub>10</sub>	1
91	Patna	Very Poor	330	PM <sub>2.5</sub>	5
92	Pithampur	Moderate	113	PM <sub>2.5</sub>	1
93	Prayagraj	Moderate	198	PM <sub>2.5</sub>	2
94	Puducherry	Satisfactory	73	PM <sub>10</sub>	1
95	Pune	Moderate	112	PM <sub>2.5</sub>	2
96	Purnia	Severe	406	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamaraajanagar, Charkhi Dadri, Chikaballapur, Darbhanga, Davanagere, Eloor, Fatehabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	106	PM <sub>2.5</sub>	1
98	Ramanagara	Satisfactory	90	PM <sub>2.5</sub>	1
99	Saharsa	Poor	266	PM <sub>2.5</sub>	1
100	Sasaram	Very Poor	313	PM <sub>2.5</sub>	1
101	Satna	Satisfactory	65	PM <sub>10</sub>	1
102	Shivamogga	Satisfactory	64	PM <sub>10</sub>	1
103	Sirsa	Moderate	111	PM <sub>10</sub>	1
104	Solapur	Moderate	115	PM <sub>2.5</sub>	1
105	Sonipat	Poor	212	PM <sub>10</sub>	1
106	Srinagar	Moderate	147	PM <sub>10</sub>	1
107	Talcher	Moderate	172	PM <sub>2.5</sub>	1
108	Thane	Moderate	139	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamara Nagar, Charkhi Dadri, Chikaballapur, Darbhanga, Davanagere, Eloor, Fatehabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Feb 01, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	79	PM <sub>10</sub> , PM <sub>2.5</sub>	2
110	Thoothukudi	Satisfactory	55	PM <sub>10</sub>	1
111	Tirupati	Moderate	133	PM <sub>2.5</sub>	1
112	Udaipur	Moderate	136	PM <sub>10</sub>	1
113	Ujjain	Moderate	173	PM <sub>10</sub>	1
114	Vapi	Moderate	156	PM <sub>10</sub>	1
115	Varanasi	Moderate	141	PM <sub>2.5</sub>	3
116	Vatva	Moderate	200	PM <sub>10</sub>	1
117	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
118	Visakhapatnam	Moderate	146	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Amaravati, Araria, Asansol, Baghpat, Bettiah, Bhiwani, Bilaspur, Buxar, Chamarajanagar, Charkhi Dadri, Chikmagalur, Darbhanga, Davanagere, Eloor, Fatchabad, Gorakhpur, Hajipur, Hapur, Jabalpur, Kalaburgi, Katihar, Khanna, Kishanganj, Kochi, Kolar, Kollam, Koppal, Mandi Gobindgarh, Manesar, Manguraha, Motihari, Munger, Naharlagun, Nashik, Panchkula, Panipat, Patiala, Raichur, Rajgir, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Siliguri, Singrauli, Siwan, Thrissur, Udupi, Vrindavan, Yadgir, Yamunanagar as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: