

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	285	PM _{2.5}	2
2	Agra	Poor	225	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	134	PM _{2.5} , PM ₁₀	9
4	Aizawl	Moderate	117	PM ₁₀	1
5	Ajmer	Satisfactory	92	PM ₁₀	1
6	Alwar	Moderate	110	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM ₁₀	1
8	Ambala	Very Poor	306	PM _{2.5}	1
9	Amritsar	Moderate	113	PM ₁₀	1
10	Ankleshwar	Moderate	194	PM _{2.5}	1
11	Araria	Poor	257	PM _{2.5}	1
12	Arrah	Poor	265	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	209	03	1
14	Baddi	Poor	272	PM _{2.5}	1
15	Bagalkot	Satisfactory	51	PM ₁₀	1
16	Baghpat	Very Poor	316	PM _{2.5}	1
17	Bahadurgarh	Poor	287	PM _{2.5}	1
18	Ballabgarh	Moderate	136	PM ₁₀	1
19	Bathinda	Moderate	180	PM ₁₀	1
20	Bengaluru	Moderate	122	PM ₁₀ , PM _{2.5} , CO	8
21	Bhagalpur	Poor	283	PM ₁₀ , PM _{2.5}	2
22	Bhiwadi	Poor	266	PM _{2.5}	1
23	Bhiwani	Poor	242	PM _{2.5}	1
24	Bhopal	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Very Poor	366	PM ₁₀	1
26	Bilaspur	Satisfactory	52	PM ₁₀	1
27	Brajrajnagar	Moderate	180	03	1
28	Bulandshahr	Poor	276	PM _{2.5}	1
29	Buxar	Very Poor	309	PM _{2.5}	1
30	Chamarajanagar	Good	46	PM ₁₀	1
31	Chandigarh	Poor	243	PM _{2.5}	3
32	Chandrapur	Moderate	198	PM _{2.5}	2
33	Charkhi Dadri	Poor	281	PM _{2.5}	1
34	Chennai	Satisfactory	93	O ₃ , PM _{2.5} , PM ₁₀	5
35	Chhapra	Very Poor	339	PM _{2.5}	1
36	Chikkaballapur	Moderate	136	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	85	SO ₂	1
38	Damoh	Moderate	124	PM _{2.5}	1
39	Darbhanga	Poor	264	PM _{2.5}	1
40	Davanagere	Moderate	114	PM ₁₀	1
41	Delhi	Poor	293	PM _{2.5}	38
42	Dewas	Satisfactory	95	PM ₁₀	1
43	Dharuhera	Poor	259	PM _{2.5}	1
44	Durgapur	Poor	260	PM _{2.5}	1
45	Eloor	Satisfactory	71	PM ₁₀	1
46	Ernakulam	Satisfactory	71	PM _{2.5}	1
47	Faridabad	Poor	237	PM _{2.5}	3
48	Fatehabad	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	170	PM _{2.5}	2
50	Gandhinagar	Moderate	110	PM _{2.5} , PM ₁₀	3
51	Gaya	Moderate	181	PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Very Poor	322	PM _{2.5}	4
53	Gorakhpur	Satisfactory	79	PM _{2.5}	1
54	Greater Noida	Poor	228	PM _{2.5}	1
55	Gummidipoondi	Good	50	PM ₁₀	1
56	Gurugram	Poor	259	PM _{2.5}	3
57	Guwahati	Very Poor	315	PM _{2.5}	2
58	Gwalior	Poor	213	PM _{2.5}	1
59	Hajipur	Poor	215	PM _{2.5}	1
60	Haldia	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	253	PM _{2.5}	1
62	Hassan	Moderate	114	PM ₁₀	1
63	Hisar	Poor	269	PM _{2.5}	1
64	Howrah	Moderate	122	PM _{2.5} , PM ₁₀	2
65	Hubballi	Moderate	128	PM ₁₀	1
66	Hyderabad	Moderate	136	PM _{2.5} , PM ₁₀	6
67	Indore	Moderate	197	PM _{2.5}	1
68	Jabalpur	Moderate	177	PM ₁₀	1
69	Jaipur	Moderate	147	PM _{2.5} , PM ₁₀	3
70	Jalandhar	Moderate	121	PM ₁₀	1
71	Jhansi	Moderate	197	PM _{2.5}	1
72	Jind	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	147	PM _{2.5}	1
74	Kaithal	Poor	276	PM _{2.5}	1
75	Kalaburgi	Moderate	152	PM ₁₀	1
76	Kannur	Satisfactory	70	PM ₁₀	1
77	Kanpur	Moderate	184	PM _{2.5}	3
78	Karnal	Poor	244	PM _{2.5}	1
79	Katihar	Very Poor	370	PM _{2.5}	1
80	Katni	Moderate	164	PM ₁₀	1
81	Khanna	Moderate	150	PM ₁₀	1
82	Kishanganj	Very Poor	348	PM _{2.5}	1
83	Kochi	Moderate	156	PM _{2.5}	1
84	Kohima	Moderate	157	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Moderate	155	PM _{2.5}	1
86	Kolkata	Satisfactory	96	PM ₁₀	7
87	Kollam	Satisfactory	62	PM _{2.5}	1
88	Kota	Moderate	140	PM _{2.5}	1
89	Kozhikode	Satisfactory	55	PM ₁₀	1
90	Kurukshetra	Very Poor	325	PM _{2.5}	1
91	Lucknow	Moderate	199	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Poor	246	PM _{2.5}	1
93	Madikeri	Satisfactory	87	PM ₁₀	1
94	Mandi Gobindgarh	Moderate	165	PM _{2.5}	1
95	Mandideep	Moderate	119	PM ₁₀	1
96	Mandikhera	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Poor	281	PM _{2.5}	1
98	Manglore	Satisfactory	57	со	1
99	Manguraha	Moderate	156	03	1
100	Meerut	Very Poor	311	PM _{2.5}	3
101	Moradabad	Moderate	191	PM _{2.5}	4
102	Mumbai	Moderate	187	PM _{2.5}	17
103	Munger	Very Poor	312	PM ₁₀	1
104	Muzaffarnagar	Very Poor	318	PM _{2.5}	1
105	Muzaffarpur	Very Poor	310	PM _{2.5}	2
106	Mysuru	Satisfactory	72	PM ₁₀	1
107	Nagpur	Satisfactory	92	со	1
108	Naharlagun	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	177	PM _{2.5}	1
110	Nashik	Moderate	130	PM _{2.5}	1
111	Navi Mumbai	Poor	243	PM _{2.5}	2
112	Noida	Poor	268	PM _{2.5}	3
113	Pali	Satisfactory	89	PM ₁₀	1
114	Palwal	Moderate	148	PM ₁₀	1
115	Panchkula	Poor	296	PM _{2.5}	1
116	Panipat	Very Poor	308	PM _{2.5}	1
117	Patiala	Moderate	171	PM _{2.5}	1
118	Patna	Very Poor	316	PM _{2.5}	6
119	Pithampur	Satisfactory	76	PM ₁₀	1
120	Prayagraj	Moderate	161	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	84	PM _{2.5}	1
122	Pune	Moderate	168	PM _{2.5} , CO	6
123	Purnia	Poor	296	PM _{2.5}	1
124	Rajamahendravaram	Satisfactory	72	PM ₁₀	1
125	Ramanagara	Moderate	139	PM ₁₀	1
126	Ratlam	Moderate	155	PM _{2.5}	1
127	Rohtak	Very Poor	314	PM _{2.5}	1
128	Rupnagar	Poor	294	PM ₁₀	1
129	Sagar	Satisfactory	99	PM _{2.5}	1
130	Sasaram	Very Poor	330	PM _{2.5}	1
131	Satna	Satisfactory	58	PM ₁₀	1
132	Shillong	Satisfactory	75	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	94	03	1
134	Siliguri	Poor	263	PM _{2.5}	1
135	Singrauli	Poor	227	PM _{2.5}	1
136	Sirsa	Moderate	116	PM ₁₀	1
137	Sonipat	Poor	255	PM ₁₀	1
138	Srinagar	Good	39	PM ₁₀	1
139	Thane	Poor	262	PM ₁₀	1
140	Thiruvananthapuram	Satisfactory	74	PM _{2.5}	2
141	Thoothukudi	Satisfactory	83	PM ₁₀	1
142	Tirupati	Moderate	108	PM ₁₀	1
143	Udaipur	Satisfactory	85	PM ₁₀	1
144	Udupi	Satisfactory	54	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Moderate	148	PM ₁₀	1
146	Varanasi	Moderate	159	PM _{2.5} , PM ₁₀	4
147	Vatva	Satisfactory	92	PM ₁₀	1
148	Vijayapura	Good	50	PM ₁₀	1
149	Visakhapatnam	Moderate	101	PM ₁₀	1
150	Vrindavan	Moderate	179	PM _{2.5}	1
151	Yadgir	Satisfactory	99	PM ₁₀	1
152	Yamunanagar	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bettiah, Bhilai, Bidar, Chikkamagaluru, Gadag, Jorapokhar, Kalyan, Koppal, Maihar, Motihari, Nandesari, Raichur, Rajgir, Saharsa, Siwan, Solapur, Talcher, Thrissur, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.