

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	362	PM _{2.5}	2
2	Agra	Good	46	PM ₁₀	6
3	Ahmedabad	Moderate	126	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Moderate	104	PM ₁₀	1
5	Ajmer	Satisfactory	81	PM ₁₀	1
6	Alwar	Moderate	130	PM _{2.5}	1
7	Amaravati	Moderate	115	PM _{2.5}	1
8	Ambala	Satisfactory	94	PM _{2.5}	1
9	Amritsar	Moderate	133	PM _{2.5}	1
10	Anantapur	Satisfactory	70	O ₃	1
11	Ankleshwar	Moderate	129	PM _{2.5}	1
12	Araria	Very Poor	342	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Moderate	102	PM _{2.5}	1
14	Asansol	Very Poor	307	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	319	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	110	PM _{2.5}	1
17	Bagalkot	Good	50	PM ₁₀	1
18	Bahadurgarh	Moderate	156	PM _{2.5}	1
19	Ballabgarh	Moderate	124	СО	1
20	Bareilly	Satisfactory	54	PM ₁₀	2
21	Baripada	Poor	211	O ₃	1
22	Belgaum	Moderate	165	PM _{2.5}	1
23	Bengaluru	Moderate	120	PM _{2.5} , CO	9
24	Bettiah	Very Poor	381	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Very Poor	390	PM _{2.5}	2
26	Bhilai	Satisfactory	90	PM ₁₀ , O ₃	3
27	Bhiwadi	Moderate	160	PM ₁₀	1
28	Bhiwani	Moderate	158	PM _{2.5}	1
29	Bhopal	Moderate	174	PM _{2.5}	2
30	Bidar	Satisfactory	79	со	1
31	Bihar Sharif	Very Poor	307	PM _{2.5}	1
32	Bileipada	Poor	293	PM _{2.5}	1
33	Brajrajnagar	Moderate	118	PM ₁₀	1
34	Bulandshahr	Poor	228	PM _{2.5}	1
35	Byrnihat	Very Poor	368	PM _{2.5}	1
36	Chamarajanagar	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat,
 Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga,
 Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur,
 Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur,
 Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	192	PM _{2.5}	3
38	Chandrapur	Satisfactory	98	O ₃ , PM _{2.5}	2
39	Charkhi Dadri	Poor	263	PM _{2.5}	1
40	Chengalpattu	Moderate	167	PM _{2.5}	1
41	Chennai	Moderate	159	PM _{2.5}	8
42	Chhapra	Very Poor	374	PM ₁₀	1
43	Chikkaballapur	Moderate	125	PM ₁₀	1
44	Chikkamagaluru	Satisfactory	64	PM ₁₀	1
45	Coimbatore	Moderate	148	PM _{2.5}	1
46	Damoh	Satisfactory	95	PM _{2.5}	1
47	Dehradun	Satisfactory	56	PM ₁₀	1
48	Delhi	Poor	298	PM _{2.5}	39

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	186	PM _{2.5}	1
50	Dharuhera	Poor	296	PM _{2.5}	1
51	Durgapur	Poor	245	PM _{2.5}	1
52	Faridabad	Very Poor	320	PM _{2.5}	4
53	Firozabad	Satisfactory	86	PM ₁₀ , PM _{2.5}	2
54	Gandhinagar	Moderate	121	PM _{2.5} , PM ₁₀	3
55	Gangtok	Satisfactory	65	PM _{2.5}	1
56	Gaya	Very Poor	340	PM _{2.5}	3
57	Ghaziabad	Poor	238	PM _{2.5} , PM ₁₀	4
58	Gorakhpur	Moderate	115	PM ₁₀	1
59	Greater Noida	Very Poor	304	PM _{2.5}	2
60	Gummidipoondi	Moderate	152	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Poor	254	PM _{2.5}	4
62	Guwahati	Poor	282	PM _{2.5}	3
63	Gwalior	Poor	271	PM _{2.5}	3
64	Hajipur	Very Poor	314	PM _{2.5}	1
65	Haldia	Moderate	129	PM ₁₀	1
66	Hapur	Satisfactory	85	PM _{2.5}	1
67	Hassan	Satisfactory	75	PM ₁₀	1
68	Haveri	Satisfactory	75	PM _{2.5}	1
69	Hisar	Moderate	126	PM _{2.5}	1
70	Hosur	Moderate	121	со	1
71	Howrah	Poor	271	PM _{2.5}	3
72	Hubballi	Satisfactory	92	PM _{2.5}	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	85	PM ₁₀	12
74	Imphal	Moderate	136	PM _{2.5} , SO ₂	2
75	Indore	Moderate	135	PM ₁₀	1
76	Jabalpur	Moderate	165	PM _{2.5}	1
77	Jaipur	Poor	204	PM _{2.5}	3
78	Jalandhar	Satisfactory	74	PM ₁₀	1
79	Jhansi	Satisfactory	95	PM ₁₀	1
80	Jind	Moderate	125	PM _{2.5}	1
81	Jodhpur	Satisfactory	90	PM ₁₀	1
82	Jorapokhar	Poor	214	PM ₁₀	1
83	Kadapa	Moderate	144	PM _{2.5}	1
84	Kaithal	Moderate	124	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Satisfactory	61	PM _{2.5}	1
86	Kalyan	Moderate	187	PM ₁₀	1
87	Kanchipuram	Satisfactory	96	PM ₁₀	1
88	Kanpur	Satisfactory	56	PM ₁₀ , NO ₂	3
89	Karnal	Moderate	104	PM _{2.5}	1
90	Katihar	Very Poor	382	PM ₁₀	1
91	Keonjhar	Poor	206	PM _{2.5}	1
92	Khanna	Satisfactory	70	PM ₁₀	1
93	Khurja	Moderate	199	PM _{2.5}	1
94	Kochi	Moderate	101	PM _{2.5}	1
95	Kohima	Moderate	122	PM _{2.5}	1
96	Kolkata	Poor	208	PM _{2.5}	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Satisfactory	74	PM ₁₀	1
98	Korba	Moderate	152	PM ₁₀	2
99	Kota	Poor	244	PM _{2.5}	1
100	Kozhikode	Satisfactory	75	PM _{2.5}	1
101	Kurukshetra	Moderate	112	PM _{2.5}	1
102	Lucknow	Satisfactory	62	PM ₁₀ , PM _{2.5}	6
103	Ludhiana	Moderate	101	PM _{2.5}	1
104	Madikeri	Good	37	PM _{2.5}	1
105	Maihar	Moderate	105	PM ₁₀	1
106	Mandi Gobindgarh	Moderate	151	PM _{2.5}	1
107	Mandideep	Satisfactory	81	PM _{2.5}	1
108	Mandikhera	Moderate	124	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Poor	208	PM _{2.5}	1
110	Mangalore	Moderate	118	PM ₁₀	1
111	Manguraha	Moderate	141	PM ₁₀	1
112	Meerut	Poor	296	PM _{2.5}	3
113	Moradabad	Satisfactory	57	CO, PM ₁₀	6
114	Motihari	Very Poor	313	PM ₁₀	1
115	Mumbai	Poor	232	PM _{2.5} , PM ₁₀	19
116	Munger	Very Poor	351	PM _{2.5}	1
117	Muzaffarnagar	Poor	292	PM _{2.5}	1
118	Muzaffarpur	Very Poor	377	PM _{2.5}	2
119	Nagpur	Moderate	138	PM _{2.5}	1
120	Naharlagun	Satisfactory	58	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nalbari	Poor	266	PM _{2.5}	1
122	Nandesari	Good	46	PM _{2.5}	1
123	Narnaul	Moderate	184	PM _{2.5}	1
124	Nashik	Moderate	103	PM _{2.5}	1
125	Navi Mumbai	Moderate	179	PM ₁₀	3
126	Nayagarh	Poor	206	PM _{2.5}	1
127	Noida	Poor	283	PM _{2.5}	4
128	Ooty	Good	49	PM ₁₀	1
129	Pali	Satisfactory	90	PM _{2.5}	1
130	Palwal	Satisfactory	71	PM _{2.5}	1
131	Panchkula	Moderate	188	PM _{2.5}	1
132	Panipat	Satisfactory	93	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Satisfactory	67	PM ₁₀	1
134	Patna	Very Poor	333	PM ₁₀ , PM _{2.5}	6
135	Pithampur	Poor	270	PM _{2.5}	1
136	Prayagraj	Moderate	128	PM _{2.5} , PM ₁₀	3
137	Puducherry	Moderate	109	PM _{2.5}	1
138	Pune	Poor	211	PM _{2.5} , PM ₁₀	5
139	Purnia	Severe	411	PM _{2.5}	1
140	Raipur	Moderate	106	PM ₁₀	4
141	Rairangpur	Poor	221	PM _{2.5}	1
142	Rajamahendravaram	Moderate	187	PM _{2.5}	1
143	Rajgir	Very Poor	351	PM _{2.5}	1
144	Ramanagara	Satisfactory	76	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanathapuram	Satisfactory	100	PM _{2.5}	1
146	Ratlam	Moderate	150	PM _{2.5}	1
147	Rohtak	Moderate	149	PM _{2.5}	1
148	Rourkela	Moderate	171	PM _{2.5}	3
149	Rupnagar	Satisfactory	97	PM ₁₀	1
150	Sagar	Moderate	116	PM _{2.5} , CO	2
151	Saharsa	Severe	412	PM _{2.5}	1
152	Salem	Satisfactory	97	SO ₂	1
153	Samastipur	Very Poor	377	PM _{2.5}	1
154	Sasaram	Very Poor	309	PM _{2.5}	1
155	Satna	Satisfactory	71	PM _{2.5}	1
156	Shillong	Moderate	148	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Good	38	PM ₁₀	1
158	Siliguri	Moderate	133	PM _{2.5}	1
159	Singrauli	Very Poor	313	PM _{2.5}	1
160	Sirsa	Satisfactory	98	PM ₁₀	1
161	Sivasagar	Satisfactory	69	PM ₁₀	1
162	Siwan	Very Poor	375	PM _{2.5}	1
163	Solapur	Moderate	106	PM ₁₀	1
164	Sonipat	Moderate	148	PM ₁₀	1
165	Srinagar	Good	26	PM ₁₀	1
166	Suakati	Moderate	193	PM _{2.5}	1
167	Surat	Poor	223	PM _{2.5}	1
168	Talcher	Satisfactory	76	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tensa	Moderate	113	PM _{2.5}	1
170	Thiruvananthapuram	Good	44	PM ₁₀	2
171	Thoothukudi	Satisfactory	67	PM ₁₀	1
172	Thrissur	Moderate	116	PM _{2.5}	1
173	Tirupati	Moderate	117	PM _{2.5}	1
174	Tirupur	Satisfactory	84	PM ₁₀	1
175	Udaipur	Moderate	108	PM ₁₀	1
176	Ujjain	Poor	251	PM _{2.5}	1
177	Vapi	Very Poor	323	PM _{2.5}	1
178	Varanasi	Satisfactory	70	PM ₁₀ , PM _{2.5}	4
179	Vatva	Satisfactory	97	PM ₁₀	1
180	Vijayapura	Good	46	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayawada	Moderate	108	СО	1
182	Visakhapatnam	Poor	284	PM _{2.5}	1
183	Vrindavan	Moderate	192	PM ₁₀	1
184	Yadgir	Satisfactory	55	PM ₁₀	1
185	Yamunanagar	Moderate	114	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baddi, Baghpat, Notes: Bathinda, Begusarai, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Fatehabad, Gadag, Kannur, Katni, Kishanganj, Kolar, Koppal, Kunjemura, Milupara, Mysuru, Raichur, Silchar, Thane, Tumakuru, Tumidih, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.