



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	2
2	Agra	Moderate	155	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	120	PM <sub>10</sub> , PM <sub>2.5</sub>	8
4	Aizawl	Good	50	PM <sub>10</sub>	1
5	Ajmer	Moderate	106	PM <sub>10</sub>	1
6	Alwar	Moderate	129	PM <sub>10</sub>	1
7	Amaravati	Good	26	O <sub>3</sub>	1
8	Ambala	Moderate	143	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	72	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	168	PM <sub>2.5</sub>	1
11	Araria	Moderate	151	O <sub>3</sub>	1
12	Asansol	Poor	209	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	214	PM <sub>10</sub>	1
14	Aurangabad	Moderate	117	PM <sub>10</sub>	1
15	Baddi	Moderate	123	PM <sub>2.5</sub>	1
16	Bagalkot	Good	50	PM <sub>2.5</sub>	1
17	Baghpat	Moderate	194	PM <sub>10</sub>	1
18	Bahadurgarh	Moderate	170	PM <sub>10</sub>	1
19	Ballabgarh	Moderate	126	PM <sub>10</sub>	1
20	Bathinda	Satisfactory	67	PM <sub>10</sub>	1
21	Bengaluru	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	8
22	Bhagalpur	Moderate	156	PM <sub>10</sub> , PM <sub>2.5</sub>	2
23	Bhiwadi	Moderate	180	PM <sub>2.5</sub>	1
24	Bhiwani	Moderate	115	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	192	O <sub>3</sub>	1
26	Bihar Sharif	Poor	213	PM <sub>10</sub>	1
27	Bilaspur	Satisfactory	58	PM <sub>10</sub>	1
28	Brajrajnagar	Satisfactory	65	O <sub>3</sub>	1
29	Bulandshahr	Poor	218	PM <sub>10</sub>	1
30	Buxar	Poor	202	PM <sub>10</sub>	1
31	Chamarajanagar	Good	44	PM <sub>10</sub>	1
32	Chandigarh	Moderate	109	O <sub>3</sub> , PM <sub>10</sub>	3
33	Chandrapur	Moderate	116	PM <sub>10</sub> , PM <sub>2.5</sub>	2
34	Charkhi Dadri	Moderate	180	PM <sub>2.5</sub>	1
35	Chennai	Good	44	CO, NO <sub>2</sub> , PM <sub>10</sub>	8
36	Chikkaballapur	Satisfactory	96	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	48	PM <sub>10</sub>	1
38	Damoh	Satisfactory	77	PM <sub>10</sub>	1
39	Darbhanga	Moderate	139	PM <sub>10</sub>	1
40	Davanagere	Satisfactory	72	PM <sub>10</sub>	1
41	Delhi	Poor	204	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	38
42	Dewas	Moderate	121	PM <sub>10</sub>	1
43	Durgapur	Moderate	126	PM <sub>10</sub>	1
44	Eloor	Satisfactory	65	PM <sub>10</sub>	1
45	Ernakulam	Satisfactory	61	PM <sub>10</sub>	1
46	Faridabad	Poor	256	PM <sub>2.5</sub> , PM <sub>10</sub>	3
47	Fatehabad	Poor	294	PM <sub>2.5</sub>	1
48	Firozabad	Moderate	106	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	3
50	Gangtok	Satisfactory	77	O <sub>3</sub>	1
51	Gaya	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	2
52	Ghaziabad	Poor	254	PM <sub>10</sub> , O <sub>3</sub>	3
53	Gorakhpur	Good	48	PM <sub>10</sub>	1
54	Greater Noida	Poor	269	PM <sub>10</sub> , O <sub>3</sub>	2
55	Gummidipoondi	Good	23	PM <sub>10</sub>	1
56	Gurugram	Poor	219	PM <sub>10</sub>	2
57	Guwahati	Satisfactory	88	PM <sub>10</sub>	2
58	Gwalior	Moderate	170	PM <sub>10</sub>	1
59	Hajipur	Moderate	143	PM <sub>2.5</sub>	1
60	Haldia	Good	34	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonipat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	260	PM <sub>10</sub>	1
62	Hassan	Satisfactory	94	PM <sub>10</sub>	1
63	Haveri	Satisfactory	100	CO	1
64	Howrah	Satisfactory	57	PM <sub>10</sub>	3
65	Hubballi	Satisfactory	69	PM <sub>10</sub>	1
66	Hyderabad	Satisfactory	95	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	5
67	Imphal	Satisfactory	58	SO <sub>2</sub> , PM <sub>10</sub>	2
68	Indore	Moderate	189	O <sub>3</sub>	1
69	Jabalpur	Moderate	184	PM <sub>10</sub>	1
70	Jaipur	Moderate	123	PM <sub>10</sub> , PM <sub>2.5</sub>	3
71	Jalandhar	Satisfactory	80	PM <sub>10</sub>	1
72	Jhansi	Poor	215	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Poor	207	PM <sub>10</sub>	1
74	Jodhpur	Moderate	198	PM <sub>2.5</sub>	1
75	Kaithal	Poor	213	PM <sub>10</sub>	1
76	Kalyan	Moderate	198	PM <sub>2.5</sub>	1
77	Kannur	Satisfactory	82	PM <sub>10</sub>	1
78	Kanpur	Moderate	147	PM <sub>10</sub> , PM <sub>2.5</sub>	3
79	Karnal	Moderate	137	PM <sub>10</sub>	1
80	Katihar	Poor	208	PM <sub>2.5</sub>	1
81	Katni	Moderate	199	PM <sub>10</sub>	1
82	Khanna	Satisfactory	87	PM <sub>10</sub>	1
83	Kishanganj	Moderate	101	PM <sub>10</sub>	1
84	Kochi	Moderate	129	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	66	PM <sub>10</sub>	1
86	Kolkata	Satisfactory	81	O <sub>3</sub> , PM <sub>10</sub>	7
87	Kollam	Satisfactory	92	PM <sub>10</sub>	1
88	Koppal	Good	50	PM <sub>10</sub>	1
89	Kota	Moderate	154	PM <sub>2.5</sub>	1
90	Kozhikode	Satisfactory	57	PM <sub>10</sub>	1
91	Kurukshetra	Moderate	166	PM <sub>10</sub>	1
92	Lucknow	Poor	253	PM <sub>2.5</sub> , PM <sub>10</sub>	6
93	Ludhiana	Satisfactory	94	PM <sub>10</sub>	1
94	Madikeri	Satisfactory	65	PM <sub>10</sub>	1
95	Mandi Gobindgarh	Moderate	138	PM <sub>2.5</sub>	1
96	Mandideep	Moderate	117	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	98	PM <sub>10</sub>	1
98	Manglore	Satisfactory	60	CO	1
99	Meerut	Poor	212	PM <sub>10</sub>	3
100	Moradabad	Moderate	165	PM <sub>10</sub>	4
101	Motihari	Moderate	158	O <sub>3</sub>	1
102	Mumbai	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	17
103	Munger	Good	47	O <sub>3</sub>	1
104	Muzaffarpur	Moderate	134	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
105	Mysuru	Satisfactory	60	PM <sub>10</sub>	1
106	Nagpur	Moderate	186	PM <sub>2.5</sub>	1
107	Narnaul	Moderate	101	PM <sub>2.5</sub>	1
108	Navi Mumbai	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	241	PM <sub>10</sub>	3
110	Pali	Moderate	175	PM <sub>10</sub>	1
111	Palwal	Moderate	139	PM <sub>10</sub>	1
112	Panchkula	Moderate	128	PM <sub>2.5</sub>	1
113	Patiala	Moderate	119	PM <sub>10</sub>	1
114	Patna	Moderate	173	PM <sub>2.5</sub> , PM <sub>10</sub>	6
115	Pithampur	Moderate	121	PM <sub>10</sub>	1
116	Prayagraj	Moderate	140	PM <sub>10</sub>	3
117	Pune	Moderate	163	PM <sub>2.5</sub>	7
118	Rajamahendravaram	Good	31	PM <sub>10</sub>	1
119	Rajgir	Moderate	126	PM <sub>10</sub>	1
120	Ramanagara	Moderate	120	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	148	PM <sub>2.5</sub>	1
122	Rohtak	Moderate	140	PM <sub>2.5</sub>	1
123	Rupnagar	Satisfactory	98	PM <sub>10</sub>	1
124	Sagar	Moderate	121	PM <sub>2.5</sub>	1
125	Saharsa	Poor	252	PM <sub>10</sub>	1
126	Sasaram	Moderate	155	O <sub>3</sub>	1
127	Satna	Satisfactory	66	PM <sub>10</sub>	1
128	Shillong	Good	50	PM <sub>10</sub> , O <sub>3</sub>	2
129	Shivamogga	Satisfactory	58	O <sub>3</sub>	1
130	Siliguri	Satisfactory	65	PM <sub>10</sub>	1
131	Singrauli	Poor	240	PM <sub>10</sub>	1
132	Siwan	Poor	236	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Talcher	Satisfactory	55	O <sub>3</sub>	1
134	Thiruvananthapuram	Satisfactory	54	PM <sub>10</sub> , CO	2
135	Thoothukudi	Satisfactory	72	PM <sub>10</sub>	1
136	Thrissur	Satisfactory	88	PM <sub>2.5</sub>	1
137	Tirupati	Satisfactory	55	PM <sub>10</sub>	1
138	Udaipur	Moderate	134	PM <sub>10</sub>	1
139	Udupi	Satisfactory	64	O <sub>3</sub>	1
140	Ujjain	Poor	224	PM <sub>2.5</sub>	1
141	Varanasi	Moderate	103	PM <sub>10</sub>	4
142	Vatva	Satisfactory	92	PM <sub>10</sub>	1
143	Vijayapura	Good	47	PM <sub>10</sub>	1
144	Visakhapatnam	Satisfactory	63	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonapat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vrindavan	Moderate	161	PM <sub>10</sub>	1
146	Yadgir	Satisfactory	79	PM <sub>10</sub>	1
147	Yamunanagar	Moderate	171	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arrah, Begusarai, Bettiah, Bhilai, Bidar, Chhapra, Coimbatore, Dharuhera, Gadag, Hisar, Jorapokhar, Kalaburgi, Kolar, Maihar, Manesar, Manguraha, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Panipat, Puducherry, Purnia, Raichur, Samastipur, Sirsa, Solapur, Sonipat, Srinagar, Thane, Vapi as data was not available.  
# Some stations have data available at 3PM  
\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.  
\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.