

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	63	PM _{2.5}	1
2	Agra	Good	39	PM ₁₀	5
3	Ahmedabad	Satisfactory	93	CO, PM ₁₀	7
4	Aizawl	Good	14	PM ₁₀	1
5	Ajmer	Satisfactory	64	NO ₂	1
6	Akola	Good	45	PM ₁₀	1
7	Alwar	Satisfactory	53	NO ₂	1
8	Ambala	Satisfactory	89	со	1
9	Amravati	Good	38	PM ₁₀	2
10	Amritsar	Satisfactory	78	PM _{2.5}	1
11	Anantapur	Good	50	PM ₁₀	1
12	Ankleshwar	Moderate	138	03	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Satisfactory	55	СО	1
14	Ariyalur	Good	35	PM ₁₀	1
15	Arrah	Satisfactory	91	PM ₁₀	1
16	Asansol	Good	42	PM _{2.5}	1
17	Aurangabad (Bihar)	Good	50	03	1
18	Aurangabad (Maharashtra)	Good	42	со	3
19	Baddi	Satisfactory	96	PM ₁₀	1
20	Badlapur	Good	27	PM ₁₀	1
21	Bagalkot	Good	46	PM ₁₀	1
22	Baghpat	Satisfactory	53	со	1
23	Ballabgarh	Good	32	PM ₁₀	1
24	Banswara	Satisfactory	71	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Satisfactory	69	PM _{2.5}	1
26	Bareilly	Good	38	со	1
27	Baripada	Good	37	PM ₁₀	1
28	Barmer	Good	45	PM ₁₀	1
29	Bathinda	Satisfactory	64	PM ₁₀	1
30	Belapur	Good	30	PM ₁₀	1
31	Bengaluru	Satisfactory	54	PM ₁₀	9
32	Bhagalpur	Satisfactory	80	со	2
33	Bhilai	Good	22	PM ₁₀	3
34	Bhiwadi	Good	45	PM ₁₀	1
35	Bhiwandi	Good	32	PM ₁₀	1
36	Bhopal	Satisfactory	65	со	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Satisfactory	83	03	1
38	Bikaner	Good	44	PM ₁₀	1
39	Bilaspur	Satisfactory	83	со	1
40	Bileipada	Satisfactory	91	PM ₁₀	1
41	Bulandshahr	Good	28	PM ₁₀	1
42	Bundi	Satisfactory	88	PM ₁₀	1
43	Byrnihat	Satisfactory	70	PM ₁₀	1
44	Chamarajanagar	Good	45	PM ₁₀	1
45	Chandigarh	Satisfactory	63	03	3
46	Chandrapur	Good	41	PM ₁₀	1
47	Charkhi Dadri	Good	32	PM ₁₀	1
48	Chennai	Satisfactory	96	PM ₁₀ , NO ₂	6

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Good	34	со	1
50	Chhapra	Satisfactory	93	со	1
51	Chikkaballapur	Good	27	03	1
52	Chikkamagaluru	Good	35	со	1
53	Chittoor	Good	26	03	1
54	Churu	Good	38	PM ₁₀	1
55	Cuddalore	Moderate	122	NO ₂	2
56	Damoh	Good	24	PM ₁₀	1
57	Dausa	Satisfactory	61	со	1
58	Davanagere	Good	30	PM ₁₀	1
59	Dehradun	Satisfactory	53	03	1
60	Delhi	Satisfactory	59	СО	35

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Good	33	PM ₁₀	1
62	Dharwad	Satisfactory	68	PM ₁₀	1
63	Dholpur	Good	36	03	1
64	Durgapur	Good	45	PM ₁₀	1
65	Faridabad	Satisfactory	61	CO, PM ₁₀	4
66	Fatehabad	Moderate	114	03	1
67	Firozabad	Good	30	PM ₁₀	2
68	Gadag	Good	46	SO ₂	1
69	Gandhinagar	Satisfactory	56	PM ₁₀	2
70	Gangtok	Satisfactory	55	SO ₂	1
71	Gaya	Satisfactory	58	03	3
72	Ghaziabad	Good	44	СО	4

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Satisfactory	72	SO ₂	1
74	Greater Noida	Good	38	CO, PM _{2.5}	2
75	Gummidipoondi	Moderate	155	PM _{2.5}	1
76	Gurugram	Satisfactory	64	PM ₁₀ , CO	3
77	Guwahati	Satisfactory	55	CO, SO ₂	4
78	Gwalior	Good	43	O ₃ , CO	4
79	Hajipur	Satisfactory	75	O ₃	1
80	Haldia	Good	31	со	1
81	Hanumangarh	Good	35	PM ₁₀	1
82	Hassan	Good	41	SO ₂	1
83	Haveri	Good	38	со	1
84	Hisar	Satisfactory	70	03	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Good	39	NO ₂ , PM ₁₀	3
86	Hyderabad	Satisfactory	60	PM ₁₀ , NO ₂	13
87	Indore	Satisfactory	59	PM ₁₀	1
88	Jabalpur	Good	41	O ₃ , PM ₁₀	3
89	Jaipur	Satisfactory	62	PM _{2.5} , PM ₁₀	5
90	Jaisalmer	Satisfactory	63	PM ₁₀	1
91	Jalandhar	Satisfactory	65	PM ₁₀	1
92	Jalgaon	Satisfactory	70	PM ₁₀	1
93	Jhalawar	Good	39	PM ₁₀	1
94	Jhansi	Satisfactory	58	PM _{2.5}	1
95	Jhunjhunu	Satisfactory	82	O ₃	1
96	Jind	Satisfactory	68	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Good	41	PM ₁₀	4
98	Kaithal	Good	30	PM _{2.5}	1
99	Kalaburgi	Good	35	PM ₁₀	1
100	Kalyan	Satisfactory	71	со	1
101	Kannur	Satisfactory	69	PM ₁₀	1
102	Kanpur	Satisfactory	56	PM ₁₀	2
103	Karauli	Satisfactory	55	03	1
104	Karnal	Good	39	PM ₁₀	1
105	Kashipur	Good	45	PM ₁₀	1
106	Katihar	Satisfactory	82	со	1
107	Katni	Good	42	PM ₁₀	1
108	Keonjhar	Satisfactory	59	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Good	47	PM ₁₀	1
110	Khurja	Satisfactory	53	SO ₂	1
111	Kochi	Satisfactory	81	PM ₁₀	1
112	Kohima	Good	47	SO ₂	1
113	Kolar	Good	40	PM ₁₀	1
114	Kolhapur	Good	32	PM ₁₀	2
115	Kolkata	Good	32	O ₃ , PM ₁₀	7
116	Kollam	Satisfactory	80	PM ₁₀	1
117	Koppal	Good	24	SO ₂	1
118	Korba	Good	32	NO ₂	2
119	Kota	Satisfactory	53	PM _{2.5}	3
120	Kunjemura	Good	34	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Good	43	03	1
122	Latur	Good	45	PM ₁₀	1
123	Lucknow	Satisfactory	66	PM ₁₀	6
124	Ludhiana	Satisfactory	74	PM ₁₀	1
125	Madikeri	Good	34	PM ₁₀	1
126	Mahad	Good	29	PM ₁₀	1
127	Maihar	Good	31	со	1
128	Mandi Gobindgarh	Satisfactory	57	PM _{2.5}	1
129	Mandideep	Good	35	PM ₁₀	1
130	Mandikhera	Good	28	PM ₁₀	1
131	Manesar	Satisfactory	81	PM ₁₀	1
132	Mangalore	Satisfactory	60	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Satisfactory	61	СО	3
134	Moradabad	Satisfactory	66	PM _{2.5}	6
135	Motihari	Good	47	PM ₁₀	1
136	Mumbai	Satisfactory	51	CO, PM ₁₀	17
137	Munger	Moderate	109	PM ₁₀	1
138	Muzaffarpur	Satisfactory	75	CO, PM _{2.5}	3
139	Mysuru	Satisfactory	56	PM ₁₀	1
140	Nagaon	Good	36	PM ₁₀	1
141	Nagaur	Satisfactory	67	03	1
142	Nagpur	Good	32	PM ₁₀	4
143	Nalbari	Satisfactory	51	PM ₁₀	1
144	Nanded	Good	49	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Satisfactory	64	SO ₂	1
146	Nashik	Good	23	PM ₁₀	3
147	Navi Mumbai	Good	49	CO, PM ₁₀	7
148	Nayagarh	Satisfactory	58	NO ₂	1
149	Noida	Satisfactory	60	NO ₂ , CO	4
150	Ooty	Satisfactory	51	SO ₂	1
151	Pali	Moderate	109	PM ₁₀	1
152	Palkalaiperur	Satisfactory	66	SO ₂	1
153	Palwal	Moderate	160	03	1
154	Panchkula	Satisfactory	53	O ₃	1
155	Panipat	Good	33	PM ₁₀	1
156	Parbhani	Good	36	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patiala	Good	37	PM ₁₀	1
158	Patna	Satisfactory	90	PM _{2.5} , NO ₂	6
159	Pimpri Chinchwad	Good	33	CO, PM ₁₀	3
160	Pithampur	Satisfactory	76	PM ₁₀	1
161	Pratapgarh	Satisfactory	63	PM ₁₀	1
162	Prayagraj	Satisfactory	72	PM ₁₀	3
163	Puducherry	Satisfactory	68	PM ₁₀	1
164	Pune	Satisfactory	78	NO ₂ , PM ₁₀	5
165	Purnia	Satisfactory	62	со	1
166	Raipur	Good	42	PM ₁₀ , NO ₂	4
167	Rajamahendravaram	Good	33	PM ₁₀	1
168	Rajgir	Good	43	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajsamand	Satisfactory	65	со	1
170	Ramanagara	Good	46	NO ₂	1
171	Ramanathapuram	Satisfactory	55	PM ₁₀	1
172	Ratlam	Good	44	PM ₁₀	1
173	Rishikesh	Good	38	со	1
174	Rohtak	Good	39	03	1
175	Rourkela	Satisfactory	78	PM ₁₀	2
176	Rupnagar	Satisfactory	73	PM ₁₀	1
177	Sagar	Good	28	со	1
178	Saharsa	Good	48	PM ₁₀	1
179	Salem	Good	33	PM ₁₀	1
180	Samastipur	Satisfactory	98	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Good	33	PM ₁₀	1
182	Sasaram	Satisfactory	53	PM ₁₀	1
183	Satna	Satisfactory	80	PM ₁₀	1
184	Sawai Madhopur	Good	46	O ₃	1
185	Shillong	Good	20	PM ₁₀ , SO ₂	2
186	Shivamogga	Good	43	PM ₁₀	1
187	Sikar	Good	39	O ₃	1
188	Silchar	Good	30	СО	1
189	Siliguri	Good	35	PM ₁₀	1
190	Singrauli	Moderate	177	NO ₂	1
191	Sirohi	Good	31	PM ₁₀	1
192	Sirsa	Good	30	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sivasagar	Good	14	NO ₂	1
194	Solapur	Good	47	PM ₁₀	3
195	Sri Ganganagar	Moderate	124	PM ₁₀	1
196	Srinagar	Satisfactory	59	PM ₁₀	1
197	Suakati	Satisfactory	52	PM ₁₀	1
198	Talcher	Good	40	NO ₂	1
199	Tensa	Satisfactory	54	PM ₁₀	1
200	Thane	Good	50	PM ₁₀ , CO	3
201	Thiruvananthapuram	Good	30	CO, PM ₁₀	2
202	Thoothukudi	Satisfactory	79	PM ₁₀	1
203	Thrissur	Satisfactory	54	PM ₁₀	1
204	Tirupati	Satisfactory	66	PM _{2.5} , PM ₁₀	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tonk	Satisfactory	72	PM ₁₀	1
206	Tumakuru	Satisfactory	52	со	1
207	Tumidih	Good	29	03	1
208	Ujjain	Satisfactory	66	PM ₁₀	1
209	Ulhasnagar	Good	38	PM ₁₀	1
210	Vapi	Moderate	104	со	1
211	Varanasi	Good	34	PM ₁₀	4
212	Vatva	Satisfactory	79	PM ₁₀	1
213	Vijayapura	Good	46	PM ₁₀	1
214	Vijayawada	Good	43	O ₃	1
215	Visakhapatnam	Satisfactory	69	PM ₁₀	1
216	Vrindavan	Good	27	SO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Good	26	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Bahadurgarh, Begusarai, Belgaum, Bettiah, Bharatpur, Bhilwara, Bhiwani,

Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Notes:

Notes:

Hosur, Hubballi, Imphal, Jalna, Jorapokhar, Kadapa, Kanchipuram,
Kishanganj, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar,
Muzaffarnagar, Naharlagun, Nandesari, Raichur, Rairangpur, Siwan, Sonipat,
Surat, Tirupur, Udaipur, Udupi, Virar, Yamunanagar, vellore as data was
not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.