

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	46	PM ₁₀	2
2	Agra	Poor	210	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	96	PM _{2.5} , PM ₁₀ , CO	6
4	Aizawl	Satisfactory	67	PM ₁₀	1
5	Ajmer	Poor	207	PM _{2.5}	1
6	Alwar	Moderate	157	PM ₁₀	1
7	Amaravati	Satisfactory	76	O ₃	1
8	Ambala	Moderate	179	PM ₁₀	1
9	Amritsar	Poor	210	PM _{2.5}	1
10	Ankleshwar	Satisfactory	51	NO ₂	1
11	Araria	Moderate	172	PM _{2.5}	1
12	Arrah	Moderate	151	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	81	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	199	PM ₁₀	1
15	Aurangabad (Maharashtra)	Moderate	173	PM _{2.5}	1
16	Baddi	Moderate	200	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Bahadurgarh	Very Poor	377	PM _{2.5}	1
19	Ballabgarh	Poor	213	PM ₁₀	1
20	Bareilly	Poor	242	PM ₁₀	1
21	Bathinda	Moderate	137	PM ₁₀	1
22	Begusarai	Satisfactory	88	PM ₁₀	1
23	Bengaluru	Satisfactory	59	PM ₁₀	8
24	Bettiah	Satisfactory	58	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Moderate	146	PM ₁₀	2
26	Bhiwadi	Very Poor	367	PM _{2.5}	1
27	Bhiwani	Very Poor	343	PM _{2.5}	1
28	Bhopal	Moderate	148	PM ₁₀	1
29	Bihar Sharif	Poor	292	PM ₁₀	1
30	Bilaspur	Satisfactory	53	PM ₁₀	1
31	Bulandshahr	Severe	408	PM ₁₀	1
32	Buxar	Poor	229	PM _{2.5}	1
33	Chamarajanagar	Good	38	PM ₁₀	1
34	Chandigarh	Moderate	175	PM ₁₀ , O ₃	3
35	Chandrapur	Moderate	102	PM ₁₀	2
36	Charkhi Dadri	Very Poor	350	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Satisfactory	68	PM ₁₀ , CO, PM _{2.5}	6
38	Chhapra	Moderate	145	PM ₁₀	1
39	Chikkaballapur	Good	39	03	1
40	Chikkamagaluru	Good	47	PM ₁₀	1
41	Coimbatore	Good	32	со	1
42	Damoh	Satisfactory	81	PM ₁₀	1
43	Davanagere	Good	22	PM ₁₀	1
44	Dehradun	Moderate	173	03	1
45	Delhi	Very Poor	346	PM ₁₀	34
46	Dewas	Moderate	103	PM ₁₀	1
47	Dharuhera	Very Poor	388	PM ₁₀	1
48	Durgapur	Moderate	113	PM ₁₀	1

Possible Health Impacts

od Minimal Impact

Jood	William Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	53	PM _{2.5}	1
50	Ernakulam	Good	37	со	1
51	Faridabad	Very Poor	389	PM _{2.5} , PM ₁₀	3
52	Fatehabad	Very Poor	304	PM _{2.5}	1
53	Firozabad	Moderate	173	PM ₁₀ , O ₃	2
54	Gandhinagar	Satisfactory	86	PM _{2.5} , PM ₁₀	3
55	Gangtok	Good	22	PM ₁₀	1
56	Gaya	Moderate	158	O ₃ , PM _{2.5} , PM ₁₀	3
57	Ghaziabad	Very Poor	375	PM ₁₀	4
58	Gorakhpur	Good	47	03	1
59	Greater Noida	Very Poor	382	PM ₁₀	2
60	Gurugram	Very Poor	396	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Satisfactory	66	PM ₁₀	1
62	Gwalior	Poor	218	PM ₁₀	1
63	Hajipur	Moderate	128	PM _{2.5}	1
64	Haldia	Satisfactory	65	PM ₁₀	1
65	Hapur	Severe	421	PM ₁₀	1
66	Hassan	Satisfactory	57	PM ₁₀	1
67	Howrah	Satisfactory	85	PM ₁₀	3
68	Hubballi	Good	50	со	1
69	Hyderabad	Satisfactory	88	O ₃ , PM ₁₀	11
70	Imphal	Satisfactory	80	SO ₂ , PM ₁₀	2
71	Indore	Satisfactory	74	PM ₁₀	1
72	Jabalpur	Moderate	163	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Poor	240	PM ₁₀ , PM _{2.5}	3
74	Jalandhar	Moderate	124	PM ₁₀	1
75	Jhansi	Moderate	167	PM ₁₀	1
76	Jind	Poor	232	PM ₁₀	1
77	Jodhpur	Poor	261	PM ₁₀	1
78	Kaithal	Poor	227	PM ₁₀	1
79	Kalaburgi	Satisfactory	67	PM ₁₀	1
80	Kalyan	Satisfactory	59	PM ₁₀	1
81	Kannur	Satisfactory	54	PM _{2.5}	1
82	Kanpur	Poor	239	PM ₁₀ , PM _{2.5}	3
83	Karnal	Moderate	162	PM ₁₀	1
84	Katihar	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Poor	212	PM ₁₀	1
86	Khanna	Moderate	123	PM ₁₀	1
87	Khurja	Poor	290	PM ₁₀	1
88	Kishanganj	Poor	214	PM _{2.5}	1
89	Kochi	Satisfactory	85	со	1
90	Kolkata	Satisfactory	71	PM ₁₀	7
91	Kollam	Satisfactory	76	PM ₁₀	1
92	Koppal	Satisfactory	71	03	1
93	Kota	Moderate	126	PM ₁₀	1
94	Kozhikode	Satisfactory	61	PM ₁₀	1
95	Kurukshetra	Poor	292	PM _{2.5}	1
96	Lucknow	Poor	204	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ludhiana	Moderate	173	PM ₁₀	1
98	Madikeri	Good	38	O ₃	1
99	Maihar	Satisfactory	51	PM ₁₀	1
100	Mandi Gobindgarh	Moderate	124	PM ₁₀	1
101	Mandideep	Moderate	153	PM ₁₀	1
102	Mandikhera	Moderate	146	PM ₁₀	1
103	Manesar	Very Poor	322	PM _{2.5}	1
104	Manglore	Satisfactory	57	СО	1
105	Manguraha	Satisfactory	56	O ₃	1
106	Meerut	Very Poor	338	PM ₁₀	3
107	Moradabad	Poor	210	PM ₁₀ , PM _{2.5}	4
108	Motihari	Satisfactory	84	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	70	PM ₁₀ , CO, O ₃	19
110	Munger	Moderate	148	PM ₁₀	1
111	Muzaffarnagar	Very Poor	364	PM ₁₀	1
112	Muzaffarpur	Satisfactory	99	PM _{2.5} , PM ₁₀	3
113	Mysuru	Good	34	PM ₁₀	1
114	Nagpur	Moderate	124	PM ₁₀	1
115	Nandesari	Moderate	142	СО	1
116	Narnaul	Poor	217	PM ₁₀	1
117	Nashik	Good	39	O ₃	1
118	Navi Mumbai	Satisfactory	67	CO, PM ₁₀	3
119	Noida	Very Poor	399	PM ₁₀	4
120	Pali	Moderate	109	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Palwal	Poor	267	PM ₁₀	1
122	Panchkula	Moderate	166	PM _{2.5}	1
123	Patiala	Moderate	145	PM ₁₀	1
124	Patna	Moderate	153	PM ₁₀ , PM _{2.5}	6
125	Pithampur	Satisfactory	70	PM ₁₀	1
126	Prayagraj	Moderate	167	PM ₁₀	1
127	Puducherry	Good	36	03	1
128	Pune	Satisfactory	82	SO ₂ , O ₃ , PM _{2.5}	5
129	Raichur	Good	50	со	1
130	Rajamahendravaram	Satisfactory	71	PM ₁₀	1
131	Rajgir	Moderate	118	PM ₁₀	1
132	Ramanagara	Good	30	SO ₂	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Satisfactory	99	PM ₁₀	1
134	Rohtak	Very Poor	340	PM _{2.5}	1
135	Rupnagar	Moderate	137	PM ₁₀	1
136	Sagar	Moderate	109	NO ₂	1
137	Saharsa	Moderate	188	PM ₁₀	1
138	Samastipur	Moderate	159	PM ₁₀	1
139	Sasaram	Moderate	164	03	1
140	Satna	Satisfactory	74	PM ₁₀	1
141	Shillong	Good	44	PM ₁₀	1
142	Shivamogga	Satisfactory	54	PM ₁₀	1
143	Siliguri	Good	40	PM ₁₀	1
144	Singrauli	Poor	285	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Poor	297	PM ₁₀	1
146	Solapur	Satisfactory	84	PM ₁₀	1
147	Sonipat	Poor	277	PM ₁₀	1
148	Srinagar	Satisfactory	82	PM ₁₀	1
149	Talcher	Satisfactory	69	SO ₂	1
150	Thiruvananthapuram	Satisfactory	61	PM _{2.5} , CO	2
151	Thoothukudi	Good	33	PM ₁₀	1
152	Tirupati	Satisfactory	53	PM ₁₀	1
153	Udaipur	Satisfactory	94	PM ₁₀	1
154	Ujjain	Moderate	142	PM ₁₀	1
155	Varanasi	Satisfactory	100	PM ₁₀ , O ₃	2
156	Vatva	Satisfactory	91	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vijayapura	Satisfactory	56	PM ₁₀	1
158	Vrindavan	Moderate	193	PM ₁₀	1
159	Yadgir	Good	37	PM ₁₀	1
160	Yamunanagar	Very Poor	342	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bhilai, Bidar, Brajrajnagar, Darbhanga, Gadag, Gummidipoondi, Haveri, Hisar, Jorapokhar, Kohima, Kolar, Naharlagun, Panipat, Purnia, Siwan, Thane, Thrissur, Udupi, Vapi, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.