



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	48	PM ₁₀	2
2	Agra	Moderate	132	PM ₁₀	5
3	Ahmedabad	Moderate	108	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Satisfactory	63	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Good	24	O ₃	1
8	Ambala	Moderate	185	PM ₁₀	1
9	Amritsar	Moderate	112	PM ₁₀	1
10	Ankleshwar	Satisfactory	89	CO	1
11	Araria	Satisfactory	92	O ₃	1
12	Arrah	Moderate	161	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	100	O ₃	1
14	Aurangabad	Poor	242	PM ₁₀	1
15	Aurangabad	Moderate	103	PM ₁₀	1
16	Baddi	Moderate	127	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Baghpat	Very Poor	306	PM ₁₀	1
19	Ballabgarh	Poor	298	PM ₁₀	1
20	Bathinda	Satisfactory	77	PM ₁₀	1
21	Bengaluru	Satisfactory	71	CO, PM ₁₀	9
22	Bhagalpur	Poor	227	PM ₁₀ , PM _{2.5}	2
23	Bhiwadi	Poor	280	PM _{2.5}	1
24	Bhiwani	Moderate	174	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	137	PM ₁₀	1
26	Bidar	Satisfactory	78	PM ₁₀	1
27	Bihar Sharif	Poor	265	PM ₁₀	1
28	Bilaspur	Satisfactory	59	CO	1
29	Brajrajnagar	Moderate	142	O ₃	1
30	Bulandshahr	Poor	261	PM ₁₀	1
31	Buxar	Poor	214	PM ₁₀	1
32	Chamarajanagar	Good	45	PM ₁₀	1
33	Chandigarh	Moderate	145	O ₃ , PM ₁₀	3
34	Chandrapur	Moderate	113	NO ₂ , O ₃	2
35	Charkhi Dadri	Poor	241	PM _{2.5}	1
36	Chennai	Good	46	PM ₁₀ , CO, O ₃	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Poor	235	PM ₁₀	1
38	Chikkaballapur	Good	45	PM ₁₀	1
39	Coimbatore	Satisfactory	67	PM _{2.5}	1
40	Damoh	Satisfactory	57	PM ₁₀	1
41	Darbhanga	Moderate	155	PM ₁₀	1
42	Davanagere	Satisfactory	87	PM ₁₀	1
43	Delhi	Poor	244	PM ₁₀ , PM _{2.5}	13
44	Dewas	Moderate	126	PM ₁₀	1
45	Dharuhera	Very Poor	310	PM ₁₀	1
46	Durgapur	Moderate	190	PM _{2.5}	1
47	Eloor	Satisfactory	75	PM ₁₀	1
48	Ernakulam	Good	34	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonapat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	260	PM ₁₀ , O ₃	3
50	Fatehabad	Moderate	185	PM _{2.5}	1
51	Firozabad	Moderate	190	O ₃	1
52	Gandhinagar	Moderate	158	PM _{2.5} , PM ₁₀	3
53	Gaya	Moderate	153	PM _{2.5}	3
54	Ghaziabad	Poor	300	PM ₁₀	4
55	Gorakhpur	Good	46	PM ₁₀	1
56	Greater Noida	Poor	262	PM ₁₀	1
57	Gummidipoondi	Good	30	PM ₁₀	1
58	Gurugram	Poor	222	PM _{2.5} , PM ₁₀	4
59	Guwahati	Satisfactory	57	O ₃ , PM _{2.5}	2
60	Gwalior	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	107	PM ₁₀	1
62	Haldia	Good	37	PM ₁₀	1
63	Hapur	Poor	214	PM _{2.5}	1
64	Hassan	Satisfactory	80	PM ₁₀	1
65	Howrah	Good	46	PM ₁₀	2
66	Hyderabad	Moderate	119	O ₃ , PM ₁₀ , PM _{2.5}	5
67	Indore	Moderate	145	PM ₁₀	1
68	Jabalpur	Moderate	186	PM ₁₀	1
69	Jaipur	Moderate	119	PM ₁₀	2
70	Jalandhar	Moderate	137	PM ₁₀	1
71	Jind	Moderate	157	PM ₁₀	1
72	Jodhpur	Moderate	167	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikmagalur, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonapat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Poor	222	PM _{2.5}	1
74	Kalaburgi	Satisfactory	84	PM ₁₀	1
75	Kannur	Good	38	CO	1
76	Kanpur	Moderate	144	PM _{2.5} , PM ₁₀	3
77	Karnal	Moderate	145	PM ₁₀	1
78	Katihar	Moderate	144	PM ₁₀	1
79	Katni	Poor	285	PM ₁₀	1
80	Khanna	Moderate	119	PM ₁₀	1
81	Kishanganj	Satisfactory	84	O ₃	1
82	Kohima	Moderate	114	PM _{2.5}	1
83	Kolar	Satisfactory	55	SO ₂	1
84	Kolkata	Good	49	O ₃ , NO ₂ , PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	60	PM ₁₀	1
86	Kota	Moderate	130	PM _{2.5}	1
87	Lucknow	Poor	228	PM _{2.5} , PM ₁₀	6
88	Ludhiana	Moderate	138	PM _{2.5}	1
89	Madikeri	Good	50	PM ₁₀	1
90	Mandi Gobindgarh	Moderate	164	PM _{2.5}	1
91	Mandideep	Satisfactory	97	PM ₁₀	1
92	Mandikhera	Satisfactory	89	PM ₁₀	1
93	Manesar	Poor	246	PM _{2.5}	1
94	Manglore	Satisfactory	57	CO	1
95	Meerut	Very Poor	358	PM ₁₀	2
96	Moradabad	Moderate	169	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Moderate	116	PM _{2.5}	1
98	Mumbai	Satisfactory	75	PM ₁₀ , CO, O ₃	15
99	Munger	Moderate	196	PM _{2.5}	1
100	Muzaffarnagar	Very Poor	309	PM _{2.5}	1
101	Muzaffarpur	Moderate	116	O ₃ , PM ₁₀ , PM _{2.5}	3
102	Mysuru	Good	46	PM ₁₀	1
103	Nagpur	Satisfactory	59	PM ₁₀	1
104	Narnaul	Moderate	119	PM ₁₀	1
105	Nashik	Satisfactory	56	PM ₁₀	1
106	Noida	Poor	245	PM ₁₀ , PM _{2.5}	4
107	Pali	Moderate	110	PM ₁₀	1
108	Panchkula	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patiala	Moderate	160	PM _{2.5}	1
110	Patna	Moderate	171	PM _{2.5} , PM ₁₀	6
111	Pithampur	Moderate	176	PM ₁₀	1
112	Prayagraj	Moderate	132	PM ₁₀	3
113	Puducherry	Good	31	CO	1
114	Pune	Moderate	101	NO ₂ , PM _{2.5} , CO	5
115	Raichur	Satisfactory	93	PM ₁₀	1
116	Rajamahendravaram	Good	30	CO	1
117	Rajgir	Moderate	136	PM ₁₀	1
118	Ramanagara	Satisfactory	60	PM ₁₀	1
119	Ratlam	Moderate	106	PM ₁₀	1
120	Rohtak	Moderate	147	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Moderate	142	PM ₁₀	1
122	Sagar	Satisfactory	76	PM _{2.5}	1
123	Saharsa	Moderate	127	PM ₁₀	1
124	Sasaram	Moderate	167	PM _{2.5}	1
125	Satna	Satisfactory	56	PM ₁₀	1
126	Shillong	Good	30	PM _{2.5}	1
127	Shivamogga	Satisfactory	58	PM ₁₀	1
128	Siliguri	Good	50	PM ₁₀	1
129	Singrauli	Poor	295	PM _{2.5}	1
130	Sirsa	Moderate	146	PM ₁₀	1
131	Srinagar	Good	33	PM ₁₀	1
132	Talcher	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonapat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thane	Moderate	199	O ₃	1
134	Thiruvananthapuram	Good	34	PM ₁₀	2
135	Thrissur	Satisfactory	59	CO	1
136	Tirupati	Good	39	CO	1
137	Udaipur	Moderate	117	PM ₁₀	1
138	Udupi	Good	47	O ₃	1
139	Ujjain	Poor	204	PM _{2.5}	1
140	Varanasi	Moderate	107	PM ₁₀ , PM _{2.5}	3
141	Vatva	Satisfactory	99	PM _{2.5}	1
142	Vijayapura	Good	46	PM ₁₀	1
143	Visakhapatnam	Good	32	NO ₂	1
144	Vrindavan	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Satisfactory	82	PM ₁₀	1
146	Yamunanagar	Poor	269	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Chikkamagaluru, Gadag, Gangtok, Hisar, Hubballi, Jhansi, Jorapokhar, Kalyan, Kochi, Kollam, Kozhikode, Kurukshetra, Maihar, Manguraha, Naharlagun, Nandesari, Navi Mumbai, Palwal, Panipat, Purnia, Samastipur, Siwan, Solapur, Sonipat, Thoothukudi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.