

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	181	PM _{2.5}	1
2	Ahmedabad	Moderate	158	OZONE	1
3	Ajmer	Satisfactory	84	OZONE	1
4	Alwar	Satisfactory	69	OZONE	1
5	Amaravati	Satisfactory	100	PM ₁₀	1
6	Ambala	Satisfactory	94	PM ₁₀	1
7	Amritsar	Moderate	162	PM _{2.5}	1
8	Ankleshwar	Moderate	137	PM _{2.5}	1
9	Asanol	Moderate	101	PM _{2.5}	1
10	Aurangabad	Moderate	111	OZONE	1
11	Baghpat	Moderate	188	PM _{2.5}	1
12	Bahadurgarh	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	315	PM ₁₀	1
14	Bathinda	Moderate	189	PM ₁₀	1
15	Bengaluru	Moderate	143	PM _{2.5} , PM ₁₀	9
16	Bhiwadi	Poor	205	PM _{2.5}	1
17	Bhiwani	Satisfactory	100	PM ₁₀	1
18	Brajrajnagar	Moderate	137	PM _{2.5}	1
19	Bulandshahr	Poor	230	PM _{2.5}	1
20	Chandrapur	Moderate	121	PM ₁₀	1
21	Chennai	Satisfactory	86	PM _{2.5} , OZONE, CO	3
22	Chikkaballapur	Moderate	174	PM ₁₀	1
23	Damoh	Satisfactory	70	PM ₁₀	1
24	Delhi	Poor	217	PM _{2.5} , PM ₁₀	33

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Satisfactory	92	PM ₁₀	1
26	Dharuhera	Poor	205	PM _{2.5}	1
27	Faridabad	Moderate	188	PM _{2.5}	1
28	Fatehabad	Moderate	170	PM _{2.5}	1
29	GandhiNagar	Moderate	122	PM ₁₀	1
30	Gaya	Satisfactory	94	PM _{2.5}	1
31	Ghaziabad	Poor	232	PM _{2.5}	3
32	Greater_Noida	Poor	208	PM _{2.5}	1
33	Gurugram	Moderate	174	PM _{2.5} , PM ₁₀	2
34	Guwahati	Satisfactory	98	PM _{2.5}	1
35	Haldia	Moderate	123	PM ₁₀	1
36	Hapur	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Moderate	151	OZONE	1
38	Howrah	Poor	216	PM _{2.5}	2
39	Hubballi	Moderate	136	PM ₁₀	1
40	Hyderabad	Moderate	139	PM ₁₀ , PM _{2.5}	4
41	Jaipur	Moderate	102	PM ₁₀ , OZONE	3
42	Jalandhar	Moderate	143	PM ₁₀	1
43	Jind	Moderate	119	PM ₁₀	1
44	Jodhpur	Moderate	153	PM _{2.5}	1
45	Jorapokhar	Moderate	118	PM _{2.5}	1
46	Kaithal	Moderate	110	PM _{2.5}	1
47	Kanpur	Moderate	115	PM _{2.5}	1
48	Karnal	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Khanna	Satisfactory	66	PM ₁₀	1
50	Kolkata	Poor	212	PM _{2.5}	2
51	Kota	Satisfactory	99	PM ₁₀	1
52	Kurushketra	Satisfactory	88	OZONE	1
53	Loni_Dehat	Poor	243	PM _{2.5}	1
54	Lucknow	Poor	212	PM _{2.5}	4
55	Ludhiana	Moderate	176	PM _{2.5}	1
56	Maihar	Satisfactory	99	со	1
57	Mandi Gobindgarh	Moderate	165	PM ₁₀	1
58	Mandideep	Moderate	103	PM ₁₀	1
59	Mandikhera	Satisfactory	96	PM _{2.5}	1
60	Manesar	Moderate	156	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Moradabad	Moderate	152	PM _{2.5}	1
62	Mumbai	Satisfactory	96	PM ₁₀	1
63	Muzaffarnagar	Moderate	173	PM _{2.5}	1
64	Muzaffarpur	Poor	213	OZONE	1
65	Narnaul	Moderate	148	PM ₁₀	1
66	Nashik	Moderate	122	OZONE	1
67	Navi Mumbai	Moderate	111	со	1
68	Noida	Poor	206	PM _{2.5}	2
69	Pali	Satisfactory	90	PM _{2.5}	1
70	Palwal	Moderate	152	PM _{2.5}	1
71	Panipat	Satisfactory	62	PM _{2.5}	1
72	Patiala	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Patna	Poor	242	OZONE	1
74	Pithampur	Moderate	108	PM ₁₀	1
75	Pune	Moderate	108	PM ₁₀	1
76	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
77	Rohtak	Moderate	151	PM _{2.5}	1
78	Rupnagar	Moderate	122	PM _{2.5}	1
79	Satna	Moderate	109	СО	1
80	Singrauli	Moderate	128	PM ₁₀	1
81	Sirsa	Satisfactory	100	PM _{2.5}	1
82	Solapur	Moderate	118	PM ₁₀	1
83	Talcher	Poor	277	PM ₁₀	1
84	Thane	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Moderate	137	PM ₁₀	1
86	Tirupati	Satisfactory	82	PM ₁₀	1
87	Udaipur	Satisfactory	85	PM ₁₀	1
88	Ujjain	Moderate	151	OZONE	1
89	Vapi	Moderate	177	PM _{2.5}	1
90	Varanasi	Moderate	160	PM ₁₀	1
91	Vatva	Moderate	189	PM ₁₀	1
92	Visakhapatnam	Satisfactory	97	PM ₁₀	1
93	Yamunanagar	Moderate	167	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Durgapur, Kalaburgi, Nagpur, Panchkula, Ratlam, Siliguri, Sonipat, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.