

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	193	PM _{2.5}	1
2	Agra	Very Poor	347	PM _{2.5}	1
3	Ahmedabad	Moderate	156	PM ₁₀	1
4	Aizawl	Good	14	PM ₁₀	1
5	Ajmer	Satisfactory	100	PM _{2.5}	1
6	Alwar	Satisfactory	100	PM ₁₀	1
7	Amaravati	Moderate	111	PM _{2.5}	1
8	Ambala	Poor	277	PM _{2.5}	1
9	Amritsar	Poor	254	PM _{2.5}	1
10	Asansol	Poor	216	PM _{2.5}	1
11	Baghpat	Very Poor	367	PM _{2.5}	1
12	Bahadurgarh	Very Poor	325	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	230	PM ₁₀	1
14	Bathinda	Moderate	194	PM ₁₀	1
15	Bengaluru	Satisfactory	65	PM ₁₀ , CO	10
16	Bhiwani	Moderate	162	PM ₁₀	1
17	Bhopal	Moderate	159	PM ₁₀	1
18	Brajrajnagar	Moderate	139	PM _{2.5}	1
19	Bulandshahr	Severe	419	PM _{2.5}	1
20	Chandigarh	Moderate	147	PM _{2.5}	1
21	Chandrapur	Moderate	126	PM ₁₀	2
22	Charkhi Dadri	Poor	263	PM _{2.5}	1
23	Chennai	Satisfactory	66	PM ₁₀ , CO, PM _{2.5}	7
24	Chikkaballapur	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	80	03	1
26	Coimbatore	Satisfactory	63	PM _{2.5}	1
27	Damoh	Moderate	117	PM _{2.5}	1
28	Delhi	Very Poor	373	PM _{2.5}	38
29	Dewas	Satisfactory	95	03	1
30	Eloor	Satisfactory	64	03	1
31	Ernakulam	Satisfactory	78	СО	1
32	Faridabad	Very Poor	326	PM _{2.5} , PM ₁₀	4
33	Fatehabad	Very Poor	352	PM _{2.5}	1
34	Gandhinagar	Moderate	106	PM ₁₀	1
35	Gaya	Moderate	198	PM _{2.5} , O ₃	2
36	Ghaziabad	Severe	421	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Severe	406	PM _{2.5}	2
38	Gurugram	Very Poor	324	PM _{2.5}	4
39	Guwahati	Moderate	172	PM _{2.5}	1
40	Gwalior	Very Poor	311	PM _{2.5}	1
41	Hajipur	Moderate	127	PM _{2.5}	1
42	Hapur	Moderate	190	PM _{2.5}	1
43	Hisar	Very Poor	327	PM _{2.5}	1
44	Howrah	Poor	292	PM ₁₀ , PM _{2.5}	3
45	Hubballi	Satisfactory	92	PM ₁₀	1
46	Hyderabad	Moderate	133	PM _{2.5} , PM ₁₀	6
47	Indore	Moderate	115	PM ₁₀	1
48	Jabalpur	Poor	214	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	162	PM _{2.5} , PM ₁₀	3
50	Jalandhar	Poor	225	PM _{2.5}	1
51	Jind	Very Poor	356	PM _{2.5}	1
52	Jodhpur	Poor	216	PM _{2.5}	1
53	Jorapokhar	Satisfactory	90	PM ₁₀	1
54	Kaithal	Poor	279	PM _{2.5}	1
55	Kalyan	Moderate	156	PM _{2.5}	1
56	Kannur	Satisfactory	60	PM ₁₀	1
57	Kanpur	Severe	415	PM _{2.5}	1
58	Karnal	Poor	212	PM _{2.5}	1
59	Katni	Poor	256	PM _{2.5}	1
60	Khanna	Poor	202	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	factory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Satisfactory	76	PM ₁₀	1
62	Kolkata	Poor	289	PM _{2.5}	7
63	Kota	Moderate	134	PM _{2.5}	1
64	Kozhikode	Satisfactory	68	со	1
65	Kurukshetra	Very Poor	347	PM _{2.5}	1
66	Lucknow	Very Poor	371	PM ₁₀ , PM _{2.5}	4
67	Ludhiana	Poor	205	PM _{2.5}	1
68	Maihar	Good	34	со	1
69	Mandi Gobindgarh	Moderate	196	PM ₁₀	1
70	Mandideep	Poor	210	PM ₁₀	1
71	Mandikhera	Moderate	174	PM _{2.5}	1
72	Manesar	Very Poor	318	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Medikeri	Satisfactory	53	O ₃	1
74	Meerut	Very Poor	356	PM _{2.5} , PM ₁₀	3
75	Moradabad	Very Poor	342	PM _{2.5}	1
76	Mumbai	Moderate	163	PM _{2.5} , PM ₁₀ , O ₃	14
77	Muzaffarnagar	Very Poor	377	PM _{2.5}	1
78	Muzaffarpur	Poor	278	PM _{2.5} , PM ₁₀	2
79	Nagpur	Satisfactory	75	PM _{2.5}	1
80	Nandesari	Satisfactory	79	СО	1
81	Narnaul	Poor	231	PM _{2.5}	1
82	Nashik	Satisfactory	97	PM _{2.5}	1
83	Navi Mumbai	Moderate	156	PM _{2.5}	2
84	Noida	Very Poor	394	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	159	PM ₁₀	1
86	Panchkula	Poor	208	PM _{2.5}	1
87	Panipat	Very Poor	320	PM ₁₀	1
88	Patiala	Poor	242	PM _{2.5}	1
89	Patna	Very Poor	310	PM _{2.5} , PM ₁₀	6
90	Pithampur	Moderate	153	O ₃	1
91	Pune	Moderate	128	PM _{2.5}	4
92	Rajamahendravaram	Satisfactory	98	PM ₁₀	1
93	Ramanagara	Satisfactory	60	O ₃	1
94	Ratlam	Moderate	136	PM ₁₀	1
95	Rohtak	Very Poor	309	PM _{2.5}	1
96	Rupnagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact			
Satisfactory	Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases			
Poor	Breathing discomfort to most people on prolonged exposure			
Very Poor	Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases			

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Moderate	127	PM _{2.5}	1
98	Satna	Satisfactory	68	PM ₁₀	1
99	Shillong	Good	26	O ₃	1
100	Shivamogga	Satisfactory	78	PM ₁₀	1
101	Singrauli	Very Poor	339	PM _{2.5}	1
102	Sirsa	Poor	215	PM _{2.5}	1
103	Solapur	Moderate	117	PM ₁₀	1
104	Sonipat	Poor	228	PM _{2.5}	1
105	Talcher	Moderate	127	PM ₁₀	1
106	Thane	Moderate	156	PM ₁₀	1
107	Thiruvananthapuram	Satisfactory	64	PM ₁₀	2
108	Thoothukudi	Good	50	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thrissur	Satisfactory	80	O ₃	1
110	Tirupati	Satisfactory	63	PM _{2.5}	1
111	Udaipur	Moderate	128	PM _{2.5}	1
112	Ujjain	Moderate	180	O ₃	1
113	Vapi	Moderate	138	PM ₁₀	1
114	Varanasi	Very Poor	305	PM _{2.5}	1
115	Vatva	Moderate	188	PM ₁₀	1
116	Vijayapura	Satisfactory	59	PM _{2.5}	1
117	Visakhapatnam	Moderate	101	O ₃	1
118	Yamunanagar	Very Poor	366	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Aurangabad, Bagalkot, Bhiwadi, Chamarajanagar, Dharuhera, Kalaburgi, Kochi, Kollam, Mysuru, Palwal, Siliguri, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.