

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	249	PM _{2.5}	1
2	Agra	Moderate	101	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Poor	211	PM _{2.5}	9
4	Aizawl	Moderate	103	PM ₁₀	1
5	Ajmer	Moderate	104	PM _{2.5}	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Satisfactory	89	PM ₁₀	1
8	Ambala	Moderate	156	PM _{2.5}	1
9	Amritsar	Moderate	118	03	1
10	Ankleshwar	Moderate	135	PM _{2.5}	1
11	Araria	Poor	221	PM _{2.5}	1
12	Asansol	Moderate	165	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	188	PM _{2.5}	1
14	Bagalkot	Good	50	PM _{2.5}	1
15	Baghpat	Moderate	180	PM _{2.5}	1
16	Bahadurgarh	Moderate	200	PM _{2.5}	1
17	Ballabgarh	Moderate	123	PM ₁₀	1
18	Bathinda	Satisfactory	80	PM ₁₀	1
19	Bengaluru	Moderate	116	CO, PM ₁₀	7
20	Bettiah	Poor	248	PM _{2.5}	1
21	Bhagalpur	Moderate	174	PM ₁₀ , PM _{2.5}	2
22	Bhilai	Satisfactory	61	PM ₁₀	1
23	Bhiwadi	Poor	263	PM _{2.5}	1
24	Bhopal	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	203	PM _{2.5}	1
26	Bilaspur	Satisfactory	51	PM ₁₀	1
27	Bulandshahr	Moderate	190	PM ₁₀	1
28	Buxar	Poor	244	PM _{2.5}	1
29	Chamarajanagar	Good	42	PM ₁₀	1
30	Chandigarh	Moderate	185	O ₃ , PM _{2.5} , PM ₁₀	3
31	Chandrapur	Moderate	150	PM _{2.5} , PM ₁₀	2
32	Charkhi Dadri	Moderate	132	PM ₁₀	1
33	Chennai	Satisfactory	89	PM _{2.5} , PM ₁₀	8
34	Chhapra	Poor	258	PM _{2.5}	1
35	Chikkaballapur	Moderate	108	PM _{2.5}	1
36	Chikkamagaluru	Good	42	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	66	PM ₁₀	1
38	Damoh	Satisfactory	97	PM ₁₀	1
39	Darbhanga	Moderate	182	PM _{2.5}	1
40	Davanagere	Moderate	126	PM ₁₀	1
41	Delhi	Moderate	193	PM ₁₀ , PM _{2.5}	36
42	Dewas	Satisfactory	99	PM ₁₀	1
43	Dharuhera	Moderate	193	PM ₁₀	1
44	Durgapur	Poor	270	PM _{2.5}	1
45	Eloor	Satisfactory	73	PM ₁₀	1
46	Ernakulam	Satisfactory	92	PM _{2.5}	1
47	Faridabad	Moderate	168	O ₃ , PM _{2.5} , CO	3
48	Fatehabad	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	134	PM _{2.5}	2
50	Gadag	Moderate	108	03	1
51	Gandhinagar	Moderate	140	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	132	NO ₂ , PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	207	PM _{2.5} , PM ₁₀	4
54	Gorakhpur	Satisfactory	78	PM ₁₀	1
55	Greater Noida	Moderate	190	O ₃	2
56	Gummidipoondi	Good	40	PM ₁₀	1
57	Gurugram	Moderate	196	PM _{2.5} , PM ₁₀	3
58	Guwahati	Very Poor	310	PM _{2.5}	2
59	Gwalior	Moderate	123	PM ₁₀	1
60	Hajipur	Moderate	180	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	148	PM ₁₀	1
62	Hapur	Moderate	178	O ₃	1
63	Hisar	Moderate	140	PM _{2.5}	1
64	Howrah	Poor	219	PM ₁₀ , PM _{2.5}	3
65	Hubballi	Moderate	155	PM _{2.5}	1
66	Hyderabad	Moderate	159	PM _{2.5}	6
67	Indore	Moderate	161	PM ₁₀	1
68	Jabalpur	Moderate	163	PM ₁₀	1
69	Jaipur	Moderate	129	PM ₁₀	2
70	Jalandhar	Satisfactory	95	PM ₁₀	1
71	Jhansi	Moderate	124	PM ₁₀	1
72	Jind	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Poor	209	PM _{2.5}	1
74	Kaithal	Satisfactory	97	PM ₁₀	1
75	Kalaburgi	Moderate	151	PM _{2.5}	1
76	Kalyan	Poor	206	PM _{2.5}	1
77	Kannur	Satisfactory	88	PM _{2.5}	1
78	Kanpur	Moderate	151	PM _{2.5} , PM ₁₀	3
79	Karnal	Satisfactory	91	PM ₁₀	1
80	Katihar	Very Poor	303	PM _{2.5}	1
81	Katni	Poor	230	PM ₁₀	1
82	Khanna	Moderate	108	PM ₁₀	1
83	Kishanganj	Poor	249	PM _{2.5}	1
84	Kohima	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Moderate	183	PM _{2.5} , PM ₁₀	7
86	Koppal	Satisfactory	99	PM ₁₀	1
87	Kota	Moderate	135	PM _{2.5}	1
88	Kozhikode	Satisfactory	52	PM ₁₀	1
89	Kurukshetra	Moderate	117	PM _{2.5}	1
90	Lucknow	Moderate	151	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	112	PM ₁₀	1
92	Madikeri	Satisfactory	89	PM ₁₀	1
93	Mandi Gobindgarh	Poor	208	PM ₁₀	1
94	Mandideep	Moderate	109	PM ₁₀	1
95	Mandikhera	Satisfactory	100	PM ₁₀	1
96	Manesar	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manguraha	Moderate	110	PM _{2.5}	1
98	Meerut	Moderate	184	PM ₁₀ , PM _{2.5}	3
99	Moradabad	Moderate	125	PM _{2.5} , PM ₁₀	4
100	Motihari	Poor	237	PM _{2.5}	1
101	Mumbai	Moderate	170	PM _{2.5} , PM ₁₀ , O ₃	17
102	Munger	Moderate	200	PM ₁₀	1
103	Muzaffarnagar	Poor	205	03	1
104	Muzaffarpur	Poor	260	PM _{2.5}	2
105	Mysuru	Satisfactory	60	PM ₁₀	1
106	Nagpur	Satisfactory	53	PM ₁₀	1
107	Nashik	Satisfactory	88	PM ₁₀	1
108	Navi Mumbai	Poor	258	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Moderate	164	PM ₁₀	3
110	Pali	Moderate	132	PM _{2.5}	1
111	Palwal	Moderate	107	PM ₁₀	1
112	Panchkula	Moderate	172	PM _{2.5}	1
113	Panipat	Moderate	125	PM ₁₀	1
114	Patiala	Moderate	103	PM ₁₀	1
115	Patna	Poor	227	PM _{2.5} , PM ₁₀	6
116	Pithampur	Satisfactory	83	PM ₁₀	1
117	Prayagraj	Moderate	101	PM ₁₀	3
118	Puducherry	Satisfactory	65	PM ₁₀	1
119	Pune	Moderate	129	PM _{2.5}	7
120	Purnia	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Raichur	Moderate	135	PM ₁₀	1
122	Rajamahendravaram	Moderate	117	PM ₁₀	1
123	Rajgir	Moderate	132	PM ₁₀	1
124	Ramanagara	Moderate	114	PM ₁₀	1
125	Ratlam	Moderate	108	PM ₁₀	1
126	Rohtak	Satisfactory	93	PM _{2.5}	1
127	Rupnagar	Moderate	173	PM ₁₀	1
128	Sagar	Moderate	128	PM ₁₀	1
129	Saharsa	Very Poor	323	PM ₁₀	1
130	Sasaram	Poor	264	03	1
131	Satna	Satisfactory	56	PM ₁₀	1
132	Shivamogga	Moderate	162	03	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	194	PM _{2.5}	1
134	Singrauli	Poor	235	PM ₁₀	1
135	Sirsa	Moderate	113	PM ₁₀	1
136	Siwan	Moderate	200	PM _{2.5}	1
137	Solapur	Moderate	123	PM _{2.5}	1
138	Sonipat	Moderate	138	PM ₁₀	1
139	Srinagar	Good	49	PM ₁₀	1
140	Talcher	Moderate	167	PM ₁₀	1
141	Thane	Poor	237	PM ₁₀	1
142	Thiruvananthapuram	Satisfactory	82	PM _{2.5}	2
143	Thrissur	Satisfactory	85	PM _{2.5}	1
144	Tirupati	Satisfactory	84	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	147	PM _{2.5}	1
146	Ujjain	Moderate	163	PM ₁₀	1
147	Varanasi	Satisfactory	92	PM ₁₀	4
148	Vatva	Poor	202	PM _{2.5}	1
149	Vijayapura	Satisfactory	51	PM ₁₀	1
150	Visakhapatnam	Poor	207	PM ₁₀	1
151	Vrindavan	Moderate	108	PM ₁₀	1
152	Yamunanagar	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Aurangabad, Bhiwani, Bidar, Brajrajnagar, Hassan, Jorapokhar, Kochi, Kolar, Kollam, Maihar, Manglore, Naharlagun, Nandesari, Narnaul, Shillong, Thoothukudi, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.