

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	25	PM ₁₀	1
2	Agra	Satisfactory	67	PM ₁₀ , PM _{2.5}	3
3	Ahmedabad	Satisfactory	76	CO, PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	16	PM ₁₀	1
5	Ajmer	Satisfactory	55	PM ₁₀	1
6	Alwar	Moderate	106	PM ₁₀	1
7	Amaravati	Good	24	O ₃	1
8	Ambala	Satisfactory	77	PM _{2.5}	1
9	Amritsar	Good	36	PM ₁₀	1
10	Asansol	Good	31	O ₃	1
11	Aurangabad	Satisfactory	60	со	1
12	Bagalkot	Good	25	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Good	49	PM ₁₀	1
14	Bahadurgarh	Good	46	PM _{2.5}	1
15	Ballabgarh	Satisfactory	53	PM ₁₀	1
16	Bathinda	Good	26	со	1
17	Bengaluru	Good	43	CO, NO ₂ , PM ₁₀	9
18	Bhiwadi	Moderate	166	PM _{2.5}	1
19	Bhiwani	Satisfactory	54	03	1
20	Bhopal	Satisfactory	53	PM ₁₀	1
21	Bidar	Satisfactory	58	со	1
22	Brajrajnagar	Satisfactory	93	NO ₂	1
23	Bulandshahr	Satisfactory	60	03	1
24	Chamarajanagar	Good	36	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Good	43	PM ₁₀	1
26	Chandrapur	Good	20	O ₃ , CO	2
27	Charkhi Dadri	Good	33	PM ₁₀	1
28	Chennai	Good	41	PM ₁₀ , CO	6
29	Chikkaballapur	Good	30	со	1
30	Chikkamagaluru	Good	26	PM ₁₀	1
31	Damoh	Good	26	PM _{2.5}	1
32	Davanagere	Good	19	O ₃	1
33	Delhi	Satisfactory	83	PM _{2.5} , PM ₁₀ , CO	33
34	Dewas	Good	38	PM ₁₀	1
35	Dharuhera	Moderate	118	PM _{2.5}	1
36	Eloor	Satisfactory	76	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	56	со	1
38	Faridabad	Moderate	141	O ₃ , PM ₁₀	3
39	Fatehabad	Satisfactory	53	03	1
40	Gadag	Satisfactory	77	SO ₂	1
41	Gandhinagar	Satisfactory	74	PM _{2.5} , PM ₁₀	3
42	Gaya	Satisfactory	68	O ₃ , CO	2
43	Ghaziabad	Satisfactory	64	PM ₁₀	4
44	Gorakhpur	Good	26	PM ₁₀	1
45	Greater Noida	Satisfactory	68	CO, PM ₁₀	2
46	Gurugram	Satisfactory	68	PM _{2.5} , O ₃	4
47	Guwahati	Good	43	SO ₂	2
48	Gwalior	Satisfactory	51	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Good	49	PM ₁₀	1
50	Haldia	Good	28	PM ₁₀	1
51	Hapur	Satisfactory	68	со	1
52	Hassan	Good	32	NO ₂	1
53	Hisar	Good	43	03	1
54	Howrah	Good	30	PM ₁₀ , CO	3
55	Hubballi	Good	23	СО	1
56	Hyderabad	Good	30	NO ₂ , SO ₂ , CO	5
57	Indore	Satisfactory	58	O ₃	1
58	Jabalpur	Good	49	со	1
59	Jaipur	Satisfactory	60	O ₃ , PM ₁₀	3
60	Jalandhar	Satisfactory	57	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Good	48	PM _{2.5}	1
62	Jodhpur	Satisfactory	77	PM ₁₀	1
63	Kaithal	Good	50	SO ₂	1
64	Kalyan	Moderate	106	03	1
65	Kannur	Good	44	PM ₁₀	1
66	Kanpur	Satisfactory	53	O ₃ , NH ₃ , PM _{2.5}	3
67	Karnal	Satisfactory	59	PM _{2.5}	1
68	Katni	Satisfactory	55	O ₃	1
69	Khanna	Satisfactory	57	PM ₁₀	1
70	Kohima	Good	32	SO ₂	1
71	Kolar	Satisfactory	90	со	1
72	Kolkata	Good	38	PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	67	PM ₁₀	1
74	Koppal	Satisfactory	77	со	1
75	Kozhikode	Satisfactory	84	со	1
76	Kurukshetra	Good	44	PM _{2.5}	1
77	Lucknow	Satisfactory	64	PM ₁₀ , CO, PM _{2.5}	6
78	Ludhiana	Satisfactory	77	PM ₁₀	1
79	Maihar	Good	50	СО	1
80	Mandi Gobindgarh	Good	22	O ₃	1
81	Mandikhera	Satisfactory	75	PM ₁₀	1
82	Manesar	Satisfactory	74	PM ₁₀	1
83	Manglore	Satisfactory	66	NO ₂	1
84	Medikeri	Good	27	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Good	50	CO, PM ₁₀	3
86	Moradabad	Satisfactory	73	PM ₁₀	1
87	Mumbai	Good	42	O ₃ , CO, SO ₂	16
88	Muzaffarnagar	Satisfactory	59	PM ₁₀	1
89	Muzaffarpur	Satisfactory	54	CO, O ₃	2
90	Mysuru	Good	33	со	1
91	Nagpur	Satisfactory	83	03	1
92	Narnaul	Satisfactory	95	PM _{2.5}	1
93	Nashik	Good	30	NO ₂	1
94	Navi Mumbai	Good	11	PM ₁₀	1
95	Noida	Satisfactory	70	CO, PM ₁₀	4
96	Pali	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Satisfactory	58	O ₃	1
98	Panchkula	Good	41	PM _{2.5}	1
99	Panipat	Good	50	PM ₁₀	1
100	Patiala	Good	43	PM ₁₀	1
101	Patna	Satisfactory	66	O ₃ , PM ₁₀	5
102	Pithampur	Satisfactory	52	PM ₁₀	1
103	Prayagraj	Satisfactory	52	PM ₁₀	2
104	Puducherry	Good	27	PM ₁₀	1
105	Pune	Satisfactory	62	CO, PM _{2.5}	6
106	Raichur	Good	17	со	1
107	Rajamahendravaram	Good	35	со	1
108	Ramanagara	Good	30	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ratlam	Good	40	PM ₁₀	1
110	Rohtak	Satisfactory	83	NO ₂	1
111	Rupnagar	Satisfactory	73	PM ₁₀	1
112	Sagar	Good	24	NO ₂	1
113	Satna	Satisfactory	62	PM ₁₀	1
114	Shillong	Good	13	SO ₂	1
115	Shivamogga	Good	34	O ₃	1
116	Siliguri	Good	35	PM ₁₀	1
117	Singrauli	Good	39	со	1
118	Sirsa	Satisfactory	94	O ₃	1
119	Sonipat	Moderate	117	PM ₁₀	1
120	Srinagar	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Talcher	Satisfactory	87	NO ₂	1
122	Thane	Satisfactory	63	PM ₁₀	1
123	Thiruvananthapuram	Satisfactory	72	со	2
124	Thoothukudi	Good	50	PM ₁₀	1
125	Thrissur	Satisfactory	55	O ₃	1
126	Tirupati	Good	33	со	1
127	Udaipur	Good	45	СО	1
128	Ujjain	Satisfactory	72	O ₃	1
129	Vapi	Satisfactory	61	O ₃	1
130	Varanasi	Good	46	O ₃ , PM ₁₀	2
131	Vatva	Satisfactory	62	PM ₁₀	1
132	Vijayapura	Satisfactory	90	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Visakhapatnam	Satisfactory	56	PM ₁₀	1
134	Yadgir	Good	20	03	1
135	Yamunanagar	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Durgapur, Gummidipoondi, Jorapokhar, Kalaburgi, Kochi, Kota, Mandideep, Naharlagun, Nandesari, Solapur, Udupi as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.