



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	151	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	83	O <sub>3</sub>	6
3	Ahmedabad	Moderate	116	PM <sub>10</sub>	6
4	Aizawl	Good	47	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	51	PM <sub>10</sub>	1
6	Alwar	Satisfactory	71	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	90	PM <sub>10</sub>	1
8	Ambala	Satisfactory	96	PM <sub>10</sub>	1
9	Amritsar	Poor	259	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	66	O <sub>3</sub>	1
11	Ankleshwar	Satisfactory	68	CO	1
12	Araria	Moderate	117	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	50	PM <sub>10</sub>	1
14	Arrah	Moderate	131	PM <sub>10</sub>	1
15	Asansol	Moderate	116	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	74	PM <sub>10</sub>	1
17	Baddi	Moderate	145	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Baghpat	Moderate	147	PM <sub>10</sub>	1
20	Bahadurgarh	Satisfactory	79	PM <sub>10</sub>	1
21	Banswara	Moderate	103	PM <sub>10</sub>	1
22	Bareilly	Satisfactory	61	PM <sub>10</sub>	2
23	Baripada	Satisfactory	84	O <sub>3</sub>	1
24	Barmer	Satisfactory	87	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	48	CO	1
26	Bengaluru	Satisfactory	59	CO, PM <sub>2.5</sub>	11
27	Bettiah	Moderate	185	PM <sub>10</sub>	1
28	Bharatpur	Satisfactory	100	PM <sub>10</sub>	1
29	Bhilai	Good	43	PM <sub>10</sub> , CO	3
30	Bhiwadi	Moderate	110	PM <sub>10</sub>	1
31	Bhiwani	Satisfactory	60	CO	1
32	Bhopal	Satisfactory	71	O <sub>3</sub> , PM <sub>10</sub>	3
33	Bidar	Good	40	NH <sub>3</sub>	1
34	Bihar Sharif	Moderate	115	PM <sub>10</sub>	1
35	Bikaner	Satisfactory	60	O <sub>3</sub>	1
36	Bilaspur	Satisfactory	77	CO	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhiwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	108	PM <sub>10</sub>	1
38	Bulandshahr	Moderate	126	PM <sub>10</sub>	1
39	Bundi	Moderate	153	CO	1
40	Chamarajanagar	Good	47	PM <sub>10</sub>	1
41	Chandigarh	Moderate	150	O <sub>3</sub> , PM <sub>10</sub>	3
42	Chandrapur	Satisfactory	88	PM <sub>10</sub>	1
43	Charkhi Dadri	Moderate	102	PM <sub>2.5</sub>	1
44	Chennai	Satisfactory	76	CO, PM <sub>2.5</sub>	8
45	Chhal	Satisfactory	53	PM <sub>10</sub>	1
46	Chhapra	Moderate	186	PM <sub>10</sub>	1
47	Chikkaballapur	Satisfactory	55	PM <sub>10</sub>	1
48	Chittoor	Satisfactory	89	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Satisfactory	78	O <sub>3</sub>	1
50	Damoh	Good	19	PM <sub>10</sub>	1
51	Dausa	Moderate	111	PM <sub>10</sub>	1
52	Davanagere	Good	37	PM <sub>2.5</sub>	1
53	Dehradun	Satisfactory	88	O <sub>3</sub>	1
54	Delhi	Moderate	136	PM <sub>10</sub>	35
55	Dewas	Satisfactory	82	PM <sub>10</sub>	1
56	Dhanbad	Moderate	158	CO	1
57	Dharuhera	Satisfactory	64	PM <sub>2.5</sub>	1
58	Dharwad	Satisfactory	59	PM <sub>10</sub>	1
59	Dholpur	Moderate	108	O <sub>3</sub>	1
60	Durgapur	Moderate	104	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Eloor	Satisfactory	88	PM <sub>10</sub>	1
62	Faridabad	Satisfactory	78	PM <sub>10</sub> , PM <sub>2.5</sub>	3
63	Fatehabad	Moderate	156	PM <sub>10</sub>	1
64	Firozabad	Satisfactory	84	PM <sub>10</sub>	2
65	Gadag	Good	47	SO <sub>2</sub>	1
66	Gandhinagar	Satisfactory	64	PM <sub>2.5</sub>	3
67	Gangtok	Good	45	O <sub>3</sub>	1
68	Gaya	Satisfactory	82	O <sub>3</sub> , PM <sub>2.5</sub>	3
69	Ghaziabad	Moderate	134	PM <sub>10</sub>	4
70	Gorakhpur	Moderate	132	PM <sub>2.5</sub>	1
71	Greater Noida	Moderate	174	PM <sub>10</sub>	2
72	Gummidipoondi	Moderate	131	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Moderate	103	PM <sub>2.5</sub>	3
74	Guwahati	Satisfactory	78	O <sub>3</sub> , PM <sub>10</sub>	4
75	Gwalior	Satisfactory	100	PM <sub>10</sub> , O <sub>3</sub>	2
76	Hajipur	Satisfactory	68	PM <sub>10</sub>	1
77	Haldia	Satisfactory	59	PM <sub>10</sub>	1
78	Hanumangarh	Moderate	137	PM <sub>10</sub>	1
79	Hapur	Satisfactory	80	O <sub>3</sub>	1
80	Haveri	Satisfactory	62	PM <sub>10</sub>	1
81	Hisar	Satisfactory	63	PM <sub>2.5</sub>	1
82	Hosur	Satisfactory	59	PM <sub>10</sub>	1
83	Howrah	Satisfactory	78	PM <sub>10</sub> , CO	3
84	Hubballi	Satisfactory	74	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	8
86	Indore	Satisfactory	83	PM <sub>10</sub>	2
87	Jabalpur	Satisfactory	88	PM <sub>10</sub>	1
88	Jaipur	Satisfactory	75	PM <sub>10</sub>	6
89	Jaisalmer	Satisfactory	90	PM <sub>10</sub>	1
90	Jalandhar	Satisfactory	93	PM <sub>10</sub>	1
91	Jhalawar	Satisfactory	71	O <sub>3</sub>	1
92	Jhansi	Satisfactory	66	PM <sub>2.5</sub>	1
93	Jhunjhunu	Satisfactory	89	O <sub>3</sub>	1
94	Jind	Satisfactory	94	PM <sub>10</sub>	1
95	Jodhpur	Good	48	O <sub>3</sub>	3
96	Kadapa	Satisfactory	66	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Moderate	135	PM <sub>10</sub>	1
98	Kalyan	Satisfactory	89	PM <sub>10</sub>	1
99	Kanpur	Satisfactory	88	PM <sub>10</sub>	4
100	Karauli	Satisfactory	84	O <sub>3</sub>	1
101	Karnal	Moderate	119	PM <sub>10</sub>	1
102	Katihar	Moderate	136	PM <sub>10</sub>	1
103	Katni	Satisfactory	95	O <sub>3</sub>	1
104	Khanna	Satisfactory	69	PM <sub>10</sub>	1
105	Khurja	Moderate	109	PM <sub>2.5</sub>	1
106	Kishanganj	Satisfactory	70	PM <sub>10</sub>	1
107	Kochi	Satisfactory	90	PM <sub>10</sub>	1
108	Kohima	Good	38	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhiwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Satisfactory	54	O <sub>3</sub>	1
110	Kolkata	Satisfactory	70	PM <sub>10</sub>	7
111	Korba	Satisfactory	70	NO <sub>2</sub> , PM <sub>10</sub>	2
112	Kota	Moderate	116	CO, PM <sub>2.5</sub>	3
113	Kunjemura	Moderate	120	PM <sub>10</sub>	1
114	Kurukshetra	Moderate	125	PM <sub>2.5</sub>	1
115	Latur	Satisfactory	85	PM <sub>10</sub>	1
116	Lucknow	Satisfactory	90	PM <sub>10</sub>	5
117	Ludhiana	Satisfactory	93	PM <sub>10</sub>	1
118	Madikeri	Good	25	PM <sub>10</sub>	1
119	Mandi Gobindgarh	Poor	208	PM <sub>2.5</sub>	1
120	Mandideep	Moderate	182	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	61	PM <sub>10</sub>	1
122	Manesar	Satisfactory	99	PM <sub>10</sub>	1
123	Mangalore	Satisfactory	52	PM <sub>10</sub>	1
124	Manguraha	Satisfactory	88	O <sub>3</sub>	1
125	Meerut	Moderate	152	O <sub>3</sub> , PM <sub>10</sub>	3
126	Milupara	Satisfactory	65	PM <sub>10</sub>	1
127	Moradabad	Moderate	118	PM <sub>2.5</sub>	6
128	Mumbai	Satisfactory	78	CO, PM <sub>10</sub>	14
129	Munger	Moderate	182	CO	1
130	Muzaffarnagar	Moderate	161	PM <sub>10</sub>	1
131	Muzaffarpur	Moderate	182	O <sub>3</sub> , CO	3
132	Mysuru	Good	44	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhiwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Satisfactory	86	O <sub>3</sub>	1
134	Nagpur	Satisfactory	61	PM <sub>10</sub>	1
135	Nalbari	Satisfactory	99	PM <sub>10</sub>	1
136	Narnaul	Satisfactory	77	PM <sub>10</sub>	1
137	Nashik	Satisfactory	58	PM <sub>10</sub> , O <sub>3</sub>	2
138	Navi Mumbai	Satisfactory	68	CO	2
139	Nayagarh	Satisfactory	92	PM <sub>10</sub>	1
140	Noida	Moderate	137	PM <sub>10</sub>	4
141	Ooty	Moderate	101	PM <sub>10</sub>	1
142	Palkalaiperur	Satisfactory	63	SO <sub>2</sub>	1
143	Palwal	Satisfactory	62	PM <sub>10</sub>	1
144	Panchkula	Moderate	158	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhiwara, Bhopalnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Panipat	Moderate	105	PM <sub>10</sub>	1
146	Patiala	Moderate	109	PM <sub>10</sub>	1
147	Patna	Moderate	140	PM <sub>2.5</sub>	6
148	Pimpri Chinchwad	Satisfactory	78	PM <sub>2.5</sub>	1
149	Pithampur	Satisfactory	68	PM <sub>10</sub>	1
150	Pratapgarh	Satisfactory	78	O <sub>3</sub>	1
151	Prayagraj	Good	45	PM <sub>10</sub>	3
152	Puducherry	Satisfactory	62	PM <sub>10</sub>	1
153	Pune	Satisfactory	96	NO <sub>2</sub> , PM <sub>10</sub>	3
154	Purnia	Moderate	104	PM <sub>10</sub>	1
155	Raichur	Satisfactory	87	PM <sub>10</sub>	1
156	Raipur	Satisfactory	84	PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Satisfactory	56	PM <sub>10</sub>	1
158	Rajgir	Satisfactory	81	PM <sub>10</sub>	1
159	Rajsamand	Satisfactory	71	CO	1
160	Ramanagara	Satisfactory	68	O <sub>3</sub>	1
161	Ramanathapuram	Satisfactory	86	CO	1
162	Ratlam	Satisfactory	67	NO <sub>2</sub>	1
163	Rishikesh	Satisfactory	58	O <sub>3</sub>	1
164	Rohtak	Satisfactory	84	PM <sub>2.5</sub>	1
165	Rourkela	Moderate	102	PM <sub>10</sub>	3
166	Rupnagar	Moderate	152	PM <sub>10</sub>	1
167	Sagar	Satisfactory	96	O <sub>3</sub>	1
168	Saharsa	Moderate	154	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhillwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Samastipur	Moderate	146	PM <sub>10</sub>	1
170	Satna	Good	49	PM <sub>10</sub>	1
171	Shillong	Good	35	PM <sub>2.5</sub>	1
172	Shivamogga	Satisfactory	62	PM <sub>10</sub>	1
173	Sikar	Satisfactory	65	O <sub>3</sub>	1
174	Silchar	Good	43	CO	1
175	Siliguri	Satisfactory	55	PM <sub>10</sub>	1
176	Singrauli	Moderate	107	PM <sub>10</sub>	1
177	Sirsa	Moderate	111	PM <sub>10</sub>	1
178	Sivasagar	Good	30	PM <sub>10</sub>	1
179	Siwan	Moderate	140	PM <sub>10</sub>	1
180	Solapur	Moderate	121	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhiwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sonipat	Moderate	195	PM <sub>10</sub>	1
182	Sri Ganganagar	Moderate	120	PM <sub>10</sub>	1
183	Srinagar	Moderate	119	PM <sub>10</sub>	1
184	Suakati	Satisfactory	83	PM <sub>10</sub>	1
185	Surat	Satisfactory	80	CO	1
186	Tensa	Satisfactory	70	PM <sub>10</sub>	1
187	Thane	Satisfactory	91	PM <sub>10</sub>	1
188	Thiruvananthapuram	Good	40	PM <sub>10</sub>	2
189	Thoothukudi	Good	46	PM <sub>10</sub>	1
190	Thrissur	Satisfactory	76	PM <sub>10</sub>	1
191	Tirupati	Satisfactory	64	PM <sub>10</sub>	1
192	Tirupur	Good	38	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhiwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on May 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Satisfactory	63	PM <sub>10</sub>	1
194	Tumakuru	Moderate	112	PM <sub>10</sub>	1
195	Udaipur	Satisfactory	92	PM <sub>10</sub>	1
196	Vapi	Good	42	PM <sub>2.5</sub>	1
197	Varanasi	Satisfactory	83	PM <sub>10</sub>	4
198	Vatva	Satisfactory	66	PM <sub>2.5</sub>	1
199	Vijayapura	Good	49	PM <sub>10</sub>	1
200	Vijayawada	Satisfactory	90	PM <sub>2.5</sub>	1
201	Visakhapatnam	Moderate	184	PM <sub>10</sub>	1
202	Vrindavan	Moderate	114	PM <sub>10</sub>	1
203	Yadgir	Satisfactory	58	PM <sub>10</sub>	1
204	Yamunanagar	Moderate	134	PM <sub>2.5</sub>	1

\* AQI is not calculated for today's bulletin for Aurangabad (Bihar), Ballabgarh, Baran, Bathinda, Begusarai, Bhagalpur, Bhiwara, Brijrajnagar, Buxar, Byrnihat, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kashipur, Keonjhar, Kolar, Kollam, Koppal, Kozhikode, Maihar, Motihari, Nagaur, Naharlagun, Nandesari, Pali, Rairangpur, Salem, Sasaram, Sawai Madhopur, Sirohi, Talcher, Tumidih, Udupi, Ujjain, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes: