

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	172	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	62	PM ₁₀	5
3	Ahmedabad	Moderate	114	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	92	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Satisfactory	78	PM ₁₀	1
7	Amaravati	Satisfactory	61	PM ₁₀	1
8	Ambala	Moderate	112	PM ₁₀	1
9	Amritsar	Satisfactory	81	PM _{2.5}	1
10	Anantapur	Satisfactory	66	PM ₁₀	1
11	Araria	Moderate	197	PM _{2.5}	1
12	Ariyalur	Satisfactory	55	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	165	PM ₁₀	1
14	Asansol	Moderate	159	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	115	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	103	PM ₁₀	1
17	Baddi	Moderate	113	O ₃	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Poor	269	PM _{2.5}	1
20	Bahadurgarh	Moderate	199	PM _{2.5}	1
21	Banswara	Moderate	111	O ₃	1
22	Bareilly	Satisfactory	98	PM ₁₀	2
23	Barmer	Moderate	139	03	1
24	Bathinda	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Very Poor	317	PM _{2.5}	1
26	Belgaum	Satisfactory	70	PM ₁₀	1
27	Bengaluru	Moderate	113	PM _{2.5} , PM ₁₀	10
28	Bhagalpur	Poor	219	PM ₁₀	2
29	Bharatpur	Moderate	131	PM ₁₀	1
30	Bhilai	Satisfactory	66	PM ₁₀	2
31	Bhiwadi	Poor	246	PM _{2.5}	1
32	Bhiwani	Moderate	194	PM _{2.5}	1
33	Bhopal	Satisfactory	94	O ₃	3
34	Bidar	Moderate	112	СО	1
35	Bihar Sharif	Satisfactory	96	PM ₁₀	1
36	Bikaner	Moderate	195	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Moderate	123	PM ₁₀	1
38	Bileipada	Moderate	194	PM _{2.5}	1
39	Brajrajnagar	Moderate	152	PM ₁₀	1
40	Bulandshahr	Moderate	159	PM _{2.5}	1
41	Chamarajanagar	Good	42	PM ₁₀	1
42	Chandigarh	Moderate	115	PM _{2.5}	3
43	Chandrapur	Moderate	112	PM _{2.5}	1
44	Charkhi Dadri	Moderate	198	PM _{2.5}	1
45	Chengalpattu	Satisfactory	92	PM ₁₀	1
46	Chennai	Satisfactory	61	со	8
47	Chhal	Poor	230	PM _{2.5}	1
48	Chikkaballapur	Moderate	150	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Good	48	PM ₁₀	1
50	Chittoor	Satisfactory	55	PM _{2.5}	1
51	Chittorgarh	Moderate	122	PM ₁₀	1
52	Churu	Moderate	153	PM ₁₀	1
53	Coimbatore	Moderate	125	PM _{2.5}	1
54	Cuddalore	Good	50	PM _{2.5}	2
55	Damoh	Good	38	PM _{2.5}	1
56	Dausa	Moderate	169	PM ₁₀	1
57	Dehradun	Satisfactory	85	PM ₁₀	1
58	Delhi	Poor	259	PM _{2.5}	34
59	Dewas	Satisfactory	85	со	1
60	Dhanbad	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharuhera	Moderate	179	PM _{2.5}	1
62	Dholpur	Satisfactory	95	PM _{2.5}	1
63	Dindigul	Satisfactory	61	NO ₂	1
64	Durgapur	Moderate	191	PM _{2.5}	1
65	Faridabad	Poor	222	PM _{2.5} , PM ₁₀	3
66	Fatehabad	Moderate	154	PM ₁₀	1
67	Firozabad	Satisfactory	89	PM ₁₀	2
68	Gandhinagar	Satisfactory	78	PM _{2.5} , PM ₁₀	3
69	Gaya	Moderate	113	PM ₁₀ , CO	3
70	Ghaziabad	Poor	237	PM _{2.5} , PM ₁₀	4
71	Gorakhpur	Moderate	131	PM _{2.5}	1
72	Greater Noida	Poor	270	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Satisfactory	81	PM ₁₀	1
74	Gurugram	Moderate	176	PM _{2.5} , O ₃	4
75	Guwahati	Satisfactory	78	PM ₁₀ , PM _{2.5}	4
76	Gwalior	Moderate	116	PM ₁₀	3
77	Hajipur	Poor	237	PM ₁₀	1
78	Haldia	Satisfactory	86	PM ₁₀	1
79	Hanumangarh	Poor	219	PM ₁₀	1
80	Hapur	Satisfactory	82	PM ₁₀	1
81	Hassan	Moderate	105	PM _{2.5}	1
82	Haveri	Satisfactory	71	PM _{2.5}	1
83	Hosur	Moderate	120	со	1
84	Howrah	Moderate	113	PM ₁₀	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari,

Roznikode, Kunjemura, Mandiknera, Motinari, Muzarrarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Moderate	111	PM ₁₀	2
86	Hyderabad	Satisfactory	97	PM _{2.5} , PM ₁₀	13
87	Imphal	Moderate	118	PM _{2.5} , SO ₂	2
88	Indore	Satisfactory	82	PM ₁₀	2
89	Jabalpur	Moderate	118	PM ₁₀	1
90	Jaipur	Moderate	113	PM _{2.5} , PM ₁₀	3
91	Jalandhar	Satisfactory	75	PM ₁₀	1
92	Jhalawar	Satisfactory	88	PM _{2.5}	1
93	Jhansi	Satisfactory	82	PM ₁₀	1
94	Jhunjhunu	Moderate	124	03	1
95	Jind	Satisfactory	93	PM _{2.5}	1
96	Jodhpur	Moderate	160	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jorapokhar	Moderate	169	PM ₁₀	1
98	Kalaburgi	Satisfactory	97	PM ₁₀	2
99	Kalyan	Moderate	143	PM _{2.5}	1
100	Kanchipuram	Satisfactory	62	PM ₁₀	1
101	Kanpur	Moderate	142	PM _{2.5}	3
102	Karauli	Good	43	O ₃	1
103	Karnal	Satisfactory	97	PM ₁₀	1
104	Kashipur	Satisfactory	80	PM ₁₀	1
105	Katihar	Poor	216	PM ₁₀	1
106	Katni	Moderate	151	PM ₁₀	1
107	Keonjhar	Poor	235	PM _{2.5}	1
108	Khanna	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Moderate	116	PM _{2.5}	1
110	Kishanganj	Moderate	129	PM ₁₀	1
111	Kochi	Satisfactory	75	PM _{2.5}	1
112	Kohima	Moderate	115	PM _{2.5}	1
113	Kolar	Satisfactory	93	PM ₁₀	1
114	Kolkata	Satisfactory	85	PM ₁₀ , PM _{2.5}	7
115	Kollam	Satisfactory	67	PM ₁₀	1
116	Koppal	Satisfactory	76	O ₃	1
117	Korba	Moderate	159	PM ₁₀	1
118	Kota	Moderate	148	PM _{2.5}	3
119	Kurukshetra	Moderate	138	PM _{2.5}	1
120	Lucknow	Moderate	148	PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Moderate	102	PM ₁₀	1
122	Madikeri	Good	39	PM _{2.5}	1
123	Maihar	Good	46	PM ₁₀	1
124	Mandi Gobindgarh	Satisfactory	74	PM ₁₀	1
125	Mandideep	Moderate	121	PM ₁₀	1
126	Manesar	Poor	230	PM _{2.5}	1
127	Mangalore	Moderate	110	PM ₁₀	1
128	Manguraha	Moderate	155	PM _{2.5}	1
129	Meerut	Poor	259	PM _{2.5}	2
130	Milupara	Satisfactory	80	PM ₁₀	1
131	Moradabad	Moderate	149	PM _{2.5} , PM ₁₀	6
132	Mumbai	Moderate	146	PM _{2.5} , NO ₂	17

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Poor	251	PM ₁₀	1
134	Muzaffarpur	Poor	237	PM _{2.5}	3
135	Mysuru	Good	44	PM ₁₀	1
136	Nagaon	Moderate	107	PM _{2.5}	1
137	Nagpur	Moderate	108	PM _{2.5}	1
138	Naharlagun	Good	37	PM _{2.5}	1
139	Nalbari	Satisfactory	93	PM _{2.5}	1
140	Narnaul	Moderate	129	PM _{2.5}	1
141	Nashik	Satisfactory	88	PM _{2.5}	1
142	Navi Mumbai	Moderate	157	PM ₁₀	2
143	Nayagarh	Poor	256	PM _{2.5}	1
144	Noida	Poor	247	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ooty	Moderate	101	PM _{2.5}	1
146	Pali	Satisfactory	89	PM ₁₀	1
147	Palwal	Satisfactory	73	PM ₁₀	1
148	Panchkula	Moderate	131	со	1
149	Panipat	Moderate	179	PM ₁₀	1
150	Patiala	Satisfactory	86	PM ₁₀	1
151	Patna	Poor	276	PM ₁₀ , PM _{2.5}	6
152	Pithampur	Satisfactory	90	PM ₁₀	1
153	Pratapgarh	Satisfactory	95	PM ₁₀	1
154	Prayagraj	Moderate	149	O ₃ , PM ₁₀	3
155	Puducherry	Good	42	PM ₁₀	1
156	Pune	Moderate	153	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Moderate	114	PM ₁₀	1
158	Raichur	Moderate	118	PM ₁₀	1
159	Raipur	Moderate	102	PM ₁₀ , NO ₂	4
160	Rairangpur	Moderate	153	PM _{2.5}	1
161	Rajamahendravaram	Satisfactory	80	PM ₁₀	1
162	Rajgir	Moderate	114	PM ₁₀	1
163	Ramanagara	Satisfactory	81	PM ₁₀	1
164	Ramanathapuram	Good	45	PM ₁₀	1
165	Ratlam	Satisfactory	75	PM ₁₀	1
166	Rishikesh	Good	47	PM ₁₀	1
167	Rohtak	Moderate	170	PM _{2.5}	1
168	Rourkela	Poor	216	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rupnagar	Satisfactory	80	PM ₁₀	1
170	Sagar	Satisfactory	80	O ₃	1
171	Saharsa	Moderate	184	PM ₁₀	1
172	Samastipur	Poor	234	PM ₁₀	1
173	Sasaram	Moderate	104	PM ₁₀	1
174	Satna	Good	44	PM _{2.5}	1
175	Sawai Madhopur	Moderate	133	PM ₁₀	1
176	Shillong	Satisfactory	94	PM _{2.5}	1
177	Shivamogga	Good	41	PM ₁₀	1
178	Sikar	Moderate	134	PM ₁₀	1
179	Silchar	Satisfactory	65	PM ₁₀	1
180	Siliguri	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Singrauli	Moderate	192	PM ₁₀	1
182	Sirohi	Satisfactory	74	PM ₁₀	1
183	Sirsa	Satisfactory	99	PM ₁₀	1
184	Sivasagar	Satisfactory	53	PM _{2.5}	1
185	Siwan	Very Poor	306	PM _{2.5}	1
186	Solapur	Moderate	113	PM ₁₀	1
187	Sonipat	Moderate	126	PM ₁₀	1
188	Sri Ganganagar	Poor	240	PM _{2.5}	1
189	Srinagar	Satisfactory	84	PM ₁₀	1
190	Suakati	Moderate	139	PM _{2.5}	1
191	Surat	Moderate	118	PM _{2.5}	1
192	Tensa	Poor	245	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thane	Moderate	145	PM ₁₀	1
194	Thiruvananthapuram	Satisfactory	78	PM ₁₀	2
195	Thoothukudi	Satisfactory	61	PM ₁₀	1
196	Thrissur	Moderate	113	PM ₁₀	1
197	Tirupati	Satisfactory	77	PM _{2.5}	1
198	Tonk	Poor	218	PM ₁₀	1
199	Tumidih	Poor	235	PM _{2.5}	1
200	Udaipur	Satisfactory	87	PM ₁₀	1
201	Udupi	Satisfactory	73	O ₃	1
202	Ujjain	Moderate	101	PM ₁₀	1
203	Varanasi	Satisfactory	99	PM ₁₀	4
204	Vatva	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayapura	Good	42	PM ₁₀	1
206	Visakhapatnam	Moderate	119	PM ₁₀	1
207	Vrindavan	Moderate	111	PM ₁₀	1
208	Yadgir	Satisfactory	92	PM ₁₀	1
209	Yamunanagar	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Ballabgarh, Baripada, Bettiah, Buxar, Byrnihat, Chhapra, Darbhanga, Davanagere, Dharwad, Eloor, Ernakulam, Gadag, Gangtok, Hisar, Kadapa, Kaithal, Kannur, Kozhikode, Kunjemura, Mandikhera, Motihari, Muzaffarnagar, Nandesari, Rajsamand, Salem, Talcher, Tirupur, Tumakuru, Vapi, Vijayawada, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.