



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	327	PM _{2.5}	1
2	Agra	Satisfactory	64	PM ₁₀	6
3	Ahmedabad	Moderate	125	PM _{2.5} , PM ₁₀	7
4	Aizawl	Moderate	111	PM ₁₀	1
5	Ajmer	Satisfactory	98	PM ₁₀	1
6	Alwar	Satisfactory	82	PM ₁₀	1
7	Amaravati	Satisfactory	79	PM ₁₀	1
8	Ambala	Moderate	144	PM _{2.5}	1
9	Amritsar	Moderate	147	PM _{2.5}	1
10	Anantapur	Satisfactory	53	PM _{2.5}	1
11	Ankleshwar	Moderate	117	PM _{2.5}	1
12	Araria	Poor	275	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	69	NO ₂	1
14	Arrah	Poor	243	PM _{2.5}	1
15	Asansol	Moderate	164	PM _{2.5}	1
16	Aurangabad (Bihar)	Moderate	135	PM ₁₀	1
17	Aurangabad (Maharashtra)	Moderate	149	PM ₁₀	1
18	Baddi	Moderate	190	O ₃	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Poor	269	O ₃	1
21	Bahadurgarh	Moderate	168	PM _{2.5}	1
22	Ballabgarh	Moderate	197	PM _{2.5}	1
23	Bareilly	Satisfactory	89	PM ₁₀	2
24	Baripada	Moderate	195	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	131	PM ₁₀	1
26	Belgaum	Moderate	136	PM ₁₀	1
27	Bengaluru	Satisfactory	78	PM ₁₀	10
28	Bettiah	Very Poor	306	PM _{2.5}	1
29	Bhagalpur	Moderate	143	PM ₁₀	2
30	Bharatpur	Moderate	185	PM _{2.5}	1
31	Bhilai	Satisfactory	74	O ₃	2
32	Bhiwadi	Moderate	192	PM _{2.5}	1
33	Bhiwani	Poor	211	PM _{2.5}	1
34	Bhopal	Moderate	102	PM ₁₀ , O ₃	3
35	Bidar	Satisfactory	74	PM ₁₀	1
36	Bihar Sharif	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	81	PM ₁₀	1
38	Bileipada	Moderate	192	PM ₁₀	1
39	Brajrajnagar	Moderate	129	PM ₁₀	1
40	Bulandshahr	Moderate	121	PM ₁₀	1
41	Byrnihat	Very Poor	360	PM _{2.5}	1
42	Chamarajanagar	Good	42	PM ₁₀	1
43	Chandigarh	Poor	233	PM _{2.5}	3
44	Chandrapur	Moderate	151	PM _{2.5}	1
45	Charkhi Dadri	Moderate	177	PM _{2.5}	1
46	Chengalpattu	Satisfactory	92	PM ₁₀	1
47	Chennai	Satisfactory	90	PM _{2.5} , PM ₁₀	8
48	Chhapra	Poor	273	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	56	PM ₁₀	1
50	Chikkamagaluru	Satisfactory	53	PM ₁₀	1
51	Chittoor	Satisfactory	65	O ₃	1
52	Coimbatore	Satisfactory	65	CO	1
53	Damoh	Good	27	PM _{2.5}	1
54	Davanagere	Satisfactory	93	PM ₁₀	1
55	Dehradun	Moderate	118	PM ₁₀	1
56	Delhi	Poor	216	PM ₁₀ , PM _{2.5}	38
57	Dewas	Satisfactory	98	CO	1
58	Dhanbad	Poor	266	O ₃	1
59	Dharuhera	Moderate	167	PM ₁₀	1
60	Dindigul	Very Poor	352	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairampur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Moderate	125	PM _{2.5}	1
62	Eloor	Satisfactory	90	PM ₁₀	1
63	Faridabad	Poor	210	PM ₁₀	3
64	Fatehabad	Moderate	154	PM ₁₀	1
65	Firozabad	Satisfactory	90	PM ₁₀ , PM _{2.5}	2
66	Gadag	Satisfactory	69	PM ₁₀	1
67	Gandhinagar	Satisfactory	85	PM _{2.5} , PM ₁₀	3
68	Gangtok	Satisfactory	51	O ₃	1
69	Gaya	Moderate	135	PM _{2.5}	3
70	Ghaziabad	Poor	238	O ₃ , PM ₁₀	4
71	Gorakhpur	Moderate	142	PM _{2.5}	1
72	Greater Noida	Moderate	182	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Satisfactory	95	PM _{2.5}	1
74	Gurugram	Poor	222	PM _{2.5}	4
75	Guwahati	Poor	281	PM _{2.5}	3
76	Gwalior	Moderate	192	O ₃ , PM _{2.5}	3
77	Hajipur	Poor	232	PM ₁₀	1
78	Haldia	Moderate	129	PM ₁₀	1
79	Hapur	Moderate	154	O ₃	1
80	Hassan	Satisfactory	72	PM ₁₀	1
81	Haveri	Moderate	107	PM ₁₀	1
82	Howrah	Moderate	140	PM _{2.5}	2
83	Hubballi	Satisfactory	98	PM ₁₀	2
84	Hyderabad	Satisfactory	90	PM _{2.5} , PM ₁₀	13

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Imphal	Moderate	192	PM _{2.5}	2
86	Indore	Satisfactory	98	PM ₁₀	1
87	Jabalpur	Moderate	134	PM ₁₀	1
88	Jaipur	Moderate	119	PM _{2.5} , PM ₁₀	3
89	Jalandhar	Moderate	153	PM _{2.5}	1
90	Jhansi	Satisfactory	89	PM ₁₀	1
91	Jind	Moderate	180	CO	1
92	Jodhpur	Poor	204	PM _{2.5}	2
93	Jorapokhar	Moderate	161	PM ₁₀	1
94	Kadapa	Moderate	111	PM _{2.5}	1
95	Kaithal	Moderate	134	PM _{2.5}	1
96	Kalaburgi	Satisfactory	90	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Moderate	175	PM ₁₀	1
98	Kanchipuram	Satisfactory	76	PM ₁₀	1
99	Kannur	Moderate	129	CO	1
100	Kanpur	Moderate	137	PM _{2.5}	3
101	Karnal	Satisfactory	91	PM ₁₀	1
102	Kashipur	Moderate	107	PM ₁₀	1
103	Katihar	Moderate	170	PM ₁₀	1
104	Katni	Moderate	101	PM ₁₀	1
105	Keonjhar	Moderate	181	PM _{2.5}	1
106	Khanna	Satisfactory	85	PM ₁₀	1
107	Khurja	Moderate	149	PM _{2.5}	1
108	Kishanganj	Moderate	158	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kochi	Moderate	176	PM _{2.5}	1
110	Kohima	Moderate	155	PM _{2.5}	1
111	Kolkata	Moderate	143	PM _{2.5} , O ₃	7
112	Kollam	Satisfactory	96	PM ₁₀	1
113	Koppal	Satisfactory	61	O ₃	1
114	Korba	Moderate	118	PM ₁₀	2
115	Kota	Moderate	172	PM _{2.5}	3
116	Kozhikode	Satisfactory	75	PM _{2.5}	1
117	Kurukshetra	Satisfactory	94	PM _{2.5}	1
118	Lucknow	Moderate	137	PM _{2.5}	6
119	Ludhiana	Moderate	152	PM _{2.5}	1
120	Madikeri	Good	39	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairampur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Maihar	Good	46	CO	1
122	Mandi Gobindgarh	Poor	247	PM _{2.5}	1
123	Mandideep	Moderate	112	PM ₁₀	1
124	Mandikhera	Satisfactory	95	PM ₁₀	1
125	Manesar	Moderate	184	PM ₁₀	1
126	Mangalore	Moderate	158	PM _{2.5}	1
127	Meerut	Poor	224	PM _{2.5}	3
128	Moradabad	Moderate	177	PM _{2.5}	6
129	Motihari	Poor	208	PM ₁₀	1
130	Mumbai	Moderate	186	PM _{2.5} , PM ₁₀	18
131	Munger	Poor	237	PM ₁₀	1
132	Muzaffarnagar	Poor	250	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Poor	231	PM _{2.5}	3
134	Mysuru	Satisfactory	52	PM ₁₀	1
135	Nagaon	Very Poor	318	PM _{2.5}	1
136	Nagpur	Satisfactory	94	O ₃	1
137	Naharlagun	Satisfactory	61	PM ₁₀	1
138	Nalbari	Poor	288	PM _{2.5}	1
139	Narnaul	Moderate	134	PM _{2.5}	1
140	Nashik	Satisfactory	93	PM _{2.5}	1
141	Navi Mumbai	Poor	212	PM _{2.5}	2
142	Nayagarh	Poor	288	PM ₁₀	1
143	Noida	Poor	229	PM ₁₀ , PM _{2.5}	4
144	Ooty	Satisfactory	66	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	77	PM ₁₀	1
146	Palwal	Satisfactory	87	PM ₁₀	1
147	Panchkula	Moderate	107	PM _{2.5}	1
148	Panipat	Moderate	129	PM ₁₀	1
149	Patiala	Satisfactory	97	PM ₁₀	1
150	Patna	Poor	246	PM _{2.5}	6
151	Pithampur	Moderate	104	PM ₁₀	1
152	Prayagraj	Moderate	122	O ₃ , PM ₁₀	3
153	Puducherry	Satisfactory	61	PM ₁₀	1
154	Pune	Moderate	152	PM _{2.5} , PM ₁₀	4
155	Purnia	Moderate	159	PM ₁₀	1
156	Raichur	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raipur	Moderate	108	NO ₂ , PM ₁₀	4
158	Rajamahendravaram	Moderate	141	PM _{2.5}	1
159	Rajgir	Moderate	176	PM _{2.5}	1
160	Ramanagara	Satisfactory	76	PM ₁₀	1
161	Ramanathapuram	Satisfactory	53	PM ₁₀	1
162	Ratlam	Satisfactory	86	PM ₁₀	1
163	Rishikesh	Satisfactory	83	PM ₁₀	1
164	Rohtak	Satisfactory	92	PM _{2.5}	1
165	Rourkela	Poor	279	PM _{2.5}	3
166	Rupnagar	Moderate	127	PM ₁₀	1
167	Sagar	Satisfactory	93	O ₃	1
168	Saharsa	Poor	262	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairampur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Salem	Satisfactory	59	PM ₁₀	1
170	Samastipur	Poor	246	PM _{2.5}	1
171	Sasaram	Satisfactory	93	PM ₁₀	1
172	Satna	Satisfactory	67	O ₃	1
173	Shillong	Moderate	121	PM _{2.5}	1
174	Shivamogga	Good	49	O ₃	1
175	Siliguri	Moderate	104	PM ₁₀	1
176	Singrauli	Moderate	126	PM _{2.5}	1
177	Sirsa	Satisfactory	93	PM ₁₀	1
178	Sivasagar	Satisfactory	74	PM _{2.5}	1
179	Siwan	Poor	267	PM _{2.5}	1
180	Solapur	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairampur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Srinagar	Satisfactory	95	PM _{2.5}	1
182	Surat	Moderate	158	PM _{2.5}	1
183	Talcher	Moderate	146	PM _{2.5}	1
184	Tensa	Poor	223	PM _{2.5}	1
185	Thiruvananthapuram	Satisfactory	65	PM _{2.5}	1
186	Thoothukudi	Satisfactory	55	O ₃	1
187	Thrissur	Moderate	124	PM _{2.5}	1
188	Tirupati	Satisfactory	69	NO ₂	1
189	Tirupur	Satisfactory	70	PM ₁₀	1
190	Udaipur	Satisfactory	92	PM ₁₀	1
191	Varanasi	Satisfactory	60	PM ₁₀	4
192	Vatva	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer, Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonapat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Mar 12, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayapura	Good	42	PM ₁₀	1
194	Vijayawada	Moderate	177	PM _{2.5}	1
195	Vrindavan	Moderate	151	PM ₁₀	1
196	Yadgir	Satisfactory	84	PM ₁₀	1
197	Yamunanagar	Moderate	157	PM _{2.5}	1
198	vellore	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Banswara, Barmer,

Begusarai, Bikaner, Buxar, Chhal, Chittorgarh, Churu, Darbhanga, Dausa, Dharwad, Dholpur, Ernakulam, Hanumangarh, Hisar, Hosur, Jhalawar, Jhunjhunu, Karauli, Kolar, Kunjemura, Manguraha, Milupara, Nandesari, Pratapgarh, Rairangpur, Sawai Madhopur, Sikar, Silchar, Sirohi, Sonipat, Sri Ganganagar, Suakati, Thane, Tonk, Tumakuru, Tumidih, Udupi, Ujjain, Vapi, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.