

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	PM ₁₀	1
2	Agra	Satisfactory	81	PM _{2.5}	1
3	Ahmedabad	Moderate	157	PM ₁₀	1
4	Aizawl	Satisfactory	93	PM ₁₀	1
5	Ajmer	Satisfactory	87	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Moderate	101	PM ₁₀	1
8	Ambala	Satisfactory	79	PM ₁₀	1
9	Amritsar	Good	50	PM ₁₀	1
10	Ankleshwar	Moderate	185	03	1
11	Asansol	Moderate	176	PM ₁₀	1
12	Aurangabad	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Minimal Impact

	·
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	140	PM ₁₀	1
14	Bahadurgarh	Moderate	112	PM _{2.5}	1
15	Ballabgarh	Moderate	101	PM ₁₀	1
16	Bathinda	Satisfactory	66	PM ₁₀	1
17	Bengaluru	Satisfactory	94	PM ₁₀	9
18	Bhiwadi	Poor	256	PM _{2.5}	1
19	Bhiwani	Moderate	136	O ₃	1
20	Bhopal	Moderate	121	PM ₁₀	1
21	Bidar	Moderate	116	PM ₁₀	1
22	Brajrajnagar	Satisfactory	74	O ₃	1
23	Bulandshahr	Moderate	173	O ₃	1
24	Chamarajanagar	Good	50	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Good	Minimai Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	79	PM ₁₀	1
26	Chandrapur	Moderate	124	PM _{2.5}	2
27	Charkhi Dadri	Satisfactory	91	PM ₁₀	1
28	Chennai	Satisfactory	98	PM _{2.5} , PM ₁₀	6
29	Chikkaballapur	Moderate	109	PM ₁₀	1
30	Chikkamagaluru	Satisfactory	68	PM _{2.5}	1
31	Damoh	Satisfactory	66	PM ₁₀	1
32	Davanagere	Moderate	125	PM ₁₀	1
33	Delhi	Moderate	150	PM _{2.5} , PM ₁₀	31
34	Dewas	Moderate	125	PM ₁₀	1
35	Dharuhera	Moderate	153	PM ₁₀	1
36	Durgapur	Poor	241	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	60	O ₃	1
38	Faridabad	Moderate	135	PM ₁₀	3
39	Fatehabad	Satisfactory	78	PM ₁₀	1
40	Gandhinagar	Satisfactory	80	PM ₁₀	1
41	Gaya	Moderate	117	03	1
42	Ghaziabad	Moderate	143	PM ₁₀	4
43	Greater Noida	Moderate	158	O ₃ , PM ₁₀	2
44	Gummidipoondi	Moderate	182	PM ₁₀	1
45	Gurugram	Moderate	146	PM _{2.5}	3
46	Guwahati	Very Poor	370	PM ₁₀	2
47	Gwalior	Moderate	125	PM ₁₀	1
48	Hajipur	Moderate	200	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Moderate	117	PM ₁₀	1
50	Hapur	Moderate	140	PM ₁₀	1
51	Hisar	Satisfactory	84	PM ₁₀	1
52	Howrah	Moderate	192	PM ₁₀ , PM _{2.5}	2
53	Hubballi	Moderate	141	PM _{2.5}	1
54	Hyderabad	Moderate	158	PM _{2.5} , PM ₁₀	5
55	Indore	Moderate	150	PM ₁₀	1
56	Jabalpur	Moderate	142	PM ₁₀	1
57	Jaipur	Moderate	110	PM _{2.5} , PM ₁₀	3
58	Jalandhar	Satisfactory	57	PM _{2.5}	1
59	Jind	Satisfactory	81	PM ₁₀	1
60	Jodhpur	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Satisfactory	85	PM ₁₀	1
62	Kalaburgi	Moderate	121	PM _{2.5}	1
63	Kalyan	Moderate	186	03	1
64	Kannur	Moderate	127	PM ₁₀	1
65	Kanpur	Satisfactory	80	PM _{2.5}	2
66	Karnal	Satisfactory	58	PM _{2.5}	1
67	Katni	Moderate	195	PM ₁₀	1
68	Khanna	Satisfactory	94	PM ₁₀	1
69	Kochi	Satisfactory	93	PM _{2.5}	1
70	Kohima	Moderate	144	PM ₁₀	1
71	Kolkata	Moderate	197	O ₃ , PM _{2.5}	6
72	Kota	Moderate	129	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	83	PM ₁₀	1
74	Kurukshetra	Satisfactory	87	PM ₁₀	1
75	Lucknow	Moderate	136	PM ₁₀ , O ₃ , PM _{2.5}	4
76	Ludhiana	Satisfactory	89	PM ₁₀	1
77	Mandi Gobindgarh	Moderate	101	PM ₁₀	1
78	Mandideep	Satisfactory	53	PM ₁₀	1
79	Mandikhera	Satisfactory	57	PM ₁₀	1
80	Manesar	Moderate	111	PM _{2.5}	1
81	Medikeri	Satisfactory	73	PM ₁₀	1
82	Meerut	Moderate	141	PM ₁₀	3
83	Mumbai	Moderate	170	PM _{2.5} , PM ₁₀ , O ₃	19
84	Muzaffarnagar	Good	42	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	156	PM _{2.5} , PM ₁₀	2
86	Nandesari	Satisfactory	100	СО	1
87	Narnaul	Moderate	170	PM ₁₀	1
88	Nashik	Satisfactory	78	PM ₁₀	1
89	Navi Mumbai	Moderate	186	O ₃	2
90	Noida	Moderate	135	PM ₁₀	3
91	Pali	Moderate	136	PM _{2.5}	1
92	Palwal	Satisfactory	77	PM ₁₀	1
93	Panchkula	Satisfactory	95	PM _{2.5}	1
94	Panipat	Satisfactory	97	PM ₁₀	1
95	Patiala	Satisfactory	69	PM ₁₀	1
96	Patna	Poor	224	PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	112	PM _{2.5}	1
98	Puducherry	Satisfactory	92	PM ₁₀	1
99	Pune	Moderate	111	PM _{2.5} , CO	5
100	Raichur	Moderate	143	PM _{2.5}	1
101	Rajamahendravaram	Moderate	155	PM _{2.5}	1
102	Ramanagara	Moderate	113	03	1
103	Ratlam	Moderate	120	PM ₁₀	1
104	Rohtak	Satisfactory	81	PM _{2.5}	1
105	Rupnagar	Moderate	117	PM ₁₀	1
106	Sagar	Satisfactory	77	PM _{2.5}	1
107	Satna	Satisfactory	94	PM ₁₀	1
108	Shillong	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	60	PM _{2.5}	1
110	Siliguri	Very Poor	327	PM _{2.5}	1
111	Singrauli	Poor	256	PM _{2.5}	1
112	Sirsa	Satisfactory	69	PM ₁₀	1
113	Solapur	Moderate	117	PM ₁₀	1
114	Sonipat	Moderate	147	PM ₁₀	1
115	Srinagar	Moderate	105	PM ₁₀	1
116	Talcher	Satisfactory	95	со	1
117	Thane	Poor	241	NO ₂	1
118	Thiruvananthapuram	Satisfactory	56	PM ₁₀ , PM _{2.5}	2
119	Thoothukudi	Satisfactory	66	PM ₁₀	1
120	Thrissur	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Moderate	175	PM _{2.5}	1
122	Udaipur	Moderate	102	PM ₁₀	1
123	Ujjain	Moderate	152	PM ₁₀	1
124	Vapi	Moderate	140	PM ₁₀	1
125	Varanasi	Poor	204	PM ₁₀	1
126	Vatva	Poor	217	PM _{2.5}	1
127	Vijayapura	Satisfactory	60	PM _{2.5}	1
128	Visakhapatnam	Moderate	156	PM ₁₀	1
129	Yadgir	Moderate	173	O ₃	1
130	Yamunanagar	Moderate	109	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Coimbatore, Ernakulam, Gadag, Hassan, Jorapokhar, Kolar, Kollam, Koppal, Maihar, Manglore, Moradabad, Mysuru, Nagpur, Naharlagun, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.