

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	101	PM _{2.5}	1
2	Agra	Very Poor	339	PM _{2.5}	1
3	Ahmedabad	Poor	236	PM _{2.5}	1
4	Aizawl	Satisfactory	66	PM _{2.5}	1
5	Ajmer	Moderate	112	PM _{2.5}	1
6	Alwar	Moderate	135	PM _{2.5}	1
7	Amaravati	Moderate	117	PM _{2.5}	1
8	Ambala	Moderate	130	PM _{2.5}	1
9	Amritsar	Moderate	179	PM _{2.5}	1
10	Ankleshwar	Moderate	170	PM ₁₀	1
11	Asansol	Very Poor	359	PM _{2.5}	1
12	Aurangabad	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Severe	409	PM _{2.5}	1
14	Ballabgarh	Moderate	171	PM ₁₀	1
15	Bathinda	Poor	269	PM ₁₀	1
16	Bengaluru	Satisfactory	51	PM ₁₀ , CO	9
17	Bhiwani	Moderate	189	PM ₁₀	1
18	Bhopal	Moderate	117	PM ₁₀	1
19	Brajrajnagar	Poor	217	PM _{2.5}	1
20	Bulandshahr	Severe	403	PM _{2.5}	1
21	Chandigarh	Satisfactory	98	PM ₁₀	1
22	Chandrapur	Moderate	122	PM ₁₀	2
23	Charkhi Dadri	Poor	299	PM _{2.5}	1
24	Chennai	Good	28	CO, O ₃ , NO ₂	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	43	PM ₁₀	1
26	Chikkamagaluru	Satisfactory	95	03	1
27	Coimbatore	Good	45	PM _{2.5}	1
28	Damoh	Moderate	177	PM ₁₀	1
29	Delhi	Very Poor	389	PM _{2.5}	38
30	Dewas	Moderate	152	03	1
31	Dharuhera	Very Poor	355	PM _{2.5}	1
32	Eloor	Good	35	со	1
33	Ernakulam	Satisfactory	68	со	1
34	Faridabad	Very Poor	392	PM ₁₀ , PM _{2.5}	3
35	Fatehabad	Very Poor	366	PM _{2.5}	1
36	Gandhinagar	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	177	PM _{2.5}	2
38	Ghaziabad	Severe	428	PM _{2.5}	3
39	Greater Noida	Very Poor	396	PM _{2.5}	2
40	Gurugram	Very Poor	325	PM _{2.5}	4
41	Guwahati	Satisfactory	94	PM _{2.5}	1
42	Gwalior	Poor	216	PM _{2.5}	1
43	Hajipur	Moderate	101	СО	1
44	Hapur	Moderate	120	PM _{2.5}	1
45	Hisar	Very Poor	373	PM _{2.5}	1
46	Howrah	Poor	295	PM _{2.5}	3
47	Hubballi	Satisfactory	81	PM ₁₀	1
48	Hyderabad	Moderate	120	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Moderate	154	PM _{2.5}	1
50	Jabalpur	Moderate	155	PM ₁₀	1
51	Jaipur	Moderate	151	PM _{2.5} , PM ₁₀	3
52	Jalandhar	Moderate	163	PM ₁₀	1
53	Jind	Very Poor	375	PM _{2.5}	1
54	Jodhpur	Moderate	181	PM _{2.5}	1
55	Kaithal	Very Poor	311	PM _{2.5}	1
56	Kalaburgi	Satisfactory	96	PM ₁₀	1
57	Kalyan	Moderate	152	PM _{2.5}	1
58	Kannur	Satisfactory	60	PM ₁₀	1
59	Kanpur	Very Poor	393	PM _{2.5}	1
60	Karnal	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	282	PM _{2.5}	1
62	Kochi	Good	39	PM ₁₀	1
63	Kohima	Satisfactory	75	PM ₁₀	1
64	Kolkata	Poor	260	PM _{2.5}	7
65	Kota	Moderate	117	PM _{2.5}	1
66	Kozhikode	Good	45	PM ₁₀	1
67	Kurukshetra	Poor	275	PM _{2.5}	1
68	Lucknow	Very Poor	366	PM _{2.5}	4
69	Ludhiana	Poor	231	PM _{2.5}	1
70	Maihar	Satisfactory	67	PM ₁₀	1
71	Mandi Gobindgarh	Moderate	147	PM _{2.5}	1
72	Mandideep	Very Poor	303	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Very Poor	317	PM _{2.5}	1
74	Manesar	Poor	300	PM _{2.5}	1
75	Medikeri	Good	45	O ₃	1
76	Meerut	Very Poor	334	PM _{2.5}	3
77	Moradabad	Poor	280	PM _{2.5}	1
78	Mumbai	Moderate	149	PM _{2.5} , PM ₁₀ , O ₃	16
79	Muzaffarnagar	Poor	280	PM _{2.5}	1
80	Muzaffarpur	Very Poor	390	PM _{2.5} , PM ₁₀	2
81	Nandesari	Moderate	126	со	1
82	Narnaul	Poor	238	PM _{2.5}	1
83	Nashik	Moderate	129	PM _{2.5}	1
84	Navi Mumbai	Moderate	178	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Severe	402	PM _{2.5}	4
86	Pali	Moderate	136	PM ₁₀	1
87	Palwal	Moderate	174	PM ₁₀	1
88	Panchkula	Satisfactory	99	PM _{2.5}	1
89	Panipat	Very Poor	359	PM ₁₀	1
90	Patiala	Moderate	130	PM ₁₀	1
91	Patna	Very Poor	370	PM _{2.5} , PM ₁₀	5
92	Pithampur	Moderate	102	03	1
93	Pune	Moderate	150	PM _{2.5}	4
94	Ramanagara	Good	34	03	1
95	Ratlam	Moderate	170	PM ₁₀	1
96	Rohtak	Severe	405	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Moderate	102	PM ₁₀	1
98	Satna	Satisfactory	91	PM ₁₀	1
99	Shivamogga	Satisfactory	76	03	1
100	Singrauli	Poor	288	PM _{2.5}	1
101	Sirsa	Poor	223	PM _{2.5}	1
102	Solapur	Moderate	122	PM ₁₀	1
103	Sonipat	Very Poor	322	PM _{2.5}	1
104	Talcher	Moderate	164	PM _{2.5}	1
105	Thane	Poor	211	PM ₁₀	1
106	Thiruvananthapuram	Good	41	PM ₁₀ , CO	2
107	Thrissur	Satisfactory	54	03	1
108	Tirupati	Moderate	153	03	1

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Udaipur	Moderate	104	PM ₁₀	1
110	Ujjain	Poor	223	O ₃	1
111	Vapi	Poor	219	PM _{2.5}	1
112	Varanasi	Very Poor	326	PM _{2.5}	1
113	Vatva	Poor	263	PM ₁₀	1
114	Vijayapura	Satisfactory	79	СО	1
115	Visakhapatnam	Moderate	115	PM _{2.5}	1
116	Yadgir	Satisfactory	80	O ₃	1
117	Yamunanagar	Poor	284	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Chamarajanagar, Jorapokhar, Khanna, Kollam, Mysuru, Nagpur, Rajamahendravaram, Sagar, Shillong, Siliguri, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.