



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	184	PM _{2.5}	1
2	Agra	Moderate	134	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	157	PM ₁₀ , PM _{2.5}	8
4	Aizawl	Good	46	PM ₁₀	1
5	Ajmer	Moderate	107	PM ₁₀	1
6	Alwar	Moderate	104	PM _{2.5}	1
7	Amaravati	Satisfactory	98	PM ₁₀	1
8	Ambala	Moderate	141	PM _{2.5}	1
9	Amritsar	Satisfactory	96	PM ₁₀	1
10	Ankleshwar	Poor	254	PM _{2.5}	1
11	Araria	Poor	222	PM _{2.5}	1
12	Arrah	Poor	202	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	160	O ₃	1
14	Aurangabad	Moderate	120	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Poor	224	PM _{2.5}	1
17	Ballabgarh	Moderate	186	PM _{2.5}	1
18	Bathinda	Moderate	124	PM ₁₀	1
19	Bengaluru	Satisfactory	80	CO, PM ₁₀ , PM _{2.5}	8
20	Bettiah	Poor	222	PM _{2.5}	1
21	Bhagalpur	Poor	248	PM _{2.5}	2
22	Bhiwadi	Moderate	180	PM _{2.5}	1
23	Bhiwani	Poor	212	PM _{2.5}	1
24	Bhopal	Moderate	146	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	115	PM ₁₀	1
26	Bihar Sharif	Moderate	135	PM _{2.5}	1
27	Bilaspur	Satisfactory	52	PM ₁₀	1
28	Bulandshahr	Poor	237	PM _{2.5}	1
29	Buxar	Poor	236	PM _{2.5}	1
30	Chamarajanagar	Good	32	PM ₁₀	1
31	Chandigarh	Moderate	138	O ₃ , PM _{2.5} , PM ₁₀	3
32	Chandrapur	Moderate	164	O ₃ , PM ₁₀	2
33	Charkhi Dadri	Poor	205	PM _{2.5}	1
34	Chennai	Satisfactory	67	CO, PM ₁₀	8
35	Chhapra	Poor	253	PM _{2.5}	1
36	Chikkaballapur	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	50	PM ₁₀	1
38	Coimbatore	Satisfactory	57	PM _{2.5}	1
39	Damoh	Satisfactory	52	PM _{2.5}	1
40	Darbhanga	Poor	219	PM _{2.5}	1
41	Davanagere	Satisfactory	76	PM ₁₀	1
42	Delhi	Poor	250	PM ₁₀ , PM _{2.5}	36
43	Dewas	Moderate	132	PM _{2.5}	1
44	Dharuhera	Moderate	143	PM _{2.5}	1
45	Eloor	Satisfactory	63	PM _{2.5}	1
46	Ernakulam	Good	49	CO	1
47	Faridabad	Very Poor	301	PM _{2.5}	4
48	Fatehabad	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	184	PM _{2.5}	1
50	Gadag	Satisfactory	69	PM _{2.5}	1
51	Gandhinagar	Poor	220	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	150	PM _{2.5}	3
53	Ghaziabad	Very Poor	306	PM _{2.5}	4
54	Gorakhpur	Satisfactory	77	PM _{2.5}	1
55	Greater Noida	Moderate	198	PM _{2.5}	2
56	Gummidipoondi	Good	31	PM ₁₀	1
57	Gurugram	Poor	254	PM _{2.5}	4
58	Guwahati	Moderate	187	PM _{2.5}	2
59	Gwalior	Moderate	107	PM _{2.5}	1
60	Hapur	Poor	261	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	77	PM ₁₀	1
62	Hisar	Moderate	170	PM _{2.5}	1
63	Howrah	Moderate	156	PM _{2.5} , PM ₁₀	2
64	Hubballi	Moderate	109	PM ₁₀	1
65	Hyderabad	Moderate	124	PM ₁₀ , PM _{2.5}	3
66	Indore	Poor	223	PM ₁₀	1
67	Jabalpur	Moderate	146	PM ₁₀	1
68	Jaipur	Moderate	120	PM ₁₀	2
69	Jalandhar	Moderate	119	PM ₁₀	1
70	Jhansi	Moderate	114	PM ₁₀	1
71	Jind	Moderate	117	PM _{2.5}	1
72	Jodhpur	Poor	203	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	86	PM ₁₀	1
74	Kalaburgi	Moderate	138	PM ₁₀	1
75	Kalyan	Poor	284	PM _{2.5}	1
76	Kannur	Satisfactory	52	PM ₁₀	1
77	Kanpur	Moderate	166	PM _{2.5} , PM ₁₀	3
78	Karnal	Moderate	119	PM ₁₀	1
79	Katihar	Poor	266	PM ₁₀	1
80	Katni	Moderate	142	PM ₁₀	1
81	Khanna	Satisfactory	98	PM ₁₀	1
82	Kishanganj	Very Poor	310	PM _{2.5}	1
83	Kochi	Satisfactory	92	PM _{2.5}	1
84	Kohima	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	87	PM ₁₀	1
86	Kolkata	Moderate	108	PM _{2.5} , PM ₁₀ , O ₃	7
87	Kollam	Satisfactory	85	PM ₁₀	1
88	Koppal	Satisfactory	57	PM ₁₀	1
89	Kozhikode	Good	49	PM ₁₀	1
90	Kurukshetra	Moderate	160	PM _{2.5}	1
91	Lucknow	Poor	207	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	134	PM ₁₀	1
93	Madikeri	Satisfactory	56	PM ₁₀	1
94	Maihar	Good	22	CO	1
95	Mandi Gobindgarh	Moderate	165	PM ₁₀	1
96	Mandideep	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	107	PM ₁₀	1
98	Manesar	Poor	230	PM _{2.5}	1
99	Manglore	Good	40	PM _{2.5}	1
100	Meerut	Very Poor	303	PM ₁₀ , PM _{2.5}	3
101	Moradabad	Moderate	164	PM _{2.5}	4
102	Motihari	Poor	221	PM _{2.5}	1
103	Mumbai	Moderate	181	PM ₁₀ , PM _{2.5}	16
104	Munger	Poor	292	PM _{2.5}	1
105	Muzaffarnagar	Poor	295	PM _{2.5}	1
106	Muzaffarpur	Very Poor	322	PM _{2.5}	2
107	Mysuru	Satisfactory	88	O ₃	1
108	Nandesari	Satisfactory	99	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	126	PM _{2.5}	1
110	Navi Mumbai	Poor	214	PM ₁₀ , PM _{2.5}	2
111	Noida	Poor	222	PM _{2.5} , PM ₁₀	4
112	Pali	Poor	208	PM _{2.5}	1
113	Palwal	Moderate	125	PM ₁₀	1
114	Panchkula	Satisfactory	74	PM _{2.5}	1
115	Patiala	Moderate	108	PM ₁₀	1
116	Patna	Poor	226	PM _{2.5} , PM ₁₀	5
117	Pithampur	Satisfactory	100	PM ₁₀	1
118	Prayagraj	Moderate	143	PM _{2.5}	3
119	Puducherry	Satisfactory	54	PM ₁₀	1
120	Pune	Moderate	147	PM _{2.5} , CO	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	238	PM _{2.5}	1
122	Rajamahendravaram	Moderate	103	PM ₁₀	1
123	Rajgir	Poor	204	PM _{2.5}	1
124	Ramanagara	Satisfactory	60	PM ₁₀	1
125	Ratlam	Moderate	169	PM ₁₀	1
126	Rohtak	Poor	236	PM _{2.5}	1
127	Rupnagar	Moderate	124	PM ₁₀	1
128	Sagar	Satisfactory	68	PM _{2.5}	1
129	Saharsa	Poor	265	PM _{2.5}	1
130	Sasaram	Moderate	177	PM _{2.5}	1
131	Satna	Satisfactory	52	PM ₁₀	1
132	Shivamogga	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpur, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Satisfactory	96	PM ₁₀	1
134	Singrauli	Poor	240	PM _{2.5}	1
135	Sirsa	Satisfactory	91	PM ₁₀	1
136	Solapur	Satisfactory	87	PM _{2.5}	1
137	Sonipat	Poor	231	PM ₁₀	1
138	Srinagar	Moderate	182	PM ₁₀	1
139	Talcher	Moderate	172	PM _{2.5}	1
140	Thane	Moderate	139	O ₃	1
141	Thiruvananthapuram	Satisfactory	61	PM ₁₀	2
142	Thoothukudi	Satisfactory	52	PM ₁₀	1
143	Tirupati	Satisfactory	61	PM ₁₀	1
144	Udaipur	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 07, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ujjain	Poor	232	PM ₁₀	1
146	Vapi	Moderate	173	PM ₁₀	1
147	Varanasi	Satisfactory	89	PM _{2.5}	3
148	Vatva	Moderate	190	PM ₁₀	1
149	Vijayapura	Good	46	PM ₁₀	1
150	Visakhapatnam	Satisfactory	99	PM _{2.5}	1
151	Vrindavan	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bhilai, Brajrajnagar, Durgapur, Hajipur, Haldia, Jorapokhar, Kota, Manguraha, Nagpur, Naharlagun, Nashik, Panipat, Raichur, Shillong, Siwan, Thrissur, Udupi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.