

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	PM ₁₀	2
2	Agra	Moderate	147	PM ₁₀	5
3	Ahmedabad	Moderate	120	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	96	PM ₁₀	1
5	Ajmer	Moderate	105	PM _{2.5}	1
6	Alwar	Moderate	110	PM ₁₀	1
7	Amaravati	Good	41	PM ₁₀	1
8	Ambala	Moderate	153	PM ₁₀	1
9	Amritsar	Satisfactory	100	PM ₁₀	1
10	Ankleshwar	Satisfactory	97	PM _{2.5}	1
11	Araria	Moderate	108	PM _{2.5}	1
12	Arrah	Poor	241	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	167	O ₃	1
14	Aurangabad	Poor	292	PM ₁₀	1
15	Aurangabad	Moderate	103	PM ₁₀	1
16	Baddi	Moderate	176	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Bahadurgarh	Very Poor	312	PM _{2.5}	1
19	Ballabgarh	Poor	227	PM _{2.5}	1
20	Bathinda	Moderate	152	PM ₁₀	1
21	Bengaluru	Moderate	108	PM ₁₀ , CO	7
22	Bhagalpur	Poor	220	PM ₁₀ , PM _{2.5}	2
23	Bhiwadi	Very Poor	348	PM _{2.5}	1
24	Bhopal	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Satisfactory	91	PM ₁₀	1
26	Bihar Sharif	Poor	272	PM _{2.5}	1
27	Bilaspur	Satisfactory	56	PM ₁₀	1
28	Brajrajnagar	Poor	202	03	1
29	Bulandshahr	Very Poor	313	PM ₁₀	1
30	Buxar	Very Poor	350	PM ₁₀	1
31	Chamarajanagar	Good	44	PM ₁₀	1
32	Chandigarh	Moderate	139	PM _{2.5} , O ₃ , PM ₁₀	3
33	Chandrapur	Moderate	114	PM ₁₀ , O ₃	2
34	Charkhi Dadri	Poor	285	PM _{2.5}	1
35	Chennai	Good	43	CO, PM _{2.5} , PM ₁₀	7
36	Chhapra	Poor	232	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	97	PM ₁₀	1
38	Chikkamagaluru	Satisfactory	59	PM _{2.5}	1
39	Coimbatore	Satisfactory	66	PM _{2.5}	1
40	Damoh	Satisfactory	59	PM ₁₀	1
41	Darbhanga	Poor	208	PM ₁₀	1
42	Davanagere	Satisfactory	63	PM ₁₀	1
43	Dehradun	Moderate	138	PM ₁₀	1
44	Delhi	Poor	287	PM ₁₀ , PM _{2.5}	35
45	Dewas	Satisfactory	97	PM _{2.5}	1
46	Eloor	Satisfactory	74	PM ₁₀	1
47	Ernakulam	Satisfactory	62	PM ₁₀	1
48	Faridabad	Very Poor	336	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Poor	219	PM _{2.5}	1
50	Firozabad	Moderate	145	O ₃	1
51	Gadag	Satisfactory	66	PM ₁₀	1
52	Gandhinagar	Moderate	132	PM _{2.5} , PM ₁₀	3
53	Gaya	Moderate	176	PM ₁₀ , PM _{2.5}	3
54	Ghaziabad	Poor	261	PM ₁₀	3
55	Gorakhpur	Satisfactory	83	PM ₁₀	1
56	Greater Noida	Very Poor	314	PM ₁₀	2
57	Gummidipoondi	Good	33	PM ₁₀	1
58	Gurugram	Very Poor	353	PM ₁₀ , PM _{2.5}	3
59	Guwahati	Satisfactory	69	O ₃ , PM ₁₀	2
60	Gwalior	Moderate	168	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Poor	254	PM _{2.5}	1
62	Haldia	Satisfactory	60	PM ₁₀	1
63	Hapur	Very Poor	334	PM ₁₀	1
64	Haveri	Satisfactory	68	со	1
65	Howrah	Satisfactory	82	O ₃ , PM ₁₀	3
66	Hyderabad	Moderate	110	PM _{2.5} , PM ₁₀	6
67	Imphal	Satisfactory	86	PM ₁₀	1
68	Indore	Moderate	117	PM ₁₀	1
69	Jabalpur	Moderate	177	PM ₁₀	1
70	Jaipur	Moderate	190	PM _{2.5} , PM ₁₀	3
71	Jalandhar	Moderate	182	PM ₁₀	1
72	Jhansi	Poor	203	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Poor	274	PM _{2.5}	1
74	Jodhpur	Moderate	148	PM _{2.5}	1
75	Kaithal	Moderate	179	PM ₁₀	1
76	Kalyan	Moderate	108	PM _{2.5}	1
77	Kannur	Satisfactory	75	PM ₁₀	1
78	Kanpur	Moderate	153	PM _{2.5} , PM ₁₀	3
79	Karnal	Moderate	125	PM ₁₀	1
80	Katihar	Moderate	156	PM ₁₀	1
81	Katni	Poor	210	PM ₁₀	1
82	Khanna	Moderate	157	PM _{2.5}	1
83	Kishanganj	Moderate	110	PM ₁₀	1
84	Kochi	Satisfactory	78	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	99	PM ₁₀	1
86	Kolkata	Satisfactory	74	PM ₁₀ , O ₃	7
87	Kollam	Satisfactory	97	PM ₁₀	1
88	Kota	Moderate	129	PM _{2.5}	1
89	Kozhikode	Satisfactory	56	PM ₁₀	1
90	Kurukshetra	Poor	258	PM _{2.5}	1
91	Lucknow	Moderate	195	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	154	O ₃	1
93	Madikeri	Satisfactory	66	O ₃	1
94	Mandi Gobindgarh	Very Poor	303	PM _{2.5}	1
95	Mandideep	Satisfactory	87	PM ₁₀	1
96	Mandikhera	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	64	СО	1
98	Meerut	Poor	263	PM ₁₀	3
99	Moradabad	Moderate	131	PM ₁₀	3
100	Motihari	Poor	217	PM _{2.5}	1
101	Mumbai	Satisfactory	85	PM ₁₀ , CO, PM _{2.5}	16
102	Munger	Poor	296	PM ₁₀	1
103	Muzaffarnagar	Poor	250	PM ₁₀	1
104	Muzaffarpur	Poor	237	O ₃ , PM _{2.5}	2
105	Mysuru	Satisfactory	59	PM ₁₀	1
106	Nagpur	Moderate	157	PM _{2.5}	1
107	Nandesari	Good	47	PM _{2.5}	1
108	Narnaul	Moderate	170	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	114	PM ₁₀ , CO	3
110	Noida	Very Poor	317	PM ₁₀	4
111	Pali	Moderate	115	PM ₁₀	1
112	Panchkula	Moderate	159	PM _{2.5}	1
113	Patiala	Moderate	131	PM ₁₀	1
114	Patna	Very Poor	337	PM _{2.5}	6
115	Pithampur	Moderate	107	PM ₁₀	1
116	Prayagraj	Moderate	141	PM ₁₀	3
117	Puducherry	Good	26	PM ₁₀	1
118	Pune	Moderate	128	PM _{2.5} , PM ₁₀	4
119	Purnia	Satisfactory	77	NO ₂	1
120	Rajamahendravaram	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Poor	214	PM ₁₀	1
122	Ramanagara	Moderate	114	PM ₁₀	1
123	Rohtak	Poor	285	PM _{2.5}	1
124	Rupnagar	Satisfactory	98	PM ₁₀	1
125	Sagar	Satisfactory	73	со	1
126	Saharsa	Very Poor	350	PM ₁₀	1
127	Samastipur	Very Poor	340	PM _{2.5}	1
128	Satna	Satisfactory	82	PM ₁₀	1
129	Shillong	Satisfactory	53	PM ₁₀	1
130	Shivamogga	Satisfactory	68	PM ₁₀	1
131	Siliguri	Satisfactory	76	PM ₁₀	1
132	Singrauli	Very Poor	353	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	173	PM ₁₀	1
134	Siwan	Poor	261	PM ₁₀	1
135	Solapur	Satisfactory	79	PM ₁₀	1
136	Srinagar	Good	38	PM ₁₀	1
137	Talcher	Moderate	106	со	1
138	Thiruvananthapuram	Satisfactory	59	PM ₁₀	2
139	Thoothukudi	Satisfactory	64	PM ₁₀	1
140	Tirupati	Satisfactory	90	PM ₁₀	1
141	Udaipur	Moderate	131	PM ₁₀	1
142	Ujjain	Moderate	134	PM ₁₀	1
143	Varanasi	Moderate	129	PM ₁₀	4
144	Vijayapura	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Visakhapatnam	Moderate	101	PM ₁₀	1
146	Vrindavan	Moderate	160	PM ₁₀	1
147	Yamunanagar	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai,
 Bettiah, Bhilai, Bhiwani, Dharuhera, Durgapur, Gangtok, Hassan, Hisar,
 Hubballi, Jorapokhar, Kalaburgi, Kolar, Koppal, Maihar, Manesar, Manguraha,
 Naharlagun, Nashik, Palwal, Panipat, Raichur, Ratlam, Sasaram, Sonipat,
 Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.