



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	220	PM _{2.5}	1
2	Agra	Moderate	140	O ₃ , PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	127	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Satisfactory	77	PM ₁₀	1
6	Alwar	Satisfactory	86	PM ₁₀	1
7	Amaravati	Satisfactory	80	PM _{2.5}	1
8	Ambala	Poor	206	PM _{2.5}	1
9	Amritsar	Moderate	126	PM ₁₀	1
10	Ankleshwar	Poor	225	PM _{2.5}	1
11	Arrah	Poor	203	PM _{2.5}	1
12	Aurangabad	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Bahadurgarh	Poor	217	PM _{2.5}	1
15	Ballabgarh	Moderate	197	PM _{2.5}	1
16	Bathinda	Moderate	119	PM ₁₀	1
17	Bengaluru	Satisfactory	86	PM _{2.5} , CO, PM ₁₀	10
18	Bhagalpur	Poor	254	PM _{2.5}	2
19	Bhiwadi	Poor	236	PM _{2.5}	1
20	Bhiwani	Moderate	181	PM _{2.5}	1
21	Bhopal	Satisfactory	98	PM ₁₀	1
22	Bidar	Satisfactory	95	PM ₁₀	1
23	Bihar Sharif	Poor	207	PM _{2.5}	1
24	Bilaspur	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	165	O ₃	1
26	Bulandshahr	Poor	206	PM _{2.5}	1
27	Buxar	Poor	282	PM _{2.5}	1
28	Chamarajanagar	Good	35	PM ₁₀	1
29	Chandigarh	Moderate	161	PM _{2.5} , O ₃ , PM ₁₀	3
30	Chandrapur	Moderate	124	O ₃ , PM ₁₀	2
31	Charkhi Dadri	Moderate	162	PM _{2.5}	1
32	Chennai	Satisfactory	98	O ₃ , PM ₁₀	5
33	Chhapra	Poor	298	PM _{2.5}	1
34	Chikkaballapur	Moderate	126	PM _{2.5}	1
35	Chikkamagaluru	Good	49	PM _{2.5}	1
36	Coimbatore	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	48	PM _{2.5}	1
38	Darbhanga	Poor	236	PM _{2.5}	1
39	Davanagere	Satisfactory	97	PM ₁₀	1
40	Delhi	Poor	221	PM ₁₀ , PM _{2.5}	37
41	Dewas	Satisfactory	70	PM ₁₀	1
42	Dharuhera	Moderate	140	PM _{2.5}	1
43	Durgapur	Poor	224	PM ₁₀	1
44	Eloor	Satisfactory	63	PM _{2.5}	1
45	Ernakulam	Satisfactory	72	PM _{2.5}	1
46	Faridabad	Very Poor	326	PM ₁₀	1
47	Fatehabad	Moderate	108	PM _{2.5}	1
48	Firozabad	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	115	PM _{2.5} , PM ₁₀	3
50	Gaya	Moderate	182	PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Poor	264	PM ₁₀	4
52	Gorakhpur	Satisfactory	81	PM _{2.5}	1
53	Greater Noida	Moderate	192	PM ₁₀	2
54	Gummidipoondi	Good	38	PM ₁₀	1
55	Gurugram	Moderate	192	PM _{2.5} , PM ₁₀	4
56	Guwahati	Poor	203	PM _{2.5}	2
57	Gwalior	Moderate	148	PM _{2.5}	1
58	Haldia	Moderate	117	PM ₁₀	1
59	Hapur	Poor	227	O ₃	1
60	Hassan	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	208	PM _{2.5}	1
62	Howrah	Poor	204	PM ₁₀ , PM _{2.5}	3
63	Hubballi	Moderate	126	PM _{2.5}	1
64	Hyderabad	Moderate	120	PM _{2.5} , PM ₁₀	5
65	Indore	Satisfactory	95	PM ₁₀	1
66	Jabalpur	Moderate	159	PM ₁₀	1
67	Jaipur	Satisfactory	82	PM ₁₀	2
68	Jalandhar	Moderate	123	PM _{2.5}	1
69	Jhansi	Moderate	167	PM ₁₀	1
70	Jind	Poor	201	PM _{2.5}	1
71	Jodhpur	Moderate	178	PM _{2.5}	1
72	Kalaburgi	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	153	PM _{2.5}	1
74	Kannur	Satisfactory	65	PM ₁₀	1
75	Kanpur	Moderate	177	PM _{2.5}	3
76	Karnal	Poor	221	PM _{2.5}	1
77	Katihar	Poor	264	PM _{2.5}	1
78	Katni	Moderate	132	PM ₁₀	1
79	Khanna	Moderate	110	PM ₁₀	1
80	Kishanganj	Poor	284	PM _{2.5}	1
81	Kochi	Moderate	129	PM _{2.5}	1
82	Kohima	Satisfactory	73	PM ₁₀	1
83	Kolkata	Moderate	191	PM _{2.5}	7
84	Kollam	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	85	O ₃	1
86	Kota	Moderate	172	PM _{2.5}	1
87	Kozhikode	Satisfactory	56	PM ₁₀	1
88	Kurukshetra	Poor	239	PM _{2.5}	1
89	Lucknow	Poor	227	PM _{2.5}	6
90	Ludhiana	Poor	209	PM _{2.5}	1
91	Madikeri	Satisfactory	79	PM _{2.5}	1
92	Maihar	Good	28	PM ₁₀	1
93	Mandi Gobindgarh	Moderate	101	PM ₁₀	1
94	Mandideep	Satisfactory	73	SO ₂	1
95	Mandikhera	Moderate	106	PM ₁₀	1
96	Manesar	Moderate	162	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	53	PM _{2.5}	1
98	Manguraha	Satisfactory	96	PM _{2.5}	1
99	Meerut	Poor	272	PM _{2.5}	2
100	Moradabad	Moderate	192	PM _{2.5}	4
101	Motihari	Poor	260	PM _{2.5}	1
102	Mumbai	Moderate	105	PM _{2.5} , PM ₁₀	18
103	Munger	Very Poor	348	PM _{2.5}	1
104	Muzaffarnagar	Very Poor	347	PM _{2.5}	1
105	Muzaffarpur	Very Poor	317	PM ₁₀ , PM _{2.5}	3
106	Mysuru	Satisfactory	60	PM ₁₀	1
107	Nagpur	Satisfactory	93	CO	1
108	Naharlagun	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Satisfactory	89	CO	1
110	Narnaul	Moderate	129	PM ₁₀	1
111	Nashik	Satisfactory	60	PM _{2.5}	1
112	Navi Mumbai	Moderate	135	PM ₁₀	3
113	Noida	Poor	202	PM ₁₀ , PM _{2.5}	4
114	Pali	Satisfactory	92	PM _{2.5}	1
115	Palwal	Moderate	153	PM _{2.5}	1
116	Panchkula	Moderate	109	PM _{2.5}	1
117	Patiala	Moderate	155	PM _{2.5}	1
118	Patna	Poor	270	PM _{2.5}	6
119	Pithampur	Satisfactory	83	PM ₁₀	1
120	Prayagraj	Moderate	143	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	65	PM ₁₀	1
122	Pune	Moderate	102	PM _{2.5}	5
123	Purnia	Poor	249	PM _{2.5}	1
124	Raichur	Moderate	114	PM ₁₀	1
125	Rajamahendravaram	Moderate	104	PM ₁₀	1
126	Rajgir	Moderate	195	PM _{2.5}	1
127	Ramanagara	Satisfactory	79	PM ₁₀	1
128	Ratlam	Satisfactory	71	PM ₁₀	1
129	Rohtak	Poor	236	PM _{2.5}	1
130	Rupnagar	Moderate	192	PM _{2.5}	1
131	Sagar	Satisfactory	58	PM _{2.5}	1
132	Saharsa	Very Poor	304	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Moderate	191	PM _{2.5}	1
134	Satna	Satisfactory	56	PM ₁₀	1
135	Shivamogga	Satisfactory	58	NO ₂	1
136	Siliguri	Moderate	115	PM _{2.5}	1
137	Singrauli	Poor	229	PM ₁₀	1
138	Sirsa	Moderate	157	O ₃	1
139	Solapur	Satisfactory	74	PM _{2.5}	1
140	Sonipat	Poor	250	PM ₁₀	1
141	Srinagar	Poor	242	PM ₁₀	1
142	Talcher	Moderate	137	PM _{2.5}	1
143	Thane	Moderate	121	O ₃	1
144	Thiruvananthapuram	Satisfactory	72	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Satisfactory	56	PM ₁₀	1
146	Thrissur	Satisfactory	98	PM _{2.5}	1
147	Tirupati	Satisfactory	83	PM _{2.5}	1
148	Udaipur	Moderate	144	PM ₁₀	1
149	Udupi	Satisfactory	56	O ₃	1
150	Ujjain	Moderate	126	PM _{2.5}	1
151	Vapi	Moderate	156	PM ₁₀	1
152	Varanasi	Moderate	127	PM _{2.5} , PM ₁₀	4
153	Vatva	Moderate	145	NO ₂	1
154	Vijayapura	Good	50	PM ₁₀	1
155	Visakhapatnam	Moderate	114	PM ₁₀	1
156	Vrindavan	Moderate	164	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 15, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Asansol, Baghpat, Bettiah, Bhilai, Gadag, Hajipur, Jorapokhar, Kaithal, Kolar, Panipat, Shillong, Siwan, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.