

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	SO ₂ , PM ₁₀	2
2	Agra	Moderate	149	PM ₁₀	5
3	Ahmedabad	Moderate	122	PM _{2.5} , NO ₂ , PM ₁₀	7
4	Aizawl	Satisfactory	97	PM ₁₀	1
5	Ajmer	Moderate	155	PM _{2.5}	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Good	24	O ₃	1
8	Ambala	Moderate	168	PM _{2.5}	1
9	Amritsar	Moderate	143	PM ₁₀	1
10	Ankleshwar	Moderate	107	PM _{2.5}	1
11	Araria	Moderate	102	PM _{2.5}	1
12	Arrah	Poor	204	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	226	03	1
14	Aurangabad	Poor	230	PM ₁₀	1
15	Aurangabad	Moderate	113	PM ₁₀	1
16	Baddi	Moderate	160	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Baghpat	Poor	299	PM ₁₀	1
19	Ballabgarh	Moderate	180	PM _{2.5}	1
20	Bathinda	Moderate	121	PM ₁₀	1
21	Bengaluru	Satisfactory	76	CO, PM ₁₀	9
22	Bhagalpur	Poor	242	PM ₁₀ , PM _{2.5}	2
23	Bhiwadi	Very Poor	336	PM _{2.5}	1
24	Bhiwani	Moderate	199	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	153	03	1
26	Bidar	Satisfactory	92	PM ₁₀	1
27	Bihar Sharif	Very Poor	338	PM ₁₀	1
28	Bilaspur	Satisfactory	58	PM ₁₀	1
29	Brajrajnagar	Moderate	150	03	1
30	Bulandshahr	Moderate	196	PM ₁₀	1
31	Chamarajanagar	Good	45	PM ₁₀	1
32	Chandigarh	Poor	218	O ₃ , PM _{2.5} , PM ₁₀	3
33	Chandrapur	Satisfactory	87	PM ₁₀	2
34	Charkhi Dadri	Poor	250	PM _{2.5}	1
35	Chennai	Good	43	CO, PM ₁₀	6
36	Chhapra	Poor	278	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	54	PM ₁₀	1
38	Chikkamagaluru	Satisfactory	66	PM ₁₀	1
39	Coimbatore	Good	44	PM ₁₀	1
40	Damoh	Good	47	PM ₁₀	1
41	Darbhanga	Moderate	176	PM ₁₀	1
42	Davanagere	Satisfactory	94	PM ₁₀	1
43	Delhi	Poor	261	PM ₁₀ , PM _{2.5}	31
44	Dewas	Moderate	125	PM ₁₀	1
45	Dharuhera	Poor	296	PM ₁₀	1
46	Durgapur	Moderate	177	PM _{2.5}	1
47	Eloor	Satisfactory	76	PM ₁₀	1
48	Ernakulam	Good	36	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	284	PM _{2.5} , PM ₁₀ , O ₃	3
50	Firozabad	Moderate	199	O ₃	1
51	Gadag	Satisfactory	66	PM _{2.5}	1
52	Gandhinagar	Moderate	153	PM _{2.5} , PM ₁₀	3
53	Gaya	Moderate	153	PM ₁₀ , PM _{2.5}	3
54	Ghaziabad	Poor	262	PM ₁₀	4
55	Gorakhpur	Satisfactory	59	PM _{2.5}	1
56	Greater Noida	Very Poor	311	PM ₁₀	2
57	Gummidipoondi	Good	29	PM ₁₀	1
58	Gurugram	Very Poor	312	PM _{2.5}	2
59	Guwahati	Satisfactory	57	PM ₁₀ , O ₃	2
60	Gwalior	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	112	PM ₁₀	1
62	Haldia	Good	38	PM ₁₀	1
63	Hassan	Moderate	157	со	1
64	Howrah	Satisfactory	58	PM ₁₀	3
65	Hubballi	Satisfactory	91	PM ₁₀	1
66	Hyderabad	Satisfactory	84	PM ₁₀ , O ₃	4
67	Indore	Moderate	190	PM ₁₀	1
68	Jabalpur	Moderate	115	PM ₁₀	1
69	Jaipur	Moderate	158	PM _{2.5}	1
70	Jalandhar	Moderate	135	PM ₁₀	1
71	Jind	Poor	202	PM _{2.5}	1
72	Jodhpur	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	182	PM ₁₀	1
74	Kalaburgi	Satisfactory	98	PM ₁₀	1
75	Kalyan	Moderate	104	PM ₁₀	1
76	Kannur	Satisfactory	53	со	1
77	Kanpur	Moderate	135	PM ₁₀ , PM _{2.5}	3
78	Karnal	Moderate	120	PM ₁₀	1
79	Katni	Poor	228	PM ₁₀	1
80	Khanna	Moderate	122	PM ₁₀	1
81	Kishanganj	Satisfactory	84	03	1
82	Kochi	Satisfactory	57	PM _{2.5}	1
83	Kohima	Moderate	119	PM ₁₀	1
84	Kolar	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Satisfactory	53	PM ₁₀ , NO ₂ , O ₃	7
86	Koppal	Satisfactory	62	PM ₁₀	1
87	Kota	Moderate	144	PM _{2.5}	1
88	Kozhikode	Satisfactory	54	PM ₁₀	1
89	Kurukshetra	Poor	268	03	1
90	Lucknow	Poor	220	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	153	PM ₁₀	1
92	Madikeri	Satisfactory	67	PM ₁₀	1
93	Mandi Gobindgarh	Moderate	134	PM _{2.5}	1
94	Mandideep	Moderate	153	PM ₁₀	1
95	Mandikhera	Satisfactory	88	PM ₁₀	1
96	Manesar	Very Poor	301	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Satisfactory	56	СО	1
98	Manguraha	Moderate	154	со	1
99	Meerut	Very Poor	313	PM ₁₀ , PM _{2.5}	3
100	Moradabad	Moderate	157	PM _{2.5} , PM ₁₀	4
101	Motihari	Moderate	169	03	1
102	Mumbai	Satisfactory	81	CO, PM ₁₀	16
103	Munger	Poor	243	PM _{2.5}	1
104	Muzaffarnagar	Very Poor	308	PM _{2.5}	1
105	Muzaffarpur	Moderate	158	PM _{2.5} , PM ₁₀	2
106	Mysuru	Good	47	PM ₁₀	1
107	Nagpur	Satisfactory	71	PM ₁₀	1
108	Naharlagun	Satisfactory	64	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Satisfactory	60	PM _{2.5}	1
110	Narnaul	Moderate	118	PM _{2.5}	1
111	Nashik	Satisfactory	74	PM ₁₀	1
112	Navi Mumbai	Moderate	113	PM ₁₀	2
113	Noida	Poor	258	PM ₁₀ , PM _{2.5}	3
114	Pali	Moderate	192	PM _{2.5}	1
115	Palwal	Poor	235	PM ₁₀	1
116	Panchkula	Moderate	149	PM _{2.5}	1
117	Panipat	Moderate	188	PM ₁₀	1
118	Patiala	Moderate	154	O ₃	1
119	Patna	Poor	226	PM _{2.5} , PM ₁₀	6
120	Pithampur	Poor	222	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	120	PM ₁₀	3
122	Puducherry	Good	30	PM ₁₀	1
123	Pune	Moderate	111	PM _{2.5} , PM ₁₀	5
124	Purnia	Satisfactory	96	NO ₂	1
125	Raichur	Satisfactory	97	PM ₁₀	1
126	Rajamahendravaram	Good	37	PM ₁₀	1
127	Rajgir	Moderate	172	PM _{2.5}	1
128	Ramanagara	Satisfactory	82	PM ₁₀	1
129	Ratlam	Moderate	143	PM ₁₀	1
130	Rohtak	Poor	263	PM _{2.5}	1
131	Rupnagar	Moderate	178	PM ₁₀	1
132	Sagar	Moderate	112	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Moderate	164	PM ₁₀	1
134	Sasaram	Moderate	182	PM ₁₀	1
135	Satna	Satisfactory	60	PM ₁₀	1
136	Shillong	Satisfactory	51	PM ₁₀	1
137	Shivamogga	Satisfactory	56	PM ₁₀	1
138	Siliguri	Satisfactory	62	PM ₁₀	1
139	Singrauli	Very Poor	354	PM ₁₀	1
140	Sirsa	Moderate	125	PM ₁₀	1
141	Siwan	Poor	269	PM ₁₀	1
142	Talcher	Satisfactory	78	03	1
143	Thane	Poor	204	03	1
144	Thiruvananthapuram	Good	42	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thoothukudi	Good	24	NO ₂	1
146	Thrissur	Satisfactory	59	СО	1
147	Tirupati	Satisfactory	54	PM ₁₀	1
148	Udaipur	Moderate	145	PM ₁₀	1
149	Udupi	Good	44	O ₃	1
150	Ujjain	Very Poor	316	PM _{2.5}	1
151	Varanasi	Moderate	130	PM ₁₀	4
152	Vatva	Moderate	153	PM _{2.5}	1
153	Vijayapura	Good	46	PM ₁₀	1
154	Visakhapatnam	Good	50	PM ₁₀	1
155	Vrindavan	Moderate	142	PM ₁₀	1
156	Yadgir	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Begusarai, Bettiah, Bhilai, Buxar, Fatehabad, Gangtok, Hapur, Hisar, Jhansi, Jorapokhar, Katihar, Kollam, Maihar, Samastipur, Solapur, Sonipat, Srinagar, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.