

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	148	PM _{2.5}	2
2	Agra	Moderate	118	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	137	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	88	PM ₁₀	1
5	Ajmer	Moderate	143	PM _{2.5}	1
6	Alwar	Moderate	120	PM ₁₀	1
7	Amaravati	Satisfactory	70	PM ₁₀	1
8	Ambala	Poor	227	PM _{2.5}	1
9	Amritsar	Moderate	101	PM ₁₀	1
10	Ankleshwar	Moderate	141	PM ₁₀	1
11	Araria	Moderate	176	PM _{2.5}	1
12	Arrah	Poor	210	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	202	O ₃	1
14	Baddi	Moderate	123	PM ₁₀	1
15	Bagalkot	Satisfactory	51	PM ₁₀	1
16	Ballabgarh	Moderate	154	PM ₁₀	1
17	Bathinda	Moderate	135	PM ₁₀	1
18	Bengaluru	Satisfactory	90	CO, PM ₁₀	8
19	Bettiah	Poor	288	PM _{2.5}	1
20	Bhagalpur	Poor	258	PM _{2.5}	1
21	Bhiwadi	Moderate	199	PM ₁₀	1
22	Bhiwani	Moderate	156	PM _{2.5}	1
23	Bhopal	Moderate	145	PM ₁₀	1
24	Bilaspur	Good	39	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	161	O ₃	1
26	Bulandshahr	Poor	257	PM _{2.5}	1
27	Buxar	Poor	232	PM _{2.5}	1
28	Chamarajanagar	Good	48	PM ₁₀	1
29	Chandigarh	Moderate	139	PM _{2.5} , O ₃ , PM ₁₀	3
30	Chandrapur	Moderate	142	O ₃ , PM _{2.5}	2
31	Charkhi Dadri	Moderate	168	PM _{2.5}	1
32	Chennai	Satisfactory	94	PM ₁₀ , O ₃ , PM _{2.5}	5
33	Chikkaballapur	Satisfactory	83	PM ₁₀	1
34	Coimbatore	Satisfactory	86	SO ₂	1
35	Damoh	Moderate	102	PM ₁₀	1
36	Darbhanga	Poor	224	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Davanagere	Satisfactory	77	PM ₁₀	1
38	Delhi	Poor	271	PM ₁₀	35
39	Dewas	Moderate	121	PM ₁₀	1
40	Dharuhera	Poor	236	PM ₁₀	1
41	Durgapur	Poor	263	PM ₁₀	1
42	Eloor	Satisfactory	66	PM ₁₀	1
43	Ernakulam	Satisfactory	62	PM ₁₀	1
44	Faridabad	Poor	254	PM _{2.5}	3
45	Fatehabad	Moderate	156	PM _{2.5}	1
46	Firozabad	Poor	223	03	1
47	Gadag	Satisfactory	58	PM _{2.5}	1
48	Gandhinagar	Satisfactory	97	PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat,

 Notes:

 Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru,
 Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar,
 Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal,
 Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi
 as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	179	PM _{2.5} , PM ₁₀	3
50	Ghaziabad	Very Poor	342	PM _{2.5} , PM ₁₀	4
51	Gorakhpur	Satisfactory	92	PM _{2.5}	1
52	Greater Noida	Poor	270	PM ₁₀	1
53	Gurugram	Poor	223	PM _{2.5}	3
54	Guwahati	Poor	278	PM _{2.5} , PM ₁₀	2
55	Hajipur	Satisfactory	90	PM ₁₀	1
56	Hapur	Moderate	200	PM _{2.5}	1
57	Hassan	Satisfactory	68	PM _{2.5}	1
58	Hisar	Poor	264	PM _{2.5}	1
59	Howrah	Satisfactory	92	PM _{2.5} , PM ₁₀	2
60	Hubballi	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Baghpat,

Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Moderate	137	O ₃ , PM _{2.5} , PM ₁₀	6
62	Indore	Moderate	149	PM ₁₀	1
63	Jabalpur	Moderate	187	PM ₁₀	1
64	Jaipur	Moderate	159	PM ₁₀ , PM _{2.5}	3
65	Jalandhar	Moderate	143	PM ₁₀	1
66	Jhansi	Moderate	142	PM ₁₀	1
67	Jind	Moderate	197	PM _{2.5}	1
68	Jodhpur	Poor	213	PM _{2.5}	1
69	Kalaburgi	Moderate	103	PM ₁₀	1
70	Kannur	Satisfactory	56	PM _{2.5}	1
71	Kanpur	Moderate	124	PM _{2.5} , PM ₁₀	3
72	Karnal	Moderate	163	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Katihar	Very Poor	323	PM _{2.5}	1
74	Katni	Moderate	155	PM ₁₀	1
75	Kishanganj	Poor	273	PM _{2.5}	1
76	Kochi	Moderate	116	PM _{2.5}	1
77	Kohima	Moderate	120	PM ₁₀	1
78	Kolkata	Satisfactory	79	PM ₁₀ , NO ₂	7
79	Kollam	Satisfactory	81	PM ₁₀	1
80	Koppal	Good	50	O ₃	1
81	Kota	Moderate	168	PM _{2.5}	1
82	Kozhikode	Satisfactory	53	PM ₁₀	1
83	Kurukshetra	Poor	283	PM _{2.5}	1
84	Lucknow	Moderate	195	PM _{2.5} , PM ₁₀	5

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Moderate	182	PM _{2.5}	1
86	Madikeri	Satisfactory	62	PM ₁₀	1
87	Mandideep	Satisfactory	93	PM ₁₀	1
88	Mandikhera	Satisfactory	100	PM ₁₀	1
89	Manesar	Poor	285	PM _{2.5}	1
90	Manglore	Satisfactory	54	СО	1
91	Meerut	Poor	297	PM ₁₀ , PM _{2.5}	3
92	Moradabad	Moderate	144	PM ₁₀ , PM _{2.5}	4
93	Mumbai	Moderate	159	PM _{2.5} , PM ₁₀	18
94	Munger	Very Poor	344	PM ₁₀	1
95	Muzaffarnagar	Poor	247	PM _{2.5}	1
96	Muzaffarpur	Poor	277	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mysuru	Satisfactory	56	PM ₁₀	1
98	Nagpur	Moderate	108	со	1
99	Naharlagun	Moderate	179	PM ₁₀	1
100	Narnaul	Moderate	135	PM ₁₀	1
101	Nashik	Satisfactory	77	PM ₁₀	1
102	Navi Mumbai	Moderate	172	PM ₁₀	1
103	Noida	Poor	274	PM ₁₀	3
104	Pali	Moderate	143	PM _{2.5}	1
105	Panipat	Poor	220	PM ₁₀	1
106	Patiala	Moderate	133	PM ₁₀	1
107	Patna	Poor	225	PM _{2.5}	5
108	Pithampur	Satisfactory	83	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Moderate	113	PM ₁₀ , PM _{2.5}	3
110	Pune	Moderate	131	PM _{2.5}	6
111	Raichur	Moderate	102	PM ₁₀	1
112	Rajamahendravaram	Satisfactory	70	PM ₁₀	1
113	Rajgir	Poor	237	PM _{2.5}	1
114	Ramanagara	Satisfactory	100	PM ₁₀	1
115	Ratlam	Moderate	157	PM ₁₀	1
116	Rohtak	Poor	291	PM _{2.5}	1
117	Rupnagar	Poor	237	PM ₁₀	1
118	Saharsa	Very Poor	394	PM ₁₀	1
119	Sasaram	Poor	229	PM _{2.5}	1
120	Satna	Satisfactory	56	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Shillong	Satisfactory	53	03	1
122	Shivamogga	Satisfactory	61	PM ₁₀	1
123	Siliguri	Poor	211	PM _{2.5}	1
124	Singrauli	Very Poor	318	PM ₁₀	1
125	Sirsa	Moderate	173	03	1
126	Solapur	Satisfactory	77	со	1
127	Sonipat	Poor	240	PM ₁₀	1
128	Srinagar	Good	25	PM ₁₀	1
129	Thane	Moderate	190	PM ₁₀	1
130	Thiruvananthapuram	Satisfactory	76	PM ₁₀	1
131	Thoothukudi	Satisfactory	79	PM ₁₀	1
132	Tirupati	Moderate	114	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Udaipur	Moderate	163	PM _{2.5}	1
134	Ujjain	Moderate	163	PM ₁₀	1
135	Varanasi	Moderate	106	PM ₁₀ , PM _{2.5}	4
136	Vatva	Moderate	134	PM ₁₀	1
137	Vijayapura	Satisfactory	51	PM ₁₀	1
138	Visakhapatnam	Moderate	103	PM ₁₀	1
139	Vrindavan	Moderate	147	PM ₁₀	1
140	Yadgir	Satisfactory	83	PM ₁₀	1
141	Yamunanagar	Poor	239	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Notes: Bahadurgarh, Bhilai, Bidar, Bihar Sharif, Chhapra, Chikkamagaluru, Gummidipoondi, Gwalior, Haldia, Jorapokhar, Kaithal, Kalyan, Khanna, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Nandesari, Palwal, Panchkula, Puducherry, Purnia, Sagar, Siwan, Talcher, Thrissur, Udupi, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.