

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	68	PM _{2.5}	1
2	Agra	Satisfactory	64	PM ₁₀	6
3	Ahmedabad	Satisfactory	93	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	30	PM ₁₀	1
5	Ajmer	Moderate	152	PM ₁₀	1
6	Akola	Good	50	PM ₁₀	1
7	Alwar	Satisfactory	55	PM ₁₀	1
8	Amaravati	Good	21	PM ₁₀	1
9	Ambala	Satisfactory	96	со	1
10	Amravati	Good	36	PM ₁₀	2
11	Amritsar	Satisfactory	52	03	1
12	Anantapur	Satisfactory	51	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi,

Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, To Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Satisfactory	57	03	1
14	Ariyalur	Good	42	PM ₁₀	1
15	Arrah	Satisfactory	87	PM ₁₀	1
16	Aurangabad (Maharashtra)	Good	41	PM ₁₀	2
17	Baddi	Satisfactory	91	PM ₁₀	1
18	Badlapur	Good	41	NO ₂	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Satisfactory	75	СО	1
21	Bahadurgarh	Satisfactory	67	PM ₁₀	1
22	Ballabgarh	Good	48	со	1
23	Banswara	Satisfactory	100	PM ₁₀	1
24	Baran	Poor	202	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi,

Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	47	PM ₁₀ , SO ₂	2
26	Baripada	Good	44	PM ₁₀	1
27	Barmer	Moderate	111	PM ₁₀	1
28	Bathinda	Good	38	PM ₁₀	1
29	Belapur	Good	22	PM ₁₀	1
30	Belgaum	Good	46	СО	1
31	Bengaluru	Satisfactory	57	PM ₁₀	11
32	Bettiah	Satisfactory	89	PM ₁₀	1
33	Bhagalpur	Satisfactory	60	O ₃	2
34	Bharatpur	Satisfactory	82	O ₃	1
35	Bhilai	Good	26	PM ₁₀	2
36	Bhilwara	Moderate	115	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	117	PM ₁₀	1
38	Bhiwandi	Good	26	PM ₁₀	1
39	Bhopal	Satisfactory	90	PM ₁₀	3
40	Bihar Sharif	Good	31	03	1
41	Bikaner	Satisfactory	88	PM ₁₀	1
42	Bilaspur	Satisfactory	94	со	1
43	Bileipada	Satisfactory	69	PM ₁₀	1
44	Bulandshahr	Satisfactory	51	PM ₁₀	1
45	Chamarajanagar	Good	45	PM ₁₀	1
46	Chandigarh	Satisfactory	60	PM ₁₀	3
47	Chandrapur	Good	49	PM ₁₀	1
48	Charkhi Dadri	Satisfactory	72	PM _{2.5}	1

Notes: De

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	96	NO ₂ , CO	7
50	Chhal	Good	28	со	1
51	Chikkaballapur	Good	33	PM ₁₀	1
52	Chikkamagaluru	Good	39	03	1
53	Chittoor	Good	42	03	1
54	Chittorgarh	Satisfactory	66	PM ₁₀	1
55	Churu	Satisfactory	82	PM ₁₀	1
56	Coimbatore	Satisfactory	83	PM ₁₀	1
57	Cuddalore	Moderate	115	NO ₂	2
58	Damoh	Good	21	СО	1
59	Dausa	Moderate	171	PM ₁₀	1
60	Davanagere	Good	19	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	113	O ₃ , PM ₁₀	8
62	Dewas	Satisfactory	51	PM ₁₀	1
63	Dhanbad	Moderate	183	со	1
64	Dharuhera	Good	50	PM ₁₀	1
65	Dharwad	Good	37	PM ₁₀	1
66	Dholpur	Moderate	185	PM _{2.5}	1
67	Dhule	Good	25	PM _{2.5}	1
68	Eloor	Satisfactory	68	PM ₁₀	1
69	Faridabad	Moderate	119	PM ₁₀ , PM _{2.5}	2
70	Fatehabad	Moderate	109	03	1
71	Firozabad	Satisfactory	64	PM ₁₀	2
72	Gadag	Good	46	SO ₂	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Moderate	121	PM _{2.5} , PM ₁₀	3
74	Gangtok	Satisfactory	52	SO ₂	1
75	Gaya	Satisfactory	75	NO ₂ , O ₃	3
76	Ghaziabad	Satisfactory	99	PM _{2.5} , PM ₁₀	4
77	Gorakhpur	Satisfactory	51	SO ₂	1
78	Greater Noida	Moderate	121	PM ₁₀	2
79	Gummidipoondi	Moderate	116	PM ₁₀	1
80	Gurugram	Moderate	110	PM _{2.5}	4
81	Guwahati	Satisfactory	65	PM ₁₀ , SO ₂	4
82	Gwalior	Satisfactory	55	03	4
83	Hajipur	Good	50	PM ₁₀	1
84	Haldia	Good	37	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	/ery Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Very Poor	325	PM ₁₀	1
86	Hapur	Good	47	PM ₁₀	1
87	Hassan	Good	46	PM ₁₀	1
88	Hisar	Satisfactory	69	O ₃	1
89	Hosur	Good	49	PM ₁₀	1
90	Howrah	Good	43	NO ₂	3
91	Hubballi	Satisfactory	63	PM ₁₀	1
92	Hyderabad	Good	49	PM ₁₀	13
93	Indore	Satisfactory	84	PM ₁₀	1
94	Jabalpur	Satisfactory	55	O ₃	3
95	Jaipur	Moderate	167	PM _{2.5} , PM ₁₀	5
96	Jaisalmer	Moderate	151	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	76	PM ₁₀	1
98	Jalgaon	Satisfactory	77	PM ₁₀	1
99	Jalna	Good	47	PM ₁₀	1
100	Jhalawar	Satisfactory	61	PM ₁₀	1
101	Jhansi	Satisfactory	57	PM _{2.5}	1
102	Jhunjhunu	Moderate	101	PM _{2.5}	1
103	Jind	Moderate	126	со	1
104	Jodhpur	Moderate	143	PM ₁₀	5
105	Kadapa	Good	37	PM _{2.5}	1
106	Kalaburgi	Good	45	PM ₁₀	1
107	Kalyan	Satisfactory	83	со	1
108	Kanchipuram	Satisfactory	68	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi,

Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	69	PM ₁₀	1
110	Kanpur	Satisfactory	75	со	3
111	Karnal	Good	39	PM ₁₀	1
112	Kashipur	Good	48	PM ₁₀	1
113	Katihar	Satisfactory	80	PM ₁₀	1
114	Katni	Satisfactory	83	PM ₁₀	1
115	Keonjhar	Good	39	PM ₁₀	1
116	Khanna	Satisfactory	61	PM ₁₀	1
117	Khurja	Satisfactory	82	PM _{2.5}	1
118	Kishanganj	Satisfactory	51	со	1
119	Kohima	Satisfactory	58	SO ₂	1
120	Kolar	Good	44	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolhapur	Good	34	PM ₁₀	2
122	Kolkata	Good	30	O ₃ , PM ₁₀	6
123	Koppal	Good	23	SO ₂	1
124	Korba	Good	24	NO ₂	2
125	Kota	Satisfactory	94	O ₃ , PM ₁₀	3
126	Kunjemura	Good	36	PM ₁₀	1
127	Kurukshetra	Satisfactory	52	O ₃	1
128	Latur	Good	45	PM ₁₀	1
129	Lucknow	Satisfactory	65	PM ₁₀	6
130	Ludhiana	Satisfactory	100	PM ₁₀	1
131	Madikeri	Good	24	PM ₁₀	1
132	Mahad	Good	28	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, ol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Be

Notes:

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	34	PM ₁₀	1
134	Mandi Gobindgarh	Satisfactory	67	PM _{2.5}	1
135	Mandideep	Moderate	110	03	1
136	Mandikhera	Good	43	PM ₁₀	1
137	Manesar	Satisfactory	64	PM ₁₀	1
138	Mangalore	Satisfactory	71	PM ₁₀	1
139	Manguraha	Good	26	PM ₁₀	1
140	Meerut	Satisfactory	63	CO, PM ₁₀	3
141	Moradabad	Satisfactory	72	PM ₁₀	6
142	Motihari	Good	40	NO ₂	1
143	Mumbai	Satisfactory	80	PM _{2.5} , CO	20
144	Munger	Moderate	151	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Satisfactory	70	O ₃ , CO	3
146	Mysuru	Satisfactory	55	PM ₁₀	1
147	Nagaon	Satisfactory	53	03	1
148	Nagaur	Moderate	117	PM ₁₀	1
149	Nagpur	Good	32	CO, PM ₁₀	4
150	Nalbari	Good	42	PM ₁₀	1
151	Nanded	Good	45	PM ₁₀	1
152	Narnaul	Satisfactory	52	SO ₂	1
153	Nashik	Good	25	PM ₁₀ , O ₃	4
154	Navi Mumbai	Satisfactory	54	NO ₂ , CO	3
155	Nayagarh	Good	33	NO ₂	1
156	Noida	Satisfactory	94	PM _{2.5}	4

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ooty	Good	50	SO ₂	1
158	Palkalaiperur	Satisfactory	66	SO ₂	1
159	Palwal	Good	35	PM ₁₀	1
160	Panchkula	Satisfactory	68	PM _{2.5}	1
161	Patiala	Satisfactory	52	PM ₁₀	1
162	Patna	Satisfactory	74	O ₃ , PM _{2.5}	6
163	Pimpri Chinchwad	Good	32	NO ₂ , PM ₁₀	3
164	Pratapgarh	Satisfactory	67	PM ₁₀	1
165	Prayagraj	Satisfactory	69	PM ₁₀	3
166	Puducherry	Satisfactory	53	PM ₁₀	1
167	Pune	Moderate	108	NO ₂ , CO	5
168	Purnia	Satisfactory	75	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Asansol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boisar,

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raichur	Satisfactory	98	03	1
170	Raipur	Good	49	PM ₁₀ , CO	4
171	Rairangpur	Satisfactory	53	PM ₁₀	1
172	Rajamahendravaram	Good	20	PM ₁₀	1
173	Rajgir	Satisfactory	62	PM ₁₀	1
174	Rajsamand	Moderate	128	PM ₁₀	1
175	Ramanagara	Good	47	PM ₁₀	1
176	Ramanathapuram	Good	41	PM ₁₀	1
177	Ratlam	Satisfactory	58	PM ₁₀	1
178	Rishikesh	Good	30	PM ₁₀	1
179	Rohtak	Good	39	03	1
180	Rourkela	Satisfactory	56	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rupnagar	Satisfactory	96	PM ₁₀	1
182	Sagar	Good	46	03	1
183	Saharsa	Good	45	PM ₁₀	1
184	Salem	Good	29	SO ₂	1
185	Samastipur	Satisfactory	79	PM ₁₀	1
186	Sangli	Good	25	СО	1
187	Satna	Satisfactory	68	PM ₁₀	1
188	Sawai Madhopur	Moderate	136	PM _{2.5}	1
189	Shillong	Good	20	SO ₂	1
190	Shivamogga	Satisfactory	62	O ₃	1
191	Sikar	Moderate	112	PM ₁₀	1
192	Silchar	Good	35	со	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siliguri	Good	37	PM ₁₀	1
194	Singrauli	Satisfactory	86	NO ₂	1
195	Sirohi	Moderate	101	PM ₁₀	1
196	Siwan	Satisfactory	72	PM ₁₀	1
197	Solapur	Satisfactory	61	PM ₁₀	3
198	Sri Ganganagar	Poor	218	PM ₁₀	1
199	Srinagar	Satisfactory	67	PM ₁₀	1
200	Surat	Good	29	PM _{2.5}	1
201	Talcher	Good	40	NO ₂	1
202	Tensa	Good	47	NO ₂	1
203	Thane	Good	28	PM ₁₀	2
204	Thiruvananthapuram	Good	25	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani,

Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thoothukudi	Satisfactory	61	PM ₁₀	1
206	Thrissur	Satisfactory	51	PM ₁₀	1
207	Tirupati	Good	41	03	1
208	Tirupur	Good	40	PM ₁₀	1
209	Tumakuru	Satisfactory	96	PM ₁₀	1
210	Tumidih	Good	29	PM ₁₀	1
211	Udaipur	Satisfactory	72	PM ₁₀	1
212	Vapi	Satisfactory	89	СО	1
213	Varanasi	Good	33	SO ₂ , PM ₁₀	4
214	Vatva	Satisfactory	93	PM _{2.5}	1
215	Vijayapura	Good	46	PM ₁₀	1
216	Visakhapatnam	Satisfactory	72	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhapra, Darbhanga, Dehradun, Dindigul, Durgapur, Ernakulam, Haveri, Imphal, Jorapokhar, Kaithal, Karauli, Kochi, Kollam, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nandesari, Pali, Panipat, Parbhani, Pithampur, Sasaram, Sirsa, Sivasagar, Sonipat, Suakati, Tonk, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vrindavan	Good	33	PM ₁₀	1
218	Yadgir	Good	20	PM ₁₀	1
219	Yamunanagar	Satisfactory	61	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Araria,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

nsol, Aurangabad (Bihar), Begusarai, Bhiwani, Bidar, Boise

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.