

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	252	PM _{2.5}	1
2	Ahmedabad	Poor	204	NO ₂	1
3	Ajmer	Moderate	125	PM _{2.5}	1
4	Alwar	Satisfactory	90	PM ₁₀	1
5	Amaravati	Moderate	136	PM _{2.5}	1
6	Ambala	Poor	245	PM _{2.5}	1
7	Amritsar	Poor	233	PM _{2.5}	1
8	Ankleshwar	Moderate	102	PM ₁₀	1
9	Asanol	Very Poor	320	PM _{2.5}	1
10	Aurangabad	Satisfactory	73	PM ₁₀	1
11	Baghpat	Very Poor	328	PM _{2.5}	1
12	Bahadurgarh	Poor	221	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	314	PM _{2.5}	1
14	Bathinda	Moderate	150	PM ₁₀	1
15	Bengaluru	Moderate	138	PM _{2.5} , PM ₁₀	10
16	Bhiwadi	Poor	287	PM _{2.5}	1
17	Bhiwani	Poor	219	PM _{2.5}	1
18	Bhopal	Moderate	128	PM ₁₀	1
19	Brajrajnagar	Moderate	194	PM _{2.5}	1
20	Bulandshahr	Poor	263	PM _{2.5}	1
21	Chandigarh	Moderate	107	PM ₁₀	1
22	Chandrapur	Moderate	182	PM _{2.5}	2
23	Chennai	Poor	237	PM _{2.5} , PM ₁₀	4
24	Chikkaballapur	Moderate	106	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	324	PM _{2.5}	36
26	Dewas	Moderate	111	OZONE	1
27	Dharuhera	Very Poor	327	PM _{2.5}	1
28	Eloor	Good	38	со	1
29	Faridabad	Poor	300	PM _{2.5}	1
30	Fatehabad	Moderate	181	PM ₁₀	1
31	GandhiNagar	Satisfactory	92	PM ₁₀	1
32	Gaya	Very Poor	325	PM _{2.5}	1
33	Ghaziabad	Very Poor	346	PM _{2.5}	4
34	Greater_Noida	Very Poor	340	PM _{2.5}	2
35	Gurugram	Very Poor	316	PM _{2.5}	2
36	Guwahati	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	137	PM ₁₀	1
38	Hapur	Poor	294	PM _{2.5}	1
39	Hisar	Poor	238	PM _{2.5}	1
40	Howrah	Poor	261	PM _{2.5}	3
41	Hyderabad	Moderate	169	PM _{2.5}	5
42	Indore	Moderate	111	PM ₁₀	1
43	Jabalpur	Moderate	177	PM _{2.5}	1
44	Jaipur	Moderate	160	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Poor	229	PM _{2.5}	1
46	Jind	Very Poor	344	PM _{2.5}	1
47	Jodhpur	Moderate	114	PM ₁₀	1
48	Jorapokhar	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Very Poor	307	PM ₁₀	1
50	Kalaburagi	Moderate	101	PM ₁₀	1
51	Kalyan	Satisfactory	87	PM ₁₀	1
52	Kanpur	Severe	453	PM _{2.5}	1
53	Karnal	Poor	294	PM _{2.5}	1
54	Katni	Poor	269	PM _{2.5}	1
55	Khanna	Moderate	182	PM _{2.5}	1
56	Kolkata	Poor	208	PM _{2.5} , OZONE	6
57	Kota	Satisfactory	69	OZONE	1
58	Kurukshetra	Poor	296	PM _{2.5}	1
59	Lucknow	Severe	416	PM _{2.5}	4
60	Ludhiana	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	62	PM ₁₀	1
62	Mandi Gobindgarh	Poor	245	PM _{2.5}	1
63	Mandideep	Poor	218	PM ₁₀	1
64	Mandikhera	Very Poor	303	PM _{2.5}	1
65	Manesar	Poor	289	PM _{2.5}	1
66	Meerut	Very Poor	324	PM _{2.5}	3
67	Moradabad	Very Poor	350	PM _{2.5}	1
68	Mumbai	Satisfactory	71	CO, PM ₁₀	9
69	Muzaffarpur	Very Poor	385	PM _{2.5}	1
70	Mysuru	Moderate	122	PM _{2.5}	1
71	Nagpur	Moderate	115	PM _{2.5}	1
72	Narnaul	Poor	218	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Good	36	PM _{2.5}	1
74	Navi Mumbai	Satisfactory	88	PM ₁₀	2
75	Noida	Very Poor	351	PM _{2.5}	4
76	Pali	Moderate	128	PM ₁₀	1
77	Palwal	Very Poor	322	PM _{2.5}	1
78	Panchkula	Satisfactory	84	PM _{2.5}	1
79	Panipat	Very Poor	371	PM _{2.5}	1
80	Patiala	Moderate	183	PM _{2.5}	1
81	Patna	Severe	414	PM _{2.5}	1
82	Pithampur	Satisfactory	80	PM ₁₀	1
83	Pune	Satisfactory	91	SO ₂	1
84	Rajamahendravaram	Moderate	157	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Satisfactory	99	PM ₁₀	1
86	Ratlam	Satisfactory	88	PM ₁₀	1
87	Rohtak	Poor	254	PM _{2.5}	1
88	Satna	Moderate	187	PM ₁₀	1
89	Siliguri	Satisfactory	70	PM ₁₀	1
90	Solapur	Satisfactory	69	PM ₁₀	1
91	Sonipat	Moderate	151	PM _{2.5}	1
92	Talcher	Moderate	101	PM _{2.5}	1
93	Thane	Satisfactory	63	со	1
94	Thiruvananthapuram	Satisfactory	54	со	1
95	Tirupati	Satisfactory	96	PM ₁₀	1
96	Udaipur	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Satisfactory	95	OZONE	1
98	Vapi	Moderate	106	PM _{2.5}	1
99	Varanasi	Very Poor	306	PM _{2.5}	1
100	Vatva	Moderate	149	PM ₁₀	1
101	Visakhapatnam	Poor	262	PM _{2.5}	1
102	Yadgir	Satisfactory	86	OZONE	1
103	Yamunanagar	Poor	228	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Hubballi, Muzaffarnagar, Rupnagar, Shillong, Singrauli, Sirsa, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.