

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	28	PM ₁₀	1
2	Agra	Satisfactory	66	PM ₁₀	4
3	Ahmedabad	Satisfactory	58	SO ₂ , NO ₂ , PM ₁₀	9
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Satisfactory	55	PM _{2.5}	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Good	31	PM ₁₀	1
8	Ambala	Good	42	03	1
9	Amritsar	Satisfactory	66	PM ₁₀	1
10	Ankleshwar	Satisfactory	85	PM ₁₀	1
11	Asansol	Good	45	PM ₁₀	1
12	Aurangabad	Satisfactory	62	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	PM ₁₀	1
14	Baghpat	Good	34	PM ₁₀	1
15	Bahadurgarh	Satisfactory	55	PM ₁₀	1
16	Ballabgarh	Good	43	PM ₁₀	1
17	Bengaluru	Satisfactory	63	CO, PM ₁₀	9
18	Bhiwadi	Satisfactory	64	PM ₁₀	1
19	Bhiwani	Satisfactory	58	O ₃	1
20	Bhopal	Good	45	PM ₁₀	1
21	Bidar	Good	48	со	1
22	Bulandshahr	Good	26	PM ₁₀	1
23	Chamarajanagar	Good	40	PM ₁₀	1
24	Chandigarh	Satisfactory	61	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	28	PM ₁₀	2
26	Chennai	Satisfactory	62	SO ₂ , CO, PM ₁₀	7
27	Chikkaballapur	Satisfactory	54	NO ₂	1
28	Chikkamagaluru	Good	33	PM ₁₀	1
29	Damoh	Good	27	PM _{2.5}	1
30	Davanagere	Good	28	PM ₁₀	1
31	Delhi	Satisfactory	73	PM ₁₀ , CO, PM _{2.5}	11
32	Dewas	Good	33	PM ₁₀	1
33	Dharuhera	Satisfactory	79	со	1
34	Durgapur	Good	40	PM ₁₀	1
35	Eloor	Satisfactory	70	со	1
36	Faridabad	Good	45	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Good	44	PM ₁₀	1
38	Firozabad	Good	25	PM ₁₀	1
39	Gadag	Good	20	со	1
40	Gandhinagar	Good	40	PM _{2.5} , CO, PM ₁₀	3
41	Gaya	Satisfactory	68	со	2
42	Ghaziabad	Satisfactory	52	CO, PM ₁₀	4
43	Gorakhpur	Good	18	со	1
44	Greater Noida	Good	35	PM ₁₀	2
45	Gummidipoondi	Moderate	101	PM _{2.5}	1
46	Gurugram	Satisfactory	89	PM ₁₀ , NO ₂ , PM _{2.5}	3
47	Guwahati	Satisfactory	56	SO ₂	2
48	Gwalior	Good	30	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	26	PM ₁₀	1
50	Hapur	Satisfactory	59	СО	1
51	Hassan	Satisfactory	74	PM ₁₀	1
52	Hisar	Satisfactory	77	СО	1
53	Howrah	Good	40	CO, PM ₁₀ , NO ₂	3
54	Hubballi	Satisfactory	58	PM ₁₀	1
55	Hyderabad	Good	39	NO ₂ , PM _{2.5} , PM ₁₀	5
56	Indore	Good	48	PM ₁₀	1
57	Jabalpur	Satisfactory	51	PM ₁₀	1
58	Jaipur	Good	50	PM ₁₀ , PM _{2.5}	3
59	Jalandhar	Satisfactory	54	PM ₁₀	1
60	Jind	Good	47	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	104	PM ₁₀	1
62	Kaithal	Good	44	PM ₁₀	1
63	Kalaburgi	Good	48	PM ₁₀	1
64	Kannur	Good	49	PM _{2.5}	1
65	Kanpur	Satisfactory	56	NO ₂ , O ₃ , PM ₁₀	3
66	Karnal	Good	36	NO ₂	1
67	Katni	Good	45	PM ₁₀	1
68	Khanna	Satisfactory	53	PM ₁₀	1
69	Kochi	Good	41	PM ₁₀	1
70	Kohima	Good	40	PM ₁₀	1
71	Kolkata	Good	35	PM ₁₀ , CO	5
72	Kollam	Satisfactory	99	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	53	СО	1
74	Kota	Good	44	со	1
75	Kozhikode	Satisfactory	63	со	1
76	Kurukshetra	Good	44	PM ₁₀	1
77	Lucknow	Satisfactory	52	PM ₁₀ , O ₃	6
78	Ludhiana	Satisfactory	73	PM ₁₀	1
79	Mandi Gobindgarh	Good	23	со	1
80	Mandideep	Satisfactory	69	PM ₁₀	1
81	Mandikhera	Satisfactory	60	PM ₁₀	1
82	Medikeri	Good	29	03	1
83	Meerut	Satisfactory	72	NO ₂ , PM ₁₀	3
84	Moradabad	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	59	PM ₁₀ , CO, PM _{2.5}	18
86	Muzaffarnagar	Satisfactory	66	со	1
87	Muzaffarpur	Good	39	CO, PM _{2.5}	2
88	Narnaul	Good	50	PM _{2.5}	1
89	Nashik	Good	39	PM _{2.5}	1
90	Navi Mumbai	Satisfactory	64	PM _{2.5} , PM ₁₀ , CO	3
91	Noida	Satisfactory	58	CO, SO ₂ , PM ₁₀	3
92	Pali	Satisfactory	68	PM _{2.5}	1
93	Palwal	Good	48	PM ₁₀	1
94	Panipat	Satisfactory	61	SO ₂	1
95	Patiala	Good	35	PM ₁₀	1
96	Patna	Satisfactory	54	PM ₁₀ , CO	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	154	PM _{2.5}	1
98	Prayagraj	Good	28	PM _{2.5}	2
99	Puducherry	Good	48	PM ₁₀	1
100	Pune	Satisfactory	66	со	5
101	Rajamahendravaram	Good	27	03	1
102	Ramanagara	Good	39	PM ₁₀	1
103	Ratlam	Good	38	PM _{2.5}	1
104	Rohtak	Satisfactory	91	NO ₂	1
105	Sagar	Good	24	NO ₂	1
106	Satna	Good	43	PM ₁₀	1
107	Siliguri	Good	45	PM ₁₀	1
108	Singrauli	Good	47	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	54	PM ₁₀	1
110	Sonipat	Good	50	NO ₂	1
111	Srinagar	Satisfactory	83	PM ₁₀	1
112	Talcher	Good	19	со	1
113	Thiruvananthapuram	Satisfactory	66	PM _{2.5} , PM ₁₀	2
114	Thoothukudi	Satisfactory	77	со	1
115	Tirupati	Good	44	PM ₁₀	1
116	Udaipur	Satisfactory	81	PM _{2.5}	1
117	Udupi	Poor	206	03	1
118	Ujjain	Satisfactory	65	PM ₁₀	1
119	Vapi	Good	46	PM ₁₀	1
120	Varanasi	Good	38	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Satisfactory	69	PM ₁₀	1
122	Visakhapatnam	Good	39	PM ₁₀	1
123	Vrindavan	Good	30	PM ₁₀	1
124	Yadgir	Good	45	PM ₁₀	1
125	Yamunanagar	Moderate	114	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Charkhi Dadri, Coimbatore, Darbhanga, Ernakulam, Hajipur, Jorapokhar, Kalyan, Kolar, Maihar, Manesar, Manglore, Motihari, Mysuru, Nagpur, Naharlagun, Nandesari, Panchkula, Raichur, Rupnagar, Shillong, Shivamogga, Solapur, Thane, Thrissur, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.