

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	68	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	71	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	101	PM <sub>10</sub>	8
4	Ajmer	Moderate	127	PM <sub>10</sub>	1
5	Akola	Satisfactory	66	PM <sub>10</sub>	1
6	Alwar	Satisfactory	77	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	72	PM <sub>10</sub>	1
8	Amravati	Satisfactory	57	PM <sub>10</sub>	2
9	Amritsar	Satisfactory	63	PM <sub>10</sub>	1
10	Anantapur	Satisfactory	53	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	81	NO <sub>2</sub>	1
12	Araria	Good	40	со	1

Notes:

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	78	СО	1
14	Asansol	Good	36	03	1
15	Aurangabad (Bihar)	Satisfactory	51	со	1
16	Aurangabad (Maharashtra)	Satisfactory	79	СО	3
17	Baddi	Moderate	101	PM <sub>10</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Satisfactory	69	PM <sub>10</sub>	1
20	Bahadurgarh	Moderate	112	PM <sub>10</sub>	1
21	Ballabgarh	Satisfactory	85	PM <sub>10</sub>	1
22	Banswara	Moderate	138	PM <sub>10</sub>	1
23	Baran	Moderate	152	PM <sub>2.5</sub>	1
24	Bareilly	Good	48	PM <sub>10</sub>	2

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Good	42	PM <sub>10</sub>	1
26	Barmer	Moderate	115	PM <sub>10</sub>	1
27	Bathinda	Moderate	146	PM <sub>10</sub>	1
28	Begusarai	Satisfactory	88	PM <sub>10</sub>	1
29	Belapur	Good	47	PM <sub>10</sub>	1
30	Belgaum	Good	47	СО	1
31	Bengaluru	Good	49	PM <sub>10</sub> , CO	9
32	Bettiah	Satisfactory	78	PM <sub>10</sub>	1
33	Bhagalpur	Satisfactory	70	PM <sub>2.5</sub>	2
34	Bharatpur	Moderate	111	PM <sub>10</sub>	1
35	Bhilai	Good	36	PM <sub>10</sub> , O <sub>3</sub>	3
36	Bhiwadi	Moderate	159	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Beisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Good	37	PM <sub>10</sub>	1
38	Bhiwani	Moderate	102	PM <sub>10</sub>	1
39	Bhopal	Satisfactory	80	PM <sub>10</sub>	2
40	Bidar	Good	23	со	1
41	Bihar Sharif	Good	26	со	1
42	Bikaner	Moderate	169	PM <sub>10</sub>	1
43	Bilaspur	Good	30	PM <sub>10</sub>	1
44	Bileipada	Satisfactory	54	PM <sub>10</sub>	1
45	Bulandshahr	Satisfactory	72	PM <sub>10</sub>	1
46	Bundi	Moderate	120	PM <sub>10</sub>	1
47	Byrnihat	Poor	234	PM <sub>2.5</sub>	1
48	Chamarajanagar	Good	40	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Satisfactory	70	PM <sub>10</sub>	3
50	Chandrapur	Good	34	со	1
51	Charkhi Dadri	Moderate	156	PM <sub>2.5</sub>	1
52	Chennai	Satisfactory	65	со	7
53	Chhal	Good	27	03	1
54	Chhapra	Satisfactory	74	PM <sub>10</sub>	1
55	Chikkaballapur	Good	27	PM <sub>10</sub>	1
56	Chittoor	Good	39	03	1
57	Chittorgarh	Moderate	135	PM <sub>10</sub>	1
58	Churu	Satisfactory	72	PM <sub>10</sub>	1
59	Cuddalore	Good	21	PM <sub>2.5</sub>	1
60	Damoh	Good	37	PM <sub>10</sub>	1

Notes:

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Poor	243	PM <sub>10</sub>	1
62	Davanagere	Good	24	PM <sub>10</sub>	1
63	Dehradun	Satisfactory	85	со	1
64	Delhi	Moderate	125	PM <sub>10</sub> , PM <sub>2.5</sub>	28
65	Dewas	Satisfactory	77	PM <sub>10</sub>	1
66	Dhanbad	Moderate	187	со	1
67	Dharuhera	Moderate	119	PM <sub>10</sub>	1
68	Dholpur	Satisfactory	63	PM <sub>10</sub>	1
69	Dhule	Moderate	107	PM <sub>10</sub>	1
70	Durgapur	Good	34	SO <sub>2</sub>	1
71	Faridabad	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	3
72	Fatehabad	Moderate	124	03	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Satisfactory	76	PM <sub>10</sub>	2
74	Gandhinagar	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	2
75	Gaya	Good	45	со	3
76	Ghaziabad	Satisfactory	99	PM <sub>10</sub>	3
77	Gorakhpur	Satisfactory	60	SO <sub>2</sub>	1
78	Greater Noida	Moderate	160	PM <sub>10</sub>	2
79	Gummidipoondi	Moderate	107	PM <sub>10</sub>	1
80	Gurugram	Moderate	145	PM <sub>2.5</sub> , CO	3
81	Guwahati	Satisfactory	74	CO, SO <sub>2</sub>	3
82	Gwalior	Good	46	O <sub>3</sub> , PM <sub>10</sub>	4
83	Hajipur	Good	44	PM <sub>10</sub>	1
84	Haldia	Good	33	O <sub>3</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Beisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	190	PM <sub>10</sub>	1
86	Hapur	Satisfactory	61	PM <sub>10</sub>	1
87	Haveri	Good	39	со	1
88	Hisar	Moderate	111	PM <sub>2.5</sub>	1
89	Hosur	Good	44	PM <sub>10</sub>	1
90	Howrah	Good	31	03	3
91	Hubballi	Satisfactory	65	PM <sub>10</sub>	1
92	Hyderabad	Satisfactory	76	NO <sub>2</sub> , PM <sub>10</sub>	10
93	Indore	Moderate	115	PM <sub>10</sub>	1
94	Jabalpur	Satisfactory	68	PM <sub>10</sub> , O <sub>3</sub>	2
95	Jaipur	Moderate	145	PM <sub>10</sub>	6
96	Jaisalmer	Moderate	135	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	63	PM <sub>10</sub>	1
98	Jalgaon	Satisfactory	53	PM <sub>10</sub>	1
99	Jalna	Good	38	NO <sub>2</sub>	1
100	Jhalawar	Moderate	117	PM <sub>10</sub>	1
101	Jhansi	Satisfactory	67	PM <sub>10</sub>	1
102	Jhunjhunu	Moderate	125	PM <sub>10</sub>	1
103	Jind	Satisfactory	94	PM <sub>10</sub>	1
104	Jodhpur	Moderate	129	PM <sub>10</sub>	5
105	Kaithal	Moderate	135	PM <sub>2.5</sub>	1
106	Kalaburgi	Satisfactory	63	PM <sub>10</sub>	1
107	Kalyan	Satisfactory	69	PM <sub>10</sub>	1
108	Kanchipuram	Good	39	PM <sub>10</sub>	1

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kannur	Satisfactory	70	PM <sub>10</sub>	1
110	Kanpur	Moderate	110	O <sub>3</sub> , CO	4
111	Karauli	Satisfactory	54	03	1
112	Karnal	Satisfactory	72	PM <sub>10</sub>	1
113	Kashipur	Satisfactory	73	PM <sub>10</sub>	1
114	Katihar	Satisfactory	84	со	1
115	Katni	Good	44	PM <sub>10</sub>	1
116	Keonjhar	Good	44	PM <sub>10</sub>	1
117	Khanna	Satisfactory	90	PM <sub>10</sub>	1
118	Khurja	Moderate	146	PM <sub>2.5</sub>	1
119	Kishanganj	Good	46	СО	1
120	Kochi	Satisfactory	61	со	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Eloor, Ernakulam, Gadag, Gangtok, Hassan, Imphal, Jorapokhar, Kadapa, Kolar, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Palwal, Raichur, Rairangpur, Rishikesh, Rupnagar, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

## Possible Health Impacts



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kohima	Satisfactory	52	SO <sub>2</sub>	1
122	Kolhapur	Good	38	PM <sub>10</sub>	2
123	Kolkata	Good	34	PM <sub>10</sub> , O <sub>3</sub>	7
124	Kollam	Satisfactory	70	PM <sub>10</sub>	1
125	Koppal	Good	33	SO <sub>2</sub>	1
126	Korba	Good	24	со	1
127	Kota	Moderate	126	PM <sub>10</sub>	3
128	Kurukshetra	Satisfactory	75	PM <sub>10</sub>	1
129	Latur	Satisfactory	62	PM <sub>10</sub>	1
130	Lucknow	Satisfactory	76	O <sub>3</sub> , PM <sub>10</sub>	6
131	Ludhiana	Moderate	123	PM <sub>10</sub>	1
132	Madikeri	Good	22	PM <sub>2.5</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Good	35	со	1
134	Maihar	Good	32	PM <sub>10</sub>	1
135	Mandi Gobindgarh	Satisfactory	60	PM <sub>10</sub>	1
136	Mandideep	Satisfactory	70	PM <sub>10</sub>	1
137	Mandikhera	Satisfactory	94	PM <sub>10</sub>	1
138	Manesar	Satisfactory	85	PM <sub>2.5</sub>	1
139	Mangalore	Satisfactory	53	со	1
140	Manguraha	Good	27	PM <sub>10</sub>	1
141	Meerut	Satisfactory	77	PM <sub>10</sub> , CO	3
142	Moradabad	Satisfactory	93	PM <sub>10</sub>	5
143	Mumbai	Good	50	CO, PM <sub>10</sub>	17
144	Munger	Satisfactory	56	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarnagar	Satisfactory	88	PM <sub>10</sub>	1
146	Muzaffarpur	Satisfactory	54	со	3
147	Mysuru	Satisfactory	61	PM <sub>10</sub>	1
148	Nagaur	Moderate	142	PM <sub>10</sub>	1
149	Nagpur	Good	40	CO, PM <sub>10</sub>	4
150	Nalbari	Satisfactory	63	со	1
151	Nanded	Good	32	PM <sub>10</sub>	1
152	Narnaul	Moderate	123	PM <sub>10</sub>	1
153	Nashik	Good	47	PM <sub>10</sub>	2
154	Navi Mumbai	Satisfactory	52	PM <sub>10</sub>	7
155	Nayagarh	Good	33	PM <sub>10</sub>	1
156	Noida	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub>	4

Notes:

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ooty	Satisfactory	51	SO <sub>2</sub>	1
158	Pali	Moderate	105	PM <sub>2.5</sub>	1
159	Panchkula	Satisfactory	52	со	1
160	Panipat	Moderate	189	PM <sub>10</sub>	1
161	Parbhani	Good	44	PM <sub>10</sub>	1
162	Patiala	Satisfactory	62	PM <sub>10</sub>	1
163	Patna	Satisfactory	82	PM <sub>10</sub> , NO <sub>2</sub>	5
164	Pimpri Chinchwad	Good	45	PM <sub>2.5</sub>	3
165	Pithampur	Moderate	121	PM <sub>10</sub>	1
166	Pratapgarh	Moderate	154	PM <sub>10</sub>	1
167	Prayagraj	Satisfactory	81	PM <sub>10</sub>	3
168	Puducherry	Satisfactory	55	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pune	Satisfactory	72	PM <sub>2.5</sub> , PM <sub>10</sub>	6
170	Purnia	Moderate	107	PM <sub>2.5</sub>	1
171	Raipur	Good	38	PM <sub>10</sub> , CO	4
172	Rajamahendravaram	Good	38	03	1
173	Rajgir	Satisfactory	57	O <sub>3</sub>	1
174	Rajsamand	Moderate	135	PM <sub>10</sub>	1
175	Ramanagara	Good	42	NO <sub>2</sub>	1
176	Ramanathapuram	Good	21	PM <sub>10</sub>	1
177	Ratlam	Moderate	120	PM <sub>10</sub>	1
178	Rohtak	Satisfactory	66	PM <sub>2.5</sub>	1
179	Rourkela	Good	44	PM <sub>10</sub>	2
180	Sagar	Good	41	03	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Saharsa	Satisfactory	77	O <sub>3</sub>	1
182	Salem	Satisfactory	79	SO <sub>2</sub>	1
183	Samastipur	Satisfactory	76	PM <sub>10</sub>	1
184	Sangli	Good	32	PM <sub>10</sub>	1
185	Sasaram	Satisfactory	95	со	1
186	Satna	Satisfactory	92	PM <sub>10</sub>	1
187	Sawai Madhopur	Satisfactory	86	PM <sub>10</sub>	1
188	Shillong	Good	26	PM <sub>10</sub> , SO <sub>2</sub>	2
189	Shivamogga	Satisfactory	58	PM <sub>10</sub>	1
190	Sikar	Moderate	111	PM <sub>10</sub>	1
191	Silchar	Good	35	со	1
192	Siliguri	Satisfactory	53	PM <sub>10</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Moderate	104	NO <sub>2</sub>	1
194	Sirohi	Moderate	104	PM <sub>10</sub>	1
195	Sirsa	Good	47	PM <sub>10</sub>	1
196	Sivasagar	Good	12	PM <sub>10</sub>	1
197	Siwan	Satisfactory	63	PM <sub>10</sub>	1
198	Solapur	Satisfactory	74	PM <sub>10</sub>	2
199	Sonipat	Moderate	131	PM <sub>10</sub>	1
200	Sri Ganganagar	Moderate	136	PM <sub>10</sub>	1
201	Srinagar	Satisfactory	91	PM <sub>10</sub>	1
202	Suakati	Good	47	PM <sub>10</sub>	1
203	Surat	Very Poor	384	PM <sub>10</sub>	1
204	Talcher	Good	36	со	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tensa	Good	50	PM <sub>2.5</sub>	1
206	Thane	Good	50	PM <sub>10</sub>	2
207	Thiruvananthapuram	Good	36	PM <sub>10</sub> , CO	2
208	Thoothukudi	Satisfactory	55	PM <sub>10</sub>	1
209	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
210	Tirupati	Good	44	PM <sub>10</sub>	2
211	Tirupur	Satisfactory	65	PM <sub>10</sub>	1
212	Tonk	Moderate	136	PM <sub>10</sub>	1
213	Tumakuru	Satisfactory	84	СО	1
214	Tumidih	Good	41	PM <sub>10</sub>	1
215	Udaipur	Moderate	113	PM <sub>10</sub>	1
216	Ujjain	Moderate	152	PM <sub>2.5</sub>	1

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Ambala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Bux

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Ulhasnagar	Satisfactory	64	PM <sub>10</sub>	1
218	Vapi	Satisfactory	76	PM <sub>10</sub>	1
219	Varanasi	Good	29	SO <sub>2</sub> , PM <sub>10</sub>	4
220	Vatva	Moderate	122	PM <sub>10</sub>	1
221	Vijayapura	Good	46	PM <sub>10</sub>	1
222	Vijayawada	Satisfactory	76	PM <sub>10</sub>	1
223	Visakhapatnam	Satisfactory	89	PM <sub>10</sub>	1
224	Vrindavan	Satisfactory	79	PM <sub>10</sub>	1
225	Yadgir	Good	41	PM <sub>10</sub>	1

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, ala, Ariyalur, Badlapur, Bhilwara, Boisar, Brajrajnagar, Buxa

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharwad, Dindigul, Notes: Eloor, Ernakulam, Gadag, Gangtok, Hassan, Imphal, Jorapokhar, Kadapa, Kolar, Kozhikode, Kunjemura, Malegaon, Milupara, Mira-Bhayandar, Motihari, Nagaon, Naharlagun, Nandesari, Palkalaiperur, Palwal, Raichur, Rairangpur,

Rishikesh, Rupnagar, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.