

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	119	PM _{2.5}	2
2	Agra	Satisfactory	73	PM ₁₀	6
3	Ahmedabad	Moderate	116	PM _{2.5}	5
4	Aizawl	Satisfactory	89	PM ₁₀	1
5	Ajmer	Satisfactory	95	PM ₁₀	1
6	Alwar	Satisfactory	80	PM ₁₀	1
7	Amaravati	Satisfactory	57	PM _{2.5}	1
8	Ambala	Satisfactory	96	PM ₁₀	1
9	Amritsar	Moderate	138	PM _{2.5}	1
10	Anantapur	Satisfactory	77	O ₃	1
11	Araria	Poor	284	PM _{2.5}	1
12	Ariyalur	Good	48	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	298	PM _{2.5}	1
14	Asansol	Poor	228	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	280	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	148	PM _{2.5}	1
17	Baddi	Poor	268	PM _{2.5}	1
18	Bagalkot	Satisfactory	62	O ₃	1
19	Ballabgarh	Moderate	175	PM _{2.5}	1
20	Bareilly	Satisfactory	94	PM ₁₀	2
21	Baripada	Poor	257	PM _{2.5}	1
22	Bathinda	Satisfactory	92	PM ₁₀	1
23	Begusarai	Very Poor	355	PM _{2.5}	1
24	Belgaum	Moderate	157	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

[#] Some stations have data available at 3PM



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	109	O ₃ , PM ₁₀	6
26	Bettiah	Very Poor	380	PM _{2.5}	1
27	Bhagalpur	Very Poor	329	PM _{2.5}	2
28	Bhilai	Satisfactory	82	PM ₁₀	2
29	Bhiwadi	Moderate	175	PM ₁₀	1
30	Bhiwani	Moderate	120	PM ₁₀	1
31	Bhopal	Moderate	196	PM _{2.5}	2
32	Bidar	Satisfactory	81	СО	1
33	Bileipada	Poor	246	PM _{2.5}	1
34	Brajrajnagar	Satisfactory	97	PM ₁₀	1
35	Bulandshahr	Moderate	155	PM _{2.5}	1
36	Byrnihat	Severe	420	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	43	PM ₁₀	1
38	Chandigarh	Poor	263	PM _{2.5}	2
39	Chandrapur	Moderate	142	PM _{2.5}	2
40	Charkhi Dadri	Moderate	138	PM ₁₀	1
41	Chennai	Satisfactory	65	PM _{2.5}	8
42	Chikkaballapur	Moderate	111	PM ₁₀	1
43	Chikkamagaluru	Good	36	PM ₁₀	1
44	Chittoor	Satisfactory	63	O ₃	1
45	Coimbatore	Satisfactory	70	PM ₁₀	1
46	Damoh	Satisfactory	57	PM _{2.5}	1
47	Davanagere	Satisfactory	85	PM ₁₀	1
48	Delhi	Poor	270	PM ₁₀ , PM _{2.5}	36

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	154	PM _{2.5}	1
50	Dharuhera	Poor	256	PM _{2.5}	1
51	Dindigul	Poor	257	NO ₂	1
52	Eloor	Satisfactory	73	PM ₁₀	1
53	Faridabad	Poor	248	PM _{2.5}	3
54	Firozabad	Satisfactory	81	PM ₁₀	2
55	Gadag	Satisfactory	55	O ₃	1
56	Gandhinagar	Moderate	119	PM _{2.5} , PM ₁₀	3
57	Gangtok	Poor	264	PM _{2.5}	1
58	Gaya	Poor	226	PM _{2.5}	3
59	Ghaziabad	Poor	229	PM _{2.5} , PM ₁₀	3
60	Gorakhpur	Moderate	129	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Poor	242	PM _{2.5}	2
62	Gummidipoondi	Moderate	166	PM _{2.5}	1
63	Gurugram	Poor	207	PM _{2.5}	4
64	Guwahati	Very Poor	363	PM _{2.5}	4
65	Gwalior	Poor	246	PM _{2.5}	2
66	Hajipur	Poor	266	PM _{2.5}	1
67	Haldia	Moderate	142	PM ₁₀	1
68	Hapur	Satisfactory	74	PM _{2.5}	1
69	Hassan	Satisfactory	75	PM ₁₀	1
70	Haveri	Satisfactory	100	PM _{2.5}	1
71	Hosur	Satisfactory	100	СО	1
72	Howrah	Poor	226	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra,

Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Moderate	148	PM _{2.5}	2
74	Hyderabad	Satisfactory	76	PM ₁₀ , PM _{2.5}	13
75	Imphal	Satisfactory	77	SO ₂	1
76	Indore	Moderate	121	PM ₁₀	1
77	Jabalpur	Poor	251	PM _{2.5}	1
78	Jaipur	Moderate	121	PM ₁₀	3
79	Jalandhar	Poor	215	PM _{2.5}	1
80	Jind	Moderate	165	PM _{2.5}	1
81	Jodhpur	Moderate	166	PM _{2.5}	1
82	Kaithal	Moderate	184	PM _{2.5}	1
83	Kalaburgi	Satisfactory	86	PM _{2.5}	1
84	Kalyan	Poor	234	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, C

Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	94	PM _{2.5}	1
86	Kanpur	Satisfactory	100	PM ₁₀ , NO ₂	3
87	Karnal	Satisfactory	95	PM ₁₀	1
88	Katihar	Very Poor	329	PM _{2.5}	1
89	Keonjhar	Moderate	200	PM _{2.5}	1
90	Khanna	Satisfactory	95	PM _{2.5}	1
91	Khurja	Moderate	168	PM _{2.5}	1
92	Kishanganj	Poor	273	PM _{2.5}	1
93	Kochi	Moderate	153	PM _{2.5}	1
94	Kohima	Moderate	106	PM ₁₀	1
95	Kolkata	Moderate	162	PM _{2.5}	7
96	Kollam	Moderate	109	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	87	O ₃	1
98	Korba	Satisfactory	96	PM ₁₀	2
99	Kota	Moderate	156	PM _{2.5}	1
100	Kozhikode	Satisfactory	75	PM _{2.5}	1
101	Kurukshetra	Moderate	124	PM _{2.5}	1
102	Lucknow	Moderate	137	PM _{2.5}	6
103	Ludhiana	Moderate	107	PM _{2.5}	1
104	Madikeri	Satisfactory	52	O ₃	1
105	Maihar	Satisfactory	61	PM ₁₀	1
106	Mandi Gobindgarh	Moderate	164	PM _{2.5}	1
107	Mandideep	Satisfactory	90	PM ₁₀	1
108	Mandikhera	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra,

Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Moderate	180	PM _{2.5}	1
110	Mangalore	Satisfactory	95	PM _{2.5}	1
111	Manguraha	Poor	272	PM _{2.5}	1
112	Meerut	Poor	206	PM ₁₀ , PM _{2.5}	3
113	Moradabad	Satisfactory	86	PM _{2.5}	6
114	Motihari	Poor	204	PM ₁₀	1
115	Mumbai	Poor	214	PM _{2.5} , PM ₁₀	18
116	Munger	Poor	258	PM ₁₀	1
117	Muzaffarnagar	Moderate	189	PM _{2.5}	1
118	Muzaffarpur	Very Poor	326	PM ₁₀ , PM _{2.5}	3
119	Mysuru	Good	48	03	1
120	Nagpur	Moderate	195	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Naharlagun	Satisfactory	59	PM _{2.5}	1
122	Nalbari	Poor	275	PM ₁₀	1
123	Narnaul	Poor	263	PM _{2.5}	1
124	Nashik	Satisfactory	94	PM _{2.5}	1
125	Navi Mumbai	Poor	284	PM _{2.5}	3
126	Nayagarh	Moderate	121	PM ₁₀	1
127	Noida	Poor	234	O ₃ , PM _{2.5}	4
128	Ooty	Satisfactory	82	PM ₁₀	1
129	Pali	Moderate	104	PM _{2.5}	1
130	Palwal	Satisfactory	69	PM ₁₀	1
131	Panchkula	Satisfactory	64	PM _{2.5}	1
132	Panipat	Moderate	125	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Satisfactory	99	PM ₁₀	1
134	Patna	Very Poor	347	PM _{2.5}	6
135	Pithampur	Moderate	122	PM ₁₀	1
136	Prayagraj	Satisfactory	91	PM ₁₀	3
137	Puducherry	Good	46	03	1
138	Purnia	Very Poor	325	PM _{2.5}	1
139	Raichur	Satisfactory	77	PM ₁₀	1
140	Raipur	Satisfactory	86	PM ₁₀ , NO ₂	4
141	Rairangpur	Moderate	181	PM _{2.5}	1
142	Rajamahendravaram	Satisfactory	87	PM _{2.5}	1
143	Rajgir	Very Poor	321	PM _{2.5}	1
144	Ramanagara	Satisfactory	70	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanathapuram	Good	16	PM _{2.5}	1
146	Ratlam	Satisfactory	98	PM ₁₀	1
147	Rohtak	Moderate	130	PM _{2.5}	1
148	Rourkela	Moderate	149	PM _{2.5} , PM ₁₀	3
149	Rupnagar	Poor	274	PM ₁₀	1
150	Sagar	Moderate	116	PM _{2.5} , CO	2
151	Saharsa	Very Poor	317	PM _{2.5}	1
152	Samastipur	Very Poor	339	PM _{2.5}	1
153	Sasaram	Poor	206	PM _{2.5}	1
154	Satna	Satisfactory	59	PM ₁₀	1
155	Shillong	Moderate	142	PM _{2.5}	1
156	Shivamogga	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra,

Banadurgam, Binar Sharif, Bilaspur, Buxar, Chengalpattu, Chnai, Chnapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siliguri	Poor	206	PM _{2.5}	1
158	Singrauli	Moderate	200	PM _{2.5}	1
159	Sirsa	Moderate	141	PM _{2.5}	1
160	Sivasagar	Good	40	PM ₁₀	1
161	Siwan	Very Poor	370	PM _{2.5}	1
162	Sonipat	Moderate	196	PM ₁₀	1
163	Suakati	Moderate	129	PM ₁₀	1
164	Surat	Moderate	199	PM _{2.5}	1
165	Talcher	Moderate	142	PM _{2.5}	1
166	Thane	Moderate	170	PM ₁₀	1
167	Thiruvananthapuram	Moderate	114	PM _{2.5}	2
168	Thoothukudi	Moderate	124	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thrissur	Moderate	124	PM ₁₀	1
170	Tirupati	Satisfactory	66	NO ₂	2
171	Tirupur	Good	45	PM ₁₀	1
172	Udaipur	Moderate	155	PM _{2.5}	1
173	Ujjain	Moderate	122	PM ₁₀	1
174	Vapi	Poor	274	PM _{2.5}	1
175	Varanasi	Good	47	O ₃	4
176	Vijayapura	Good	46	PM ₁₀	1
177	Visakhapatnam	Moderate	105	PM ₁₀	1
178	Vrindavan	Moderate	186	O ₃	1
179	Yadgir	Satisfactory	61	PM ₁₀	1
180	Yamunanagar	Moderate	185	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Notes: Bahadurgarh, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Chhal, Chhapra, Darbhanga, Dehradun, Dharwad, Durgapur, Ernakulam, Fatehabad, Hisar, Jhansi, Jorapokhar, Kanchipuram, Katni, Kolar, Nandesari, Pune, Salem, Silchar, Solapur, Srinagar, Tensa, Tumakuru, Udupi, Vatva, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.